

「本公司有权保留对机器技术参数的修改，恕不另行通知。」
「We reserve the right to change technical characteristics without further notice.」

QITENG
Machinery

Wenzhou
QITENG Machinery Co.,Ltd. 温州市启腾机械有限公司



SCAN →




地址：浙江省瑞安市南滨街道阁巷新区围一路771号
Add: No. 771, Weiyi Road, Gexiang New District,
Nanbin Street, Rui'an City, Zhejiang Province
手机/M.T: **15888260812 15057307722**
E-mail: 745639331@qq.com

QITENG

BAG 制袋机专业制造商
Making Machine
Professional manufacturer



Wenzhou
QITENG Machinery Co.,Ltd.
温州市启腾机械有限公司



因为专注、所以专业
BECAUSE THE FOCUS,
SO WE PROFESSIONAL

启腾机械自创办以来，
专注**制袋机**研发与生产销售，
多年的匠心沉淀,拥有丰富的制造经验与技术，
启腾机械能为您提供全方位的**制袋生产工艺解决方案！**
选择启腾，我们能为您做得更多、更好… …

QITENG Machinery has been established.
Focus on the development, production and sales of **Bag Making Machine**.
We have rich manufacturing experience and technology,
QITENG Plastic Packaging Machinery can provide you with a full range of
Bag production process solution!
Choosing QITENG, we can do more and better for you.



我们生产工厂占地**4000**多平方米
We own more than 4000 square meters company



生产制造经验**18**多年
Over 18 years of production and manufacturing experience



ABOUT US

Wenzhou Qiteng Machinery Co., Ltd., rooted in the fertile land of Wenzhou, Zhejiang, China, is a professional machinery enterprise specializing in the research and development, production, and sales of bag making machines and supporting packaging equipment. We are committed to providing reliable and efficient equipment solutions for packaging production scenarios in various industries.

Since its establishment, we have always focused on the core field of bag making machines and have been deeply involved in the industry for 15 years. With continuous polishing and technical accumulation of packaging equipment manufacturing processes, we have established a mature system for the entire process from core component processing to complete machine assembly and quality control testing. We have accumulated rich production experience and customer service cases, and have become a trusted packaging equipment partner for many enterprises.

In terms of product strength, we adhere to the principle of "building a solid foundation with quality": the packaging equipment we produce has a solid body structure, carefully selected core components, and significant advantages such as durability and low failure rate, effectively reducing customers' later operation and maintenance costs; At the same time, by optimizing equipment transmission and control technology, the characteristics of low energy consumption and high production efficiency have been achieved, which can adapt to different specifications of bag making needs, help customers improve production capacity, and control production costs.

With stable product quality and efficient service, our products not only cover various provinces and cities across the country, but also serve customers in multiple industries such as food, daily chemical, building materials, logistics, etc. We have successfully expanded overseas markets and pushed reliable equipment manufactured in Wenzhou to the world.

In the future, Wenzhou Qiteng Machinery Co., Ltd. will continue to be guided by customer needs and centered on quality innovation, continuously upgrading its product technology and service system, providing more competitive bag making machines and packaging equipment solutions for more domestic and foreign customers, and working together with customers to promote efficient development in the packaging production field.

关于我们

温州市启腾机械有限公司，扎根中国浙江温州产业沃土，是一家专注于制袋机及配套包装设备研发、生产与销售的专业机械企业，致力于为各行业包装生产场景提供可靠、高效的设备解决方案。

自成立以来，我们始终聚焦制袋机核心领域，深耕行业15年，凭借对包装设备制造工艺的持续打磨与技术沉淀，已构建起从核心部件加工到整机装配、品控检测的全流程成熟体系，积累了丰富的生产经验与客户服务案例，成为众多企业信赖的包装设备合作伙伴。

在产品实力上，我们以“品质筑牢根基”为原则：生产的包装设备机身结构扎实、核心部件精选，具备坚固耐用、故障率低的显著优势，有效降低客户后期运维成本；同时通过优化设备传动与控制技术，实现了能耗损耗小、生产效率高的特点，能适配不同规格制袋需求，助力客户提升产能、控制生产成本。

凭借稳定的产品品质与高效的服务，我们的产品不仅覆盖全国各省市，服务国内食品、日化、建材、物流等多行业客户，更成功拓展海外市场，将温州制造的可靠设备推向全球。

未来，温州市启腾机械有限公司将继续以“客户需求为导向，品质创新为核心”，不断升级产品技术与服务体系，为更多国内外客户提供更具竞争力的制袋机及包装设备解决方案，携手客户共促包装生产领域的高效发展。

YF-A900

PE Clothing Zipper Bag Making Machine

PE服装拉链袋制袋机

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality

BAG 制袋机专业制造商
Making Machine
Professional manufacturer

性能及特点

- 1、本机采用先进的台湾威伦触摸显示屏，先进的PLC 电脑程序，双伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机。
- 2、本机具有筒料破口、割边、自动吹废料、插底、折边、冲孔、烫刀热合、振动盘高速自动上拉头等功能。
- 3、该制袋机自动上拉头、生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced Taiwan Weilun touch screen, advanced PLC computer program, and dual servo motor drive. Automatic feeding, photoelectric eye automatic deviation correction, automatic tension, automatic counting, material interruption shutdown, electronic eye tracking printing marking, automatic alarm and shutdown for label loss.
2. This machine has functions such as tube material breaking, edge cutting, automatic waste blowing, bottom insertion, edge folding, punching, hot pressing with a hot knife, and high-speed automatic top pulling of the vibrating plate.
3. The bag making machine automatically pulls up the head, has fast production speed, smooth and beautiful bag making, convenient bag management, simple and easy operation, high stability, and high production efficiency.

技术参数/Technical Parameters

型号	Model	YF-A900
制袋速度	Bag-making Production Speed	60-150PCS/min
制袋高度	Bag-making width	100-750mm
制袋宽度	Bag-making Length	100-800mm
制袋厚度	Bag-making Thickness	0.03-0.3mm
上拉头速度	The speed of slider mounting	80-180pcs/min
电源电压	Power Supply	220V/380V
总功率	Total Power	7.5KW
外形尺寸	Overall Dimension(L×W×H)	7200×1450×1900mm



YF-S900



Portable Zipper Bag Making Machine
手提式拉链袋制袋机

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality

BAG 制袋机专业制造商
Making Machine
Professional manufacturer



制袋速度
60-150 PCS/min
Bag-making Production Speed



性能及特点

- 1、本机采用先进的台湾威伦触摸屏，先进的PLC 电脑程序，双伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机。
- 2、本机具有筒料破口、割边、自动吹废料、插底、折边、冲孔、烫刀热合、振动盘高速自动上拉头等功能。
- 3、该制袋机自动上拉头、生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced Taiwan Weilun touch screen, advanced PLC computer program, and dual servo motor drive. Automatic feeding, photoelectric eye automatic deviation correction, automatic tension, automatic counting, material interruption shutdown, electronic eye tracking printing marking, automatic alarm and shutdown for label loss.
2. This machine has functions such as tube material breaking, edge cutting, automatic waste blowing, bottom insertion, edge folding, punching, hot pressing with a hot knife, and high-speed automatic top pulling of the vibrating plate.
3. The bag making machine automatically pulls up the head, has fast production speed, smooth and beautiful bag making, convenient bag management, simple and easy operation, high stability, and high production efficiency.

技术参数/Technical Parameters

型号	Model	YF-S900
制袋速度	Bag-making Production Speed	60-150PCS/min
制袋高度	Bag-making width	100-750mm
制袋宽度	Bag-making Length	100-800mm
制袋厚度	Bag-making Thickness	0.03-0.3mm
上拉头速度	The speed of slider mounting	80-180pcs/min
电源电压	Power Supply	220V/380V
总功率	Total Power	11.5KW
外形尺寸	Overall Dimension(L×W×H)	10000×1450×1900mm

YF-G900

Bone Stick Bag Making Machine 骨条袋(贴骨袋)制袋机

性能及特点

- 1、 本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机。
- 2、 本机具有筒料破口、割边、自动吹废料、插底、折边、冲孔、烫刀热合等功能。
- 3、 该制袋机主要用于生产骨条袋（贴骨袋），生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

- 1. This machine adopts advanced touch screen display, advanced PLC computer program, and servo motor drive. Automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material interruption shutdown, photoelectric eye tracking printing marking, automatic alarm and shutdown for label loss.
- 2. This machine has functions such as material breaking, edge cutting, automatic waste blowing, bottom insertion, edge folding, punching, and hot sealing with a hot knife.
- 3. This bag making machine is mainly used for producing bone stick bags, with fast production speed, smooth and beautiful bag making, convenient bag management, simple and easy operation, high stability, and high production efficiency.

技术参数/Technical Parameters


型号	Model	YF-G900
制袋速度	Bag-making Production Speed	60-150PCS/min
制袋高度	Bag-making width	100-750mm
制袋宽度	Bag-making Length	100-800mm
制袋厚度	Bag-making Thickness	0.03-0.3mm
电源电压	Power Supply	220V/380V
总功率	Total Power	4.5KW
外形尺寸	Overall Dimension(L×W×H)	6000×1450×1900mm

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality

BAG 制袋机专业制造商
Making Machine
Professional manufacturer



制袋速度
60-150 PCS/min
Bag-making Production Speed



YF-45A

PE/PP Zipper (chain clip) Extruder (twin screw)
PE/PP拉链(夹链)挤出机(双螺杆)

性能及特点

- 1、该机采用的模具，采用先进的90度挤出。
- 2、该机采用的料筒，螺杆式采用优质的合金钢，并经过表面镀铬处理，有很强的耐磨性，耐高温和耐变型性，配不锈钢电动冷水箱，可随意调节高低位置。
- 3、副机牵引采用变频调速，电脑触摸屏控制使生产的夹链品质更加稳定。

Performance Characteristics

1. The mold used in this machine adopts advanced 90 degree extrusion.
2. The material cylinder used in this machine is made of high-quality alloy steel and has undergone surface chrome plating treatment, which has strong wear resistance, high temperature resistance, and deformation resistance. It is equipped with a stainless steel electric cold water tank and can be adjusted in high and low positions at will.
3. The auxiliary traction adopts frequency conversion speed regulation, and the computer touch screen control makes the quality of the produced clamping chain more stable.


技术参数/Technical Parameters

型号	Model	YF-45A
适用原料	Material	LLDPE/PP
挤出宽度	Extrusion Width	3-50mm
挤出速度	Extrusion Speed	10-50M/min
主螺杆直径	Diameter of Screw	45mm
副螺杆直径	Deputy screw diameter	25mm
主螺杆长径比	Draw Ratio of Screw	30:1
主机功率	Main Power	7KW
副机功率	Power of Assistant Machine	3.7KW
电热功率	Heater	7.5KW
电源电压	Voltage	50Hz-60Hz 380V
外形尺寸	Overall Dimension(L×W×H)	6000×1000×1900mm

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality



挤出速度
10-50 M/min
Extrusion Speed



用途

该是我厂自行设计，自行制造的夹链挤出机，可以更换各种形状的夹链模具，用于制作各种pe、pp夹链。该机由主挤出机、模具定型、冷却水定型、脱水装置、风干装置、夹链合口装置等组成，模具结构灵活、装卸方便等优点。

Use

This machine is a chain clamping extruder designed and manufactured by our factory. It can replace various shapes of chain clamping molds and is used to make various PE and PP chains. This machine is composed of a main extruder, mold shaping, cooling water shaping, dewatering device, air drying device, clamping chain closing device, etc. It has the advantages of flexible mold structure and convenient loading and unloading.

YF-45G

PE/PP Zipper (chain clip) Extruder (single screw double exit)
PE/PP拉链(夹链)挤出机(单螺杆双出)

性能及特点

- 1、该机采用的模具，采用先进的90度挤出。
- 2、该机采用的料筒，螺杆式采用优质的合金钢，并经过表面镀铬处理，有很强的耐磨性，耐高温和耐变型性，配不锈钢电动冷水箱，可随意调节高低位置。
- 3、副机牵引采用变频器调速，使生产的夹链品质更加稳定。
- 4、双出有效生产速度70米/分钟，每小时4200米，速度快，产量高，产出效率高。

Performance Characteristics

- 1. The mold used in this machine adopts advanced 90 degree extrusion.
- 2. The material cylinder used in this machine is made of high-quality alloy steel and has undergone surface chrome plating treatment, which has strong wear resistance, high temperature resistance, and deformation resistance. It is equipped with a stainless steel electric cold water tank and can be adjusted in high and low positions at will.
- 3. The auxiliary traction adopts frequency converter speed regulation, making the quality of the produced clamping chain more stable.
- 4. The double output has an effective production speed of 70 meters per minute, 4200 meters per hour, fast speed, high output, and high efficiency.


技术参数/Technical Parameters

型号	Model	YF-45G
适用原料	Material	LLDPE/PP
挤出宽度	Extrusion Width	3-50mm
挤出速度	Extrusion Speed	10-90M/min
主螺杆直径	Diameter of Screw	45mm
主螺杆长径比	Draw Ratio of Screw	30:1
主机功率	Main Power	7KW
副机功率	Power of Assistant Machine	3.7KW
电热功率	Heater	7.5KW
电源电压	Voltage	50Hz-60Hz 380V
外形尺寸	Overall Dimension(L×W×H)	6000×1000×1900mm

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality



挤出速度
10-90 M/min
Extrusion Speed



用途

该是我厂自行设计，自行制造的夹链挤出机，可以更换各种形状的夹链模具，用于制作各种pe、pp夹链。该机由主挤出机、模具定型、冷却水定型、脱水装置、风干装置、夹链合口装置等组成，模具结构灵活、装卸方便等优点。

Use

This machine is a chain clamping extruder designed and manufactured by our factory. It can replace various shapes of chain clamping molds and is used to make various PE and PP chains. This machine is composed of a main extruder, mold shaping, cooling water shaping, dewatering device, air drying device, clamping chain closing device, etc. It has the advantages of flexible mold structure and convenient loading and unloading.

YF-GR900

Computer Version High-speed Edge Melting Machine
电脑版高速熔边机

性能及特点

- 1、 本机采用先进的触摸显示屏，先进的PLC 电脑程序、感应伺服电机，加厚重型钢板机身，无轴自动上料、光电眼自动纠偏、自动张力、码表数显速度、断料停机，双刀熔边，速度每分钟350米。
- 2、 主要适用于卫包熔边、折边。简单易操作，稳定性高，速度快，生产效率高。

Performance Characteristics

1. This machine adopts advanced touch screen display, advanced PLC computer program, induction servo motor, thickened heavy-duty steel plate body, shaft free automatic feeding, photoelectric eye automatic correction, automatic tension, code meter digital display speed, material cutting stop, dual blade edge melting, with a speed of 350 meters per minute.
2. Mainly suitable for edge melting and folding of sanitary bags. Simple and easy to operate, high stability, fast speed, and high production efficiency.

技术参数/Technical Parameters


型号	Model	YF-GR900
放卷宽度	Unwinding Width	200-1600mm
收卷宽度	Winding Width	100-800mm
收卷速度	Winding Speed	0-400m/min
电源电压	Power Supply	220V/380V
总功率	Total Power	8kw
外形尺寸	Overall Dimension(L×W×H)	5000×1500×1800mm

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality


BAG 制袋机专业制造商
Making Machine
Professional manufacturer



收卷速度
0-400 M/min
Winding Speed



放卷宽度: **200-1600mm**
Unwinding Width: 200-1600mm



收卷宽度: **100-800mm**
Winding Width: 100-800mm

YF-R900

High-speed Edge Melting Machine
高速熔边机

性能及特点

- 1、 本机采用钢板机身，自动上料、自动下料、龙门架走料、光电眼自动纠偏、自动张力、断料停机，速度每分钟100米左右。
- 2、 主要适用于拉链袋熔边，简单易操作，稳定性高，速度快，生产效率高。

Performance Characteristics

- 1. This machine adopts a steel plate body, with automatic feeding, automatic unloading, gantry feeding, photoelectric eye automatic correction, automatic tension, and material cutting shutdown, with a speed of about 100 meters per minute.
- 2. Mainly suitable for zipper bag edge fusion, simple and easy to operate, high stability, fast speed, and high production efficiency.

技术参数/Technical Parameters

型号	Model	YF-R900
放卷宽度	Unwinding Width	100-800mm
收卷宽度	Winding Width	100-800mm
收卷速度	Winding Speed	0-150m/min
电源电压	Power Supply	220V
总功率	Total Power	6kw
外形尺寸	Overall Dimension(L×W×H)	5000×1500×1900mm

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality



收卷速度
0-150 M/min
Winding Speed



放卷宽度: **100-800mm**
Unwinding Width: 100-800mm



收卷宽度: **100-800mm**
Winding Width: 100-800mm


YF-K900

Spray Type (automatic adhesive breaking) Express Bag Making Machine
喷胶式(自动断胶)快递袋制袋机

Intelligence/High Efficiency/Good Quality
智能化/高效率/高质量

BAG 制袋机专业制造商
Making Machine
Professional manufacturer

制袋速度
60-160 PCS/min
Bag-making Production Speed



性能及特点

- 1、 本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机、自动理袋。
- 2、 本机具有单片料对折、筒料破口、冲孔、自动喷胶、断胶等功能。
- 3、 该制袋机主要用于生产快递袋，生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

- 1. This machine adopts advanced touch screen display, advanced PLC computer program, and servo motor drive. Automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material interruption shutdown, photoelectric eye tracking printing marking, automatic alarm and shutdown for lost labels, and automatic bag sorting.
- 2. This machine has functions such as folding a single piece of material, breaking the barrel material, punching, automatic glue spraying, and breaking the glue.
- 3. This bag making machine is mainly used for producing express bags, with fast production speed, smooth and beautiful bag making, convenient bag sorting, simple and easy operation, high stability, and high production efficiency.

技术参数/Technical Parameters

型号	Model	YF-K900
制袋速度	Bag-making Production Speed	60-160PCS/min
制袋高度	Bag-making width	100-800mm
制袋宽度	Bag-making Length	100-700mm
制袋厚度	Bag-making Thickness	0.03-0.3mm
电源电压	Power Supply	220V/380V
总功率	Total Power	7KW
外形尺寸	Overall Dimension(L×W×H)	7000×1450×1800mm

YF-RG900

OPP Bag Making Machine (hot cutting machine)
OPP袋制袋机(热切机)



智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality



制袋速度
60-160 PCS/min
Bag-making Production Speed

性能及特点

- 1、本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机。
- 2、该制袋机主要用于生产OPP胶条袋，生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced touch screen display,advanced PLC computer program,and servo motor drive. Automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material interruption shutdown, photoelectric eye tracking printing marking, automatic alarm and shutdown for label loss.
2. This bag making machine is mainly used for producing OPP rubber strip bags, with fast production speed, smooth and beautiful bag making, convenient bag management, simple and easy operation, high stability, and high production efficiency.

YF-GY800

Hanging Bag (dustproof bag) Bag Making Machine
挂衣袋(防尘袋)制袋机



制袋速度
10-50 PCS/min
Bag-making Production Speed



BAG 制袋机专业制造商
Making Machine
Professional manufacturer

技术参数/Technical Parameters

型号	Model	YF-GY800
制袋速度	Bag-making Production Speed	10-50PCS/min
制袋高度	Bag-making width	500-1800mm
制袋宽度	Bag-making Length	100-650mm
制袋厚度	Bag-making Thickness	0.03-0.3mm
电源电压	Power Supply	220V/380V
总功率	Total Power	4.5KW
外形尺寸	Overall Dimension(L×W×H)	6000×1450×1300mm

性能及特点

- 1、本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机。
- 2、该制袋机主要用于生产挂衣袋（防尘袋），生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced touch screen display,advanced PLC computer program, and servo motor drive. Automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material interruption shutdown, photoelectric eye tracking printing marking, automatic alarm and shutdown for label loss.
2. This bag making machine is mainly used for producing hanging clothes bags (dust bags), with fast production speed, smooth and beautiful bag making, convenient bag management, simple and easy operation, high stability, and high production efficiency.

YF-S900

Bundle Bag (delivery bag) Bag Making Machine
束口袋(外卖袋)制袋机

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality

BAG 制袋机专业制造商
Making Machine
Professional manufacturer

技术参数/Technical Parameters

型号	Model	YF-S900
制袋速度	Bag-making Production Speed	60-120PCS/min
制袋高度	Bag-making width	100-600mm
制袋宽度	Bag-making Length	100-600mm
制袋厚度	Bag-making Thickness	0.03-0.3mm
电源电压	Power Supply	220V/380V
总功率	Total Power	12KW
外形尺寸	Overall Dimension(L×W×H)	9500×1300×1800mm

性能及特点


- 1、 本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。伺服电机烫线热合，自动穿绳、自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机、自动理袋。
- 2、 该制袋机主要用于生产外卖束口袋，生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced touch screen display, advanced PLC computer program, and servo motor drive. Servo motor hot wire sealing, automatic rope threading, automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material breakage shutdown, photoelectric eye tracking printing marking, automatic alarm and shutdown for label loss, and automatic bag sorting.
2. This bag making machine is mainly used for producing takeaway bags, with fast production speed, smooth and beautiful bag making, convenient bag sorting, simple and easy operation, high stability, and high production efficiency.



制袋速度
60-120 PCS/min
Bag-making Production Speed



YF-W800

Multifunctional Non-woven Zipper Bag Making Machine 多功能无纺布拉链袋制袋机



制袋速度
60-130 PCS/min
Bag-making Production Speed

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality


BAG 制袋机专业制造商
Making Machine
Professional manufacturer

性能及特点

- 1、本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机、自动上拉头。
- 2、该制袋机主要用于生产两片料、三片料、四片料无纺布拉链袋，手提袋，生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced touch screen display, advanced PLC computer program, and servo motor drive. Automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material interruption stop, photoelectric eye tracking printing mark, automatic alarm and stop for lost mark, automatic pulling head.
2. This bag making machine is mainly used for producing two piece, three piece, and four piece non-woven zipper bags, handbags, with fast production speed, smooth and beautiful bag making, convenient bag sorting, simple and easy operation, high stability, and high production efficiency.



技术参数/Technical Parameters

型号	Model	YF-W800
制袋速度	Bag-making Production Speed	60-130PCS/min
制袋高度	Bag-making width	100-650mm
制袋宽度	Bag-making Length	100-1000mm
制袋厚度	Bag-making Thickness	20-200g
电源电压	Power Supply	220V/380V
总功率	Total Power	14KW
外形尺寸	Overall Dimension(L×W×H)	13000×1350×2000mm

YF-WT800

Multifunctional Non-woven Zipper Bag Making Machine 多功能无纺布拉链袋制袋机

智能化/高效率/高质量
Intelligence/High Efficiency/Good Quality

BAG 制袋机专业制造商
Making Machine
Professional manufacturer



制袋速度
60-130 PCS/min
Bag-making Production Speed



性能及特点

- 1、本机采用先进的触摸显示屏，先进的PLC 电脑程序，伺服电机驱动。自动上料、光电眼自动纠偏、自动张力、自动计数、断料停机、电眼跟踪印刷标记、丢标自动报警且停机、自动上拉头。
- 2、该制袋机主要用于生产两片料、三片料、四片料无纺布拉链袋，手提袋，生产速度快，制袋平整美观，理袋方便，简单易操作，稳定性高，生产效率高。

Performance Characteristics

1. This machine adopts advanced touch screen display, advanced PLC computer program, and servo motor drive. Automatic feeding, photoelectric eye automatic correction, automatic tension, automatic counting, material interruption stop, photoelectric eye tracking printing mark, automatic alarm and stop for lost mark, automatic pulling head.
2. This bag making machine is mainly used for producing two piece, three piece, and four piece non-woven zipper bags, handbags, with fast production speed, smooth and beautiful bag making, convenient bag sorting, simple and easy operation, high stability, and high production efficiency.



技术参数/Technical Parameters

型号	Model	YF-WT800
制袋速度	Bag-making Production Speed	60-130PCS/min
制袋高度	Bag-making width	100-650mm
制袋宽度	Bag-making Length	100-1000mm
制袋厚度	Bag-making Thickness	20-200g
电源电压	Power Supply	220V/380V
总功率	Total Power	14KW
外形尺寸	Overall Dimension(L×W×H)	13000×1350×2000mm