TONGDAI 通牌

专注液压辅件生产制造 Focus on the production of hydraulic accessories



为液压系统提供可靠的产品

Provide reliable products
for hydraulic system

温州市精通液压有限公司
Wenzhou jingtong hydraumatic co. Ltd.

中国·温州市精通液压有限公司（原温州市精通液压件厂）始创于2006年，坐落于甬台温和金丽温高速公路的交汇处（温州瓯北高速路口旁）－中国·浙江温州永嘉桥下六岙工业区，拥有标准厂房6000余平方米，是中国主要生产液压过滤器为主的较大型液压产品制造厂家之一，其品牌在国内外享有较高知名度，在全国各地设有20余家销售网点。主要产品：各类液压过滤器、液压空气滤清器、冷却器、蓄能器、液位控制器、液位液温计、微型测压软管总成、过滤装置及其他液压辅件等系列产品。

公司技术力量雄厚，生产工艺先进，检测手段严密，产品质量稳定，已顺利通过了ISO9001:2008质量管理体系认证。先后获得“AAA级重合同守信用”“AAA级诚信经营示范单位”“AAA级信用企业”“中国驰名品牌”“国家高新技术企业”等荣誉称号。

公司主要服务以下八大行业：一、建筑、工程机械行业；二、矿山冶金设备行业；三、液压工程系统行业；四、机床行业；五、农业机械行业；六、塑料机械行业；七、石油化工行业；八、船舶和海洋工程装备行业。

公司以“诚信至上”为宗旨，坚持“质量第一”为方针，竭诚欢迎国内外客户给我们提供宝贵的建议意见，让我们产品做的更好！

China · Wenzhou Jingtong Hydraumatic Co., Ltd. (formerly Wenzhou Jingtong Hydraumatic Components Factory), was in 2006 and is located at the intersection of the Yongtaiwen and Jinliwen Expressways (near the Wenzhou Oubei Expressway exit) China·Zhejiang Wenzhou Yongjia Qiaoxia Liuao Industrial Park, with a standard factory building of more than 6000 square meters. It is one of the larger hydraulic product manufacturing companies in China, mainly producing hydraulic filters. Its brand enjoys a high reputation both domestically and internationally, and it has more than 20 sales outlets across the country. Main products: various hydraulic filters, hydraulic air filters, coolers, accumulators, level controllers, level and temperature gauges, miniature pressure hose, filtration devices, and other hydraulic accessories.

The company has a strong technical force, advanced production technology, strict detection means, stable product quality, and has successfully passed the ISO9001:2008 quality management system certification. It has successively won the honorary titles of "AAA Grade Credit and Trustworthy Enterprise", "AAA Grade Integrity Operation Demonstration Unit, "AAA Grade Credit Enterprise", "China Famous Brand" and "National High-tech Enterprise".

The company mainly serves the following eight major industries: 1. Construction, engineering machinery industry; 2. Mining and metallurgical equipment industry; 3.hydraulic engineering system industry; 4. Machine tool industry; 5. Agricultural machinery industry; 6.Plastic machinery industry; 7. Petrochemical industry; 8 Shipbuilding and marine engineering equipment industry.

The company adheres to the principle of "integrity first" and the policy of "quality first", and sincerely welcomes customers at home and abroad to provide us valuable suggestions to make our products better!



公司荣誉
COMPANY HONORS


认证证书

兹证明

温州市精通液压有限公司

质量管理体系符合标准

GB/T 19001-2016/ISO 9001:2015


CERTIFICATION

HEREBY CERTIFY

WenZhou JingTong Hydraumatic Co.,Ltd

Quality management system meets standards

GB/T 19001-2016/ISO 9001:2015


证书

CERTIFICATE

温州市精通液压有限公司

经审核，品牌在全国优质品牌调研推广活动中，符合《中国驰名品牌》的入选标准，被荣选为：

中国驰名品牌

CHINA WELL-KNOWN BRAND


资信等级认证证书

温州市精通液压有限公司

资信等级AAA级企业


企业信用等级证书

ENTERPRISE CREDIT RATING CERTIFICATE

温州市精通液压有限公司

AAA级诚信经营示范单位


企业信用等级证书

ENTERPRISE CREDIT RATING CERTIFICATE

温州市精通液压有限公司

AAA级信用企业


企业信用等级证书

ENTERPRISE CREDIT RATING CERTIFICATE

温州市精通液压有限公司

AAA级重合同守信用企业



HTT

TECHNOLOGY

Certificate of Conformity

CE














国外客户参观公司
Foreign customers visit the company








公司参加各大展会
The company participates in various exhibitions









JF-JP系列吸油过滤器
JF-JP Series Oil Suction Filter



JTF系列回油过滤器
Return Filters JTF Series



JTP系列回油过滤器
1.000.000 PA(10 Bar)
Return Filters JTP Series
1.000.000 PA(10 Bar)



RF系列回油过滤器
Return Filters RF Series
接口Interface：G1/2至To DIN DN300
主要参数：Q最大max = 15000L/min
P最大max = 25bar



JTM系列高压过滤器
High Pressure Inline Filter JTM Series



JPM系列高压过滤器
42.000.000 PA(420 Bar)
High Pressure Inline Filter JPM Series
42.000.000 PA(420 Bar)



JMM系列高压过滤器
42.000.000 PA(420 Bar)
High Pressure Inline Filter JMM Series
42.000.000 PA(420 Bar)



DF系列高压过滤器
42.000.000 PA(420 Bar)
High Pressure Inline Filter DF Series
42.000.000 PA(420 Bar)



8420系列低压过滤器
8420 Series Low Pressure Filters
工作压力Working Pressure：10bar
油口规格Oil Port Size：2"和and 3"



DFF压力管路过滤器
DFF Pressure Pipeline Filter



UT319系列油箱内置回油过滤器
UT319 Series fuel tank built-in return filter
接口尺寸Interface size：1"、2"和and 2 1/2"
主要参数Main parameters：
Q最大max = 760L/min
P最大max = 10bar



RFD型油箱上置式双筒回油过滤器
RFD type overhead double-tube return oil filter
接口Interface：G1/2至to DIN DN300
主要参数Main parameters：
Q最大max = 1300l/min
P最大max = 25bar



TF系列箱外自封式吸油过滤器
TF Series Self-Sealing oil-Sucking Filter Outside Of Oil Tank
公称流量Nominal Flow:25-1300L/min
过滤精度Filtration Accuracy:80-180μm



YLX系列箱上吸油过滤器
YLX Series Oil-Sucking Filter on Oil Tank
公称流量Nominal Flow:25-800L/min
过滤精度Filtration Accuracy:80-180 μm



YCX系列自封式箱侧吸油过滤器
YCX Series Self-Sealing Oil-Sucking Filter On Oil Tank Side
公称流量Nominal Flow:25-1600L/min
过滤精度Filtration Accuracy:80-180μm



CXL系列自封式磁性吸油过滤器
CXL Series Self-Sealing Magnetic Oil-Sucking Filter
公称流量NominalFlow:25-1600L/min
过滤精度FiltrationAccuracy:80-180μm



TFA系列吸油过滤器（新型）
TFA SuctionFilter Series
公称流量Nominal Flow:25-800L/min
过滤精度FiltrationAccuracy:80-180μm



ISV系列管路吸油过滤器
ISV Suction Line filter series
公称流量Nominal Flow:40-1000L/min
过滤精度FiltrationAccuracy:80-180μm



ZL12-122自封式磁性吸油过滤器
ZL12-122 Self-Sealing Magnetic Oil-Sucking Filter
公称流量Nominal Flow:120-160L/min
过滤精度Filtration Accuracy:10-80μm



GP、WY系列磁性回油过滤器
GP、WY Magnetic Return Filter Series
公称流量NominalFlow:300-800L/min
过滤精度Filtration accuracy:1-30μm
公称压力Nominal Pressure:1.6MPa



ZU-H系列压力管路过滤器
ZU-H High Pressure Line filter Series
公称流量NominalFlow:10-800L/min
过滤精度FiltrationAccuracy:1-30μm
公称压力Nominal Pressure:32MPa



GU-H系列自封式压力管路过滤器
GU-H With Check Valve Pressure Line Filter Series
公称流量Nominal Flow:10-630 L/min
过滤精度Filtration Accuracy: 10-30μm
公称压力Nominal Pressure:32MPa



海沃系列回油过滤器
HaiWo Return line Filter Series
公称流量Nominal Flow:63L/min
过滤精度FiltrationAccuracy:5-180μm



TFB系列新型强磁吸油过滤器
TFB Suction Filter Series
公称流量Nominal Flow:45-250L/min
过滤精度Filtration Accuracy:10-80μm



RFB系列直回自封式磁性回油过滤器
RFB With Check Valve Magnetic Return Filter Series
公称流量NominalFlow:25-1300L/min
过滤精度FiltrationAccuracy:1-30μm
公称压力Nominal Pressure:1.6MPa




RFA系列微型直回式回油过滤器
RFA Tank Mounted Mini-Type Return Filter Series
公称流量NominalFlow:25-1000L/min
过滤精度FiltrationAccuracy:1-30μm
公称压力Nominal Pressure:1.6MPa



RF 系列直回式回油过滤器
RF Tank Mounted Return Filter Series
公称流量Nominal Flow:60-1300L/min
过滤精度Filtration Accuracy:1-30μm
公称压力 Nominal Pressure:1MPa



QYL型回油过滤器
QYL Return Filter Series
公称流量Nominal Flow:63-400L/min
过滤精度Filtration Accuracy:1-30μm
公称压力 Nominal Pressure:1.6MPa



YLH系列箱上回油过滤器
YLH Series Return Oil Filter on Oil Tank
公称流量NominalFlow:10-1600L/min
过滤精度FiltrationAccuracy:1-40μm
公称压力Nominal Pressure:1.6MPa



CHL系列自封式磁性回油过滤器
CHL Series Self-Sealing Magnetic Return Oil Filter
公称流量Nominal Flow:25-1600L/min
过滤精度Filtration Accuracy:1-40μm
公称压力Nominal Pressure:1.6MPa



XNJ系列箱内吸油过滤器
XNJ Tank Mounted Suction Filter Series
公称流量Nominal Flow:25-1000L/min
过滤精度Filtration Accuracy:80-180um



XNL系列箱内回油过滤器
XNL Tank Mounted Return Line Filter Series
公称流量NominalFlow:25-1000L/min
过滤精度FiltrationAccuracy:1-30um
公称压力Nominal Pressure:0.6MPa



NJU系列箱外内积式吸油过滤器
NJU Tank Mounted Suction Filter Series
公称流量Nominal Flow:25-800L/min
过滤精度FiltrationAccuracy:80-180μm



SP型旋转式管路过滤器
SP Type In-on Line Filter Series
公称流量Nominal Flow:60-160 L/min
过滤精度Filtration Accuracy: 10-25 μm
公称压力Nominal Pressure:0.7MPa



CFF系列自封式磁性吸油过滤器
CFF Series Self-Sealing Magnetic Oil-Sucking Filter
公称流量Nominal Flow:300-630L/min
过滤精度Filtration Accuracy:80-180μm



CFFA系列自封式磁性吸油过滤器
CFFA Series Self-Sealing Magnetic Oil-Sucking Filter
公称流量Nominal Flow:300-630L/min
过滤精度Filtration Accuracy:80-180μm




ZU-A系列回油过滤器
ZU-A Return line Filter Series
公称流量Nominal Flow:10-1000L/min
过滤精度Filtration Accuracy:1-30μm
公称压力Nominal Pressure:1.6MPa



RLF系列回油管路过滤器
RLF Return Line Filter Series
公称流量Nominal Flow:60-1300 L/min
过滤精度FiltrationAccuracy: 1-30μm
公称压力Nominal Pressure:1.6MPa



PLF系列压力管路过滤器
PLF High Pressure Line Filter Series
公称流量Nominal Flow:30-660L/min
过滤精度Filtration Accuracy:1-30μm
公称压力Nominal Pressure:C=6.3MPa;
E=16MPa;
H=32MPa




DRLF系列大流量回油过滤器
DRLF Large Flow Rate Return Line Filter Series
公称流量Nominal Flow:1300-9100L/min
过滤精度Filtration Accuracy: 1-30μm
公称压力 Nominal Pressure:1.6MPa



CGQ型系列强磁管路过滤器
CGQ Strong Magnet Line Filter Series
通径Dia.: Φ6-Φ25mm
过滤精度Filtration Accuracy: 60μm
公称压力Nominal Pressure:32MPa



WU、XU、HY37型系列吸油过滤器
WU、XU、HY37 Suction Strainer Series
公称流量NominalFlow:16-630L/min
过滤精度Filtration Accuracy:80-180μm



MF型吸油滤油器
MF Type Oil Filter



PLFA系列压力管路过滤器
PLFA High Pressure Line Filter Series



DF系列叠加式过滤器
DF Pressure Filter For Sandwich Stacking Series
公称流量Nominal Flow: 30-110 L/min
过滤精度FiltrationAccuracy: 3-20μm
公称压力Nominal Pressure:32MPa



DFB系列高压板式过滤器
DFB Pressure Filter For Plated Connection
公称流量Nominal Flow: 30-660L/min
过滤精度Filtration Accuracy: 3-30μm
公称压力Nominal Pressure:32MPa



XU-C系列线隙式中压管路过滤器
XU-C Series Middle Pressure Pipe Road Filter



STF系列双筒箱外自封式吸油过滤器
STF Series Self-Sealing Double Cylinder Oil-Sucking Filter Outside Of Oil Tank
公称流量Nominal Flow:25-1300 L/min
过滤精度Filtration Accuracy:80-180μm



SRFA系列双筒微型直回式回油过滤器
SRFA Duplex Tank Mounted Mini–Type Return Filter Series
公称流量 Nominal Flow: 25-800 L/min
过滤精度 Filtration Accuracy: 1-30 μ m
公称压力Nominal Pressure:1.6MPa



SRFB系列双筒直回式回油过滤器
SRFB Duplex Tank Mounted Return Filter Series
公称流量 Nominal Flow: 25-1000 L/min
过滤精度 Filtration Accuracy: 1-30 μ m
公称压力Nominal Pressure:1.6MPa



SRLF系列双筒回油管路过滤器
SRLF Duplex Return Line Filter Series
公称流量 Nominal Flow: 60-1300 L/min
过滤精度 Filtration Accuracy: 1-30 μ m
公称压力 Nominal Pressure: 1.6Mpa



SZU系列双筒回油过滤器
SZU Duplex Return Line Filter Series
公称流量 Nominal Flow:25-400L/min
过滤精度Filtration Accuracy:1-30 μm
公称压力 Nominal Pressure:1.6MPa



SGF系列双筒高压过滤器
SGF Duplex High–Pressure Line Filter Series
公称流量 Nominal Flow: 30-660 L/min
过滤精度 Filtration Accuracy: 1-30 μ m
公称压力Nominal Pressure:32MPa




SMF系列双筒中压过滤器
SMF Duplex Middle Pressure Line Filter Series
公称流量 Nominal Flow: 30-100 L/min
过滤精度 Filtration Accuracy: 5-20 μ m
公称压力Nominal Pressure:10MPa




SDRLF系列大流量双筒回油过滤器
SDRLF Duplex Large Flow Rate Return Line Filter Series
公称流量 Nominal Flow:1300-9100L/min
过滤精度Filtration Accuracy:1-30 μm
公称压力 Nominal Pressure:1.6MPa



SWCQ系列稀油润滑油系统双筒过滤器
SWCQ Series Oil Lubricating System Double Cylinder Filter
公称流量 Nominal Flow:25-1000L/min
过滤精度Filtration Accuracy:1-30 μm
公称压力 Nominal Pressure:1.6MPa



SLLF系列双筒润滑过滤器
SLLF Duplex Lubrication Filter Series
公称流量 Nominal Flow:19-22140L/min
过滤精度Filtration Accuracy:80-120 μm
公称压力 Nominal Pressure:0.6MPa



各种液压滤芯
Element



过滤器用污染物堵塞发讯器
The Indicators For Filters



测压软管与测压接头系列
Pressure Testing Hose And Adapter
CY型测压装置
CY Type Pressure Testing System
压力表
Pressure Gauge



高压球阀
High Pressure Ball Valves
通径Nom.dia:04-50mm



低压球阀
Low Pressure Ball Valves
通径Nom.dia:06-50mm



YG系列油箱清洗盖
YG Inspection Covers For Reservoir
直径Dia:Φ250-Φ500mm
FC系列清洁盖
FC Inspection Covers
管径RC.:3/8"-3"



EF-25～120系列液压空气滤清器
EF-25～120 Breather Filter Series



QUQ系列液压空气滤清器
QUQ Breather Filter Series




JB982-77组合密封垫圈、仿进口型
JB982-77 Semimetallic Gasket、
Fake Imported Type
公称通径nominal Dia: Φ6-Φ60mm
压力等级pressure Grade:40MPa
工作温度workingtemperature:
-25℃-+80℃



KF型压力表开关
KF Pressure Gauge Cock



LKSI液位控制指示器
LKSI Level Control Indicator Series
长度L: 600-2000mm
公称压力Nominal Pressure:0.3MPa




XYW、YWZ、CYW系列液位计
XYW、YWZ、CYW Level Gauge Series



LS-3"、LS-5"油温油面计
LS-3"、LS-5" Oil Temperature oil gauge



CYW系列电控液位计
CYW Level Control Indicator Series




液压空气过滤器
型号：EF系列、QUQ系列、QUS系列
Hydrulic Air Filter
Model: EF Series、QUQ Series、
QUS Series




PAF系列预压式空气滤清器
PAF Breather Filter Series
单向阀门开启压力
Check Valve Setting:0.02; 0.035; 0.037MPa
C型系列空气过滤器
Model C Series Air Filter



SAF系列带锁液压空气滤清器
SAF Lockable Breather Filter Series



YKJD系列液位控制继电器
YKLD Level Switch Series
使用电压Voltage:DC:24V AC:220V
YK型液位指示器
YK Level Control Indicator
使用电压Voltage: DC: 24V



斜口空气滤清器
Beveled Port Air Filter
安全门撞块
Security Door Stopper



QLS型吸湿液压空气滤清器
QLS Water-absorbing Breather Filter



新型空气滤清器
Series Air Filter



AB1163、AB1162加油口
AB1163、AB1162 Oil Port



LS系列钟形罩
LS Series Bell Jar
ND系列联轴器
ND Series Coupling




LUC、LUCA系列滤油车
LUC、LUCA Pushcart Filter Series
公称流量Nominal Flow:16-125L/min
过滤精度Filtration Accuracy:3-40μm



GLS型手提式过滤装置
GLS Portable FIter Equipment



油冷却器
Oil Cooler



管夹系列
Tube Clamp Series
符合德国标准DIN3015
Auording With German Standard DIN3015

TONGDAI 通牌

温州市精通液压有限公司

WENZHOU JINGTONG HYDRAUMATIC CO. LTD.

地址：浙江省温州市永嘉县桥下镇六岙工业区
Add: Liu'ao Industrial Zone,qiaoxia Town,yongjia County,
Wenzhou City,zhejiang Province China.
电话Tel: +86-577-86152822 80210633
传真Fax: +86-577-85697622
手机M/P:+8613957707894
E-mail: sales@wzjtyy.com
Http: //www.wzjtyy.com

精通液压 过滤服务专家！！
JINGTONG HYDRAUMATIC,
EXPERT IN FILTRATION SERVICES