



Since 1969

GUSU MACHINERY

GUSU MACHINERY

www.gusujx.com

厂址：中国江苏苏州浒关工业园永安路2号
电话：+86 512 6539 1735
传真：+86 512 65391260
中文官网：www.gusujx.com
E-mail：gusu@gusujx.com

FACTORY ADDRESS: No.2 Yongan Road,Xuguan
Industrial Park,Suzhou,Jiangsu,China
TEL: +86 512 6539 1735
FAX: +86 512 65391260
ENGLISH WEBSITE: www.chocomachinery.com
E-MAIL: gusu@gusujx.com





Since 1969

苏州姑苏食品机械有限公司

Gusu Food Processing Machinery Suzhou Co., Ltd.



Contents 目录

企业介绍

关于我们
事业历程
合作客户
证书专利
出口国家

Company Profile

About Us 01
Business History 02
Famous Customers 32
Certificate Patent 32
Countries Exporting To 33

产品系统

工艺流程
复合糖排自动成型机
融油锅
巧克力精磨机
连续球磨机
批次球磨机
巧克力保温缸
巧克力调温机
巧克力滴浇机
滚筒式巧克力滴浇机
巧克力浇注机
巧克力涂衣机
饼干浇注机
巧克力饰花机
巧克力豆形成型机
巧克力抛光机
多功能调温机
打散提升机
巧克力浇片机
巧克力精炼机
FTJ 系列粉糖机
双桨搅拌混料机
巧克力混料机
谷物脆生产线
坚果棒成型机
巧克力送浆泵
其他产品

Product Introduction

Chocolate Production Process 03
Compound Candy Bar Line 04
Fat Melter 06
Chocolate Conche 08
Continuous Ball Mill 10
Batch Ball Mill 11
Chocolate Storage Tank 12
Chocolate Tempering Machine 13
Chocolate Chips Depositor 14
Chocolate Rotary Depositor 15
Chocolate Moulding Line 16
Chocolate Enrober 18
Biscuit Depositing Machine 19
Chocolate Decorator 19
Chocolate Bean Roller Former 20
Chocolate Coating Pan 21
Tempering Moulding and Coating Machine 22
Fully mixed Hoist 23
Chunks Production Line 24
Chocolate Refiner 25
FTJ Series Sugar Mill 26
Double paddle mixer 26
Chocolate Mixing Machine 27
Grain crisp production line 28
Nuts Bar Forming and Inserting Machine 29
Chocolate Delivery Pump 30
Other Products 31

About Us

Complete Solution Of Chocolate Production Machinery

姑苏机械

巧克力全套制作设备

苏州姑苏食品机械有限公司原名为“苏州姑苏食品机械总厂”创立于1969年，是生产巧克力机械及糖果成套设备的专业企业，是江苏省“明星企业”“高新技术企业”“省级专精特新企业”，注册的“姑苏牌”产品获得中华人民共和国优产品荣誉，是中国第一家制造生产巧克力全套设备的企业，在行业界被誉为“中国巧克力之母”。

五十多年来，姑苏食品机械坚持以人为本、忠于客户、诚信经营的企业哲学，企业连续十多年获得苏州市“重合同守信用”及“诚信企业”证书。瞄准行业内先进的设备和技术，联络各食品界、科技企业及相关院校，不断对产品进行改造、创新及发展，服务于客户，产品覆盖全国，常年与伊利、蒙牛、旺旺、和路雪、徐福记、喜之郎、蜡笔小新和玛氏等知名企业合作，出口世界120多个国家和地区，获得合作方一致肯定。主要的巧克力设备有：巧克力精磨机，球磨机，巧克力浇注机，巧克力滴浇机，巧克力涂衣机，豆形成型机，抛光机，巧克力调温机，复合全自动糖排生产线（能量棒设备）等。

如今姑苏食品机械扩建，已于2014年底搬至新厂房，厂区占地五十多亩，风景优美、交通便利、工作场所宽敞、软件和硬件设施全面完善，还设有研发中心，是“苏州市食品机械工程技术研究中心”，通过ISO9001:2008质量认证及CE认证，拥有多项国家专利，先进的加工及检测设备，更好地为客户服务。

本着敢攀高峰、争当行业先锋的宗旨，我们将不断进行科研及创新，一如既往的为客户提供优质的服务，真诚欢迎世界各地的客户来厂指导和咨询。

让我们携起手来，共创未来。

Gusu Food Processing Machinery Suzhou Co.,Ltd., formerly known as Gusu General Works of Food Processing Machinery Suzhou, founded in 1969, is also the first enterprise making complete sets of chocolate machinery in China and honored as “the Mother of Chocolate in China.”

Over 50 years, Gusu insists on a corporate philosophy of people-oriented, be loyal to customers and credit management, we aim at the first class equipments and technologies worldwide in the industry, we connected with the food industry, scientific and technological enterprises and universities to make continuous improvements, innovations and development of the products in order to provide better service to customers. Gusu has cooperated with Barry Callebaut, Mars, Hormel Foods, General Mills, Puratos and other well-known enterprises all year round. Products are sold all over China and more than 120 countries and regions.

Gusu expanded and moved to the new factory in 2014 which covers more than 35,000 m with beautiful environment and convenient transportation, “Suzhou Food Engineering Research Center” was founded in our new factory. Gusu has certified by ISO9001:2008 and CE, with a number of national patents.

The purpose of Gusu is daring to scale the heights and striving for industry pioneer, we will continuously work on scientific research and innovations, provide customers with better and better service.

We warmly welcome customers worldwide to Gusu to conduct and consult.




创始人：王永兴先生
Founder: Mr. Wang Yongxing




Business History

事业历程



Chocolate Production Process

生产流程



TPX Series Automatic Compound Candy Bar Line



TPX系列
复合糖排自动成型机

复合糖排自动成型线是为了适应市场对糖排类产品日益增长的需求而专门研发设计的(比如能量棒, 谷物棒, 蛋白棒, 水果棒, 牛轧糖, 士力架, 沙琪玛等)。

姑苏糖排线有五种宽度可供选择, 200,300,400,600以及800mm, 成型线所有功能均可以由一个或者两个PLC控制柜来实现调节。

Automatic Compound Candy Bar Line is designed to meet the fast growing market demand for bar products like Snicker, Nougat, Cereal Bar, Grains Bar, Energy Bar, Fruit Bar, Protein Bar, etc.

Gusu Candy Bar Line is available in five widths: 200,300,400, 600 and 800mm. All functions of the bar forming line are regulated by means of one or two PLC control cabinets which is very easy to operate and saves time.



RYG Series Fat Melter

RYG系列融油锅

RYG系列融油锅是巧克力生产的辅助设备, 主要用于融化可可液块或代可可脂, 以满足巧克力的生产要求。

RYG series fat melter is an auxiliary equipment to produce chocolate, mainly used for melting cocoa liquor or cocoa butter substitute to meet the requirements of chocolate production.



RYG-2融油锅

夹套水温: 40-65°C Water temperature in the jacket: 40-65°C

加热功率: 6kW Heating Power: 6kW

容积: 240L Nominal capacity: 240L

外形尺寸: 1165x830x1000mm Outer Dimension: 1165x830x1000mm

RYG-3融油锅

夹套水温: 40-65°C Water temperature in the jacket: 40-65°C

加热功率: 9kW Heating Power: 9kW

容积: 120Lx3 Nominal capacity: 120L x 3

外形尺寸: 1660x830x1000mm Outer Dimension: 1660x830x1000mm

RYG-4融油锅

夹套水温: 40-65°C Water temperature in the jacket: 40-65°C

加热功率: 12kW Heating Power: 12kW

容积: 250Lx4 Nominal capacity: 250L x 4

外形尺寸: 2170x1000x1000mm Outer Dimension: 2170x1000x1000mm



RYG500融油锅

热水盘管温度: 55-80°C Hot water pipes temperature: 55-80°C

夹套水温: 40-65°C Water temperature in the jacket: 40-65°C

加热功率: 15kW Heating Power: 15kW

电机功率: 1.5kW Motor Power: 1.5kW

容积: 500L Nominal capacity: 500L

外形尺寸: 1700x1450x1650mm Outer Dimension: 1700x1450x1650mm

RYG1000融油锅

热水盘管温度: 55-80°C Hot water pipes temperature: 55-80°C

夹套水温: 40-65°C Water temperature in the jacket: 40-65°C

加热功率: 18kW Heating Power: 18kW

产量: 700L/h Product Capacity: 700L/h

外形尺寸: 3200x1750x1680mm Outer Dimension: 3200x1750x1680mm

RYG2000融油锅

热水盘管温度: 55-80°C Hot water pipes temperature: 55-80°C

夹套水温: 40-65°C Water temperature in the jacket: 40-65°C

加热功率: 24kW Heating Power: 24kW

容积: 1400L-1700L Nominal capacity: 1400L-1700L

外形尺寸: 3350x1800x1820mm Outer Dimension: 3350x1800x1820mm

JMJ Series Chocolate Conche

JMJ系列 精磨机

苏州姑苏食品机械有限公司是中国第一家生产精磨机的企业，此型号精磨机是我公司第四代精磨机：改进了传动、采用电机自动紧刀及PLC全自动控制，具有精炼、研磨、脱臭、脱水等多种功能及方便维修、防漏耐用、研磨稳定、节能等优点，是生产巧克力的关键必要设备。

此机主要用于精磨巧克力浆料，也适用于研磨果酱、花生酱等流质油料。



Gusu Food Processing Machinery Suzhou Co., Ltd. is the first manufacturer of chocolate conche in China and this model is the fourth generation which updated by the transmission, automatic motor knife with PLC control, with grinding, deodorization, dehydration functions etc...easy maintenance, durability, preventing leakage grinding stability, energy saving etc. It's the necessary machinery to production chocolate.


This machinery is mainly used for fine grinding of chocolate paste, also suitable for the jam, peanut butter and other liquid fuel.

型号 Model	容量 Capacity(L)	精磨细度 Fineness(μm)	精磨时间 Grinding Time(h)	主机功率 Motor Power(kW)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
JMJ3000	3000	20-25	18-24	55	7000	4120 x 1920 x 2200
JMJ2000	2000 (2500kg)	20-25	16-20	45	5600	3100 x 1920 x 2200
JMJ1500	1500 (1875kg)	20-25	16-20	37	3800	2940 x 1600 x 2000
JMJ1000	1000 (1250kg)	20-25	14-20	22	3450	2750 x 1400 x 1800
JMJ500	500 (625kg)	20-25	14-20	15	2300	2500 x 1300 x 1500
JMJ40	40 (50kg)	20-25	7-9	2.2	330	1100 x 630 x 1090
JMJ20	20 (25kg)	20-25	7-9	1.5	260	1030 x 560 x 1000

QMJ Series Continuous Ball Mill

QMJ系列
连续球磨机

姑苏球磨机是高效精磨巧克力浆料及日用化工原料的理想设备。巧克力浆料的精磨处理是由两根带有碟片的主轴带动合金钢珠旋转运动来研磨的，研磨后的浆料细度为20-25 μm。 Ball Mill is the ideal machine for ensuring efficient and uniform refinement of chocolate and similar masses with relatively low fat contents. The chocolate paste is refined through the combined spinning of the two main shafts fitted with discs and the alloy beads located in the milling tank. After grinding the fineness will be around 20-25 μm.




型号 Model	容量 Capacity(L)	电机功率 Motor Power(kW)	转速 Spindle Speed(r/min)
DQMJ5	5	1.1	290
DQMJ500	500	30	200
DQMJ1000	1000	55	170



型号 Model	主电机功率 Main Motor(kW)	主轴转速 Spindle Speed (r/min)	钢球 Grinding Medium (kg)	产量 Process Ability(kg/h)	冷却水 Cooling Water (kg/h)	输入/输出泵功率 Input/Output Pump Power	外形尺寸 Outer Dimension(mm)
QMJ 250	11 x 2	250-530	250	200-250	1500	1.5kW	2000x1200x2080
QMJ 500	18.5 x 2	280-390	450	400-500	2000	3.0kW	2200x1250x2100

QMJ Series Batch Ball Mill

LQMJ系列
批次球磨机



型号 Model	总功率 Main Motor(kW)	容量 Capacity(L)	外形尺寸 Outer Dimension(mm)	钢球重量 Steel ball weight(kg)	主轴转速 Spindle Speed(r/min)
LQMJ20	3.1	20	600x650x800	25	85
LQMJ500	21	500	1650x1100x2900	400	85
LQMJ1000	28	1000	1900x1300x3400	450	85

BWG Series Storage Tank

BWG系列

保温缸

本缸采用额定温度保持精磨后的巧克力原料，（温度可以任意调节）通过搅拌，使巧克力具有脱气、脱臭、脱水以及防止浆料油脂分离等功能。

The storage tank equipped with rated temperature(temperature adjustable) is used for storing the fine milled chocolate paste via agitating to fulfill degassing, deodorization, dehydration and avoiding the separation of oil and grease of the paste, etc. and foreign advanced technology with advantages of transmission, fine grinding, and leakproof, etc.



型号 Model	容量 Capacity(L)	电机功率 Motor Power (kW)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
BWG30	30	0.37	80	700x700x850
BWG60	60	0.55	95	850x730x850
BWG100	100	0.75	150	960x830x950
BWG200	200	0.75	190	1065x930x1200
BWG300	300	0.75	200	1255x1120x1030
BWG500	500	1.1	300	1300x1170x1450
BWG1000	1000	1.5	410	1600x1470x1570
BWG2000	2000	3	950	1800x1700x2100
BWG3000	3000	4	1300	2100x2000x2100
BWG5000	5000	5.5/7.5	3500	2240x2140x2700

QT Series Chocolate Tempering Machine

QT系列


巧克力调温机

本机是纯脂巧克力生产中的重要设备，该机可严格按照巧克力调温工艺中各阶段所需的温度进行自动控制以保证巧克力的品质。

This machine is an important equipment in the production of chocolate. The machine can be automatically controlled according to the temperature required in each stage of chocolate temperature regulation process to ensure the quality of chocolate.



QT2000



型号 Model	产量 Capacity(kg/h)	整机功率 Total Power(kW)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
QT100	100	9.25	450	980 x 840 x 1750
QT250	250	10.75	670	980 x 840 x 1750
QT500	500	11.75	800	1100 x 970 x 1750
QT1000	1000	26.75	1200	1540 x 1240 x 2750
QT2000	2000	34.25	1500	1800 x 1540 x 2450

QDJ Series Chocolate Chips Depositor

QDJ系列
巧克力滴浇机

QDJ型巧克力滴浇机，是生产小颗粒状巧克力产品的专用设备，它是由滴状巧克力直接浇注在PU输送带上后，进冷道冷却，通过输送带下滚筒，自动脱落而成，具有控制精确、操作方便简单、适用范围广、生产量大的特点。

The depositor QDJ Series is a specified equipment to produce small granule chocolate. The chocolate liquid dripping directly onto the PU conveyor belt and moves into the cooling tunnel for cooling, according to the roller under the conveyor belt, the chocolate granules fall automatically. The machine has characteristics of accurate control, simple operation, wide range of usage and large production capacity.




型号 Model	输送带宽度 Conveyor Belt Width (mm)	滴浇次数 Drop Frequency (per/min)	冷道温度 Tunnel Work Temp. (°C)	整机功率 Total Power (kW)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
QDJ 600	600	12-15	0~10°C	9.02	1500	14000 x 950 x 1750
QDJ 800	800	12-15	0~10°C	10.52	2000	16000 x 1150 x 1750
QDJ 1000	1000	12-15	0~10°C	22.75	2200	20000x1350x1750
QDJ 1200	1200	12-15	0~10°C	30	2500	26000x1550x1750

GQDJ Series Chocolate Rotary Depositor

GQDJ系列
滚筒式巧克力滴浇机

GQDJ系列滚筒式巧克力滴浇机可以实现连续生产，产量大，操作方便，更换巧克力品种大小只需要一个人两分钟就可以灵活更换外滚筒。

GQDJ series chocolate rotary depositor can achieve continuous production, large output and easy operation, it only takes one person two minutes to flexibly replace the outer roller for changing the varieties and sizes of chocolate.



型号 Model	输送带宽度 Conveyor Belt Width (mm)	冷道温度 Tunnel Work Temp. (°C)	整机功率 Total Power (kW)	外形尺寸 Outer Dimension(mm)
GQDJ400	400	0~10°C	8	16500*1560*1300
GQDJ600	600	0~10°C	9.55	16500*1760*1300
GQDJ800	800	0~10°C	10.45	16500*1960*1300
GQDJ1200	1200	0~10°C	17.6	20500*2160*1300

QJJ Series Chocolate Moulding Line

QJJ系列
巧克力浇注机

本机是采用三次浇注，二次添加（碎果仁、整个果仁），集烘模、浇注、翻模、刮模、振动、冷却于一体的巧克力成型必备设备，本机除可以做纯巧克力外，还可以做各类大小、添加、夹心型、多色多味型巧克力等品种，具有产量高、品种多、整洁、实用等优点。

This chocolate moulding line adopted pouring for three times and filling twice (crispy nuts and full nuts). It collects baking, moulding, rolling over, vibrating and cooling together. With this machine, you can produce pure chocolate, a variety of chocolate with different sizes, fillings, multi-colours and multi-tastes. It has advantages of high productivity, varieties, tidiness and utility etc.



型号 Model	产量 Capacity (T/Day)	功率 Power (kW)	模板尺寸 Moulding Board Dims. (mm)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
QJJ100-A	0.8	1.44	275x 175	100	2000 x600 x1250
QJJ100-B	0.8	1.44	275x 175	100	1000 x600 x1250
QJJ150	1.5	7.47	275x 175	5000	4000 x 520 x 1500
QJJ175	2-2.5	17.4	300x 225	5000	14000 x 1000 x 2350
QJJ175B	1.5-2	20	280x 200	6000	16000 x 1100 x 2100
QJJ275	1.5-2	45	275x 175	5800	12726 x 5240 x 1810
QJJ510	2-2.5	20.64	470x 200	7500	20510 x 1065 x 1940

Vertical Cooling Chocolate Moulding Line

立式冷却巧克力浇注线




型号 Model	产量 Capacity (T/Day)	模板尺寸 Moulding Board Dims. (mm)	外形尺寸 Outer Dimension(mm)
QJJ300	1.5-2	280 x 200	18000 x 3150 x 3100
QJJ470	2-2.5	470 x 200	21000x4575x3300

TYJ Series Chocolate Enrober

TYJ系列巧克力涂衣机

TYJ系列涂层机是生产花色巧克力的专用设备，能在多种食品表面侵涂巧克力浆料，诸如糕点、威化、蛋卷、饼干、糖果、膨化食品等，形成多种口味独特的巧克力制品。

TYJ Enrober is specified equipment used for enrobing chocolate on the surface of products such as candies, cakes, and biscuits, etc. Using this machine, you can make various unique flavors.



型号 Model	网带宽 Mesh belt width(mm)	网带速度 Mesh belt speed(m/min)	输送带宽 Conveyor belt width(mm)	皮带速度 Conveyor belt speed(m/min)	隧道工作温度 Cooling Temperature(°C)	整机功率 Total Power(kW)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
TYJ1200	1200	0-5	1200	0-5	0-10	38.32	4000	Lx1850x1800
TYJ1000	1000	0-5	1000	0-5	0-10	36.07	3600	Lx1650x1800
TYJ900	900	0-5	900	0-5	0-10	33.82	3200	Lx1550x1800
TYJ800	800	0-5	800	0-5	0-10	26.32	2800	Lx1280x1835
TYJ600	600	0-5	600	0-5	0-10	23.32	2300	Lx1215x1835
TYJ400	400	0-5	400	0-5	0-10	21.82	2000	Lx1192x1580

Biscuit Depositing Machine

饼干浇注机



SHJ Series Decorator

SHJ系列饰花机

饰花机主要用于巧克力糖果，饼干及蛋糕表面饰巧克力花纹，且有多种花纹可供选择。网带宽度400,600,800,1000及1200mm可供选择。

Gusu Machinery® Decorator is designed for the special purpose of decorating biscuit and chocolate surfaces with chocolate patterns. Mesh belt width selective from 400, 600, 800, 1000 and 1200mm.



型号 Model	总功率 Total Power(kW)	电机功率 Motor Power(kW)	加热功率 Heating Power(kW)	网带宽度 Mesh belt width (mm)	网带线速度 Mesh belt speed(m/min)	外形尺寸 Outer Dimension(mm)
SHJ400	9.74	0.74	9	400	3-5	1000*930*1870
SHJ600	9.74	0.74	9	600	3-5	1000*1130*1870
SHJ800	9.74	0.74	9	800	3-5	1000*1330*1870
SHJ900	9.74	0.74	9	900	3-5	1000*1430*1870
SHJ1000	9.74	0.74	9	1000	3-5	1000*1530*1870
SHJ1200	9.74	0.74	9	1200	3-5	1000*1730*1870


QCJ Series Chocolate Bean Roller Former

QCJ系列
巧克力豆形成型机

姑苏机械巧克力豆形成型机是用于巧克力冷轧成型的专用设备。全封闭生产，避免了由于人员接触多卫生标准低的问题，达到食品卫生制作标准。该套设备具有能耗低，产量大，安全性高，操作简单方便，自动化程度高等优点。该设备可生产多种不同形状的纯巧克力，包括球形、椭圆形、扁豆形等多种形状。

Gusu chocolate bean roller former is specially used for cold rolling to produce chocolate. The equipment is designed for entirely closed production, avoid operator contacting chocolate, and keep chocolate product to reach food sanitation standard. The equipment shows energy saving, mass production capacity, high safety and automation, easy to operate.

The equipment can produce kinds shape of pure chocolate, including ball shape, ellipse shape, bean shape etc.



型号 Model	轧辊宽度 Roller Width (mm)	生产能力 Production Capacity (kg/h)	轧辊转速 Roller Speed (r/min)	冷却辊表面温度 Surface Temp. of Cooling Roller(°C)	冷道温度 Cooling Tunnel Temp. (°C)	冷却时间 Cooling Time (min)	冷却液箱制冷量 Brine Tank Refrigeration Output(W/h)	蒸发温度 Evaporation Temp. (°C)	冷凝温度 Condensation Temp. (°C)	总功率 Total Power (kW)	外形尺寸 Outer Dimension (mm)
QCJ 400	400	100-150	0.3-1.5	About -20	0-5	18-30	8260	-35	30	25	8620x1280x2100
QCJ 600	600	150-250	0.3-1.5	About -20	0-5	18-30	12390	-35	30	30	8620*1480*2100

PGJ Series Chocolate Coating Pan

PGJ系列
抛光机



各种圆形、扁圆形、椭圆形、瓜子形等不同形状的巧克力进行抛光，使其表面具有良好的光泽和色泽，经抛光后的巧克力形状美观光滑。

彩色铝箔纸包装的各种圆柱形巧克力，经抛光机，使包装纸紧贴平整，几何形状清晰。

各种果脯、坚果表面亦可使用此抛光机均匀涂裹巧克力。

Chocolate coating pan is suitable for the polishing and coating of different shape of chocolate products such as circular, flat, oval and cylindrical form etc. Chocolate polished and coated are excellent in lustre, colour and shape.

Cylindrical chocolate packed in colour aluminium foil polished in the machine will have a tight, plain and clear-cut appearance.



倾斜角度: 30° (无级可调) Angle: 30° (stepless adjustable)

装料重量: 30千克 Loading weight: 30kg

规格: Φ1000mm Specification: Φ1000 mm

锅体形状: 荸荠形、苹果形、梨形 Pan Shape: shape of water chestnut, apple and pear

转速: 30或32转/分 Rotation speed: 30 or 32 rpm

主机功率: 1.1千瓦 Motor power: 1.1kW

重量: 300千克 Weight: 300kg

外形尺寸: 1000 x 1000 x 1600mm Outer Dimension: 1000 x 1000 x 1600mm

TTJ40 Tempering Moulding and Coating Machine

TTJ40 多功能调温机

本机具有手工浇注，调温，涂层功能
 产能：40kg/批次
 浇注时需手工拿模板接料，配振动平台
 涂层时需装网带和皮带输送机构，网带宽180mm，速度可调
 This machine has the functions of manual pouring, tempering and coating.
 Capacity: 40kg / batch
 When pouring, the machine need manual receiving the chocolate, equipped with the vibration platform.
 When coating, The machine is equipped with a mesh belt and a belt conveying mechanism. The mesh belt's width is 180mm with the adjustable speed.



浇注机功能 Moulding Function

外形尺寸: 540x750x1760mm Oversize: 540x750x1760
 总功率: 5.5kW Total power: 5.5kW
 产量: 80 kg/h 40 kg/批次 Capacity: 80kg/h 40kg/batch

TTJ20

外形尺寸: 540x750x1760mm Oversize: 540 x 750 x 1760mm
 总功率: 5.5kW Total power: 5.5kW
 产量: 20kg/批次 Capacity: 20kg/batch

涂衣功能 Coating Function

外形尺寸: 1900x130x1700mm Oversize: 1900 x 130 x 1700mm
 总功率: 5.5kW Total power: 5.5kW

TTJ50

外形尺寸: 540x750x1760mm Oversize: 540 x 750 x 1760mm
 总功率: 5.5kW Total power: 5.5kW
 产量: 50kg/批次 Capacity: 50kg/batch

TSFS Series Fully mixed Hoist

TSFS系列打散提升机

此设备主要用于配合TPX系列糖排线，主要功能是将搅拌好的团状的物料均匀打散分布，使物料在单组辊中更好的成型。
 This equipment is used to work with TPX series. Its function is to evenly distribute the agitated dough-like materials, so that the materials are better formed in the single roller.



型号 Model	总功率 Power(kW)	皮带速度 Belt speed	提升高度 Lifting height	外形尺寸 Size
TSFS400	3.25	1-3m/min	1850mm	6200*1000*2300mm
TSFS600	3.25	1-3m/min	1850mm	6200*1200*2300mm

JPG Series Chunks Production Line

JPG系列巧克力浇片机



型号 Model	生产能力 Capacity	功率 Power	输送带宽度 Belt width
JPG600	350kg/h	16.12kW	600mm
JPG800	500kg/h	16.12kW	800mm
JPG900	600kg/h	18.37kW	900mm
JPG1000	650kg/h	19.07kW	1000mm
JPG1200	800kg/h	23.57kW	1200mm

生产流程 Production Process



JLJ Series Single Shaft Chocolate Refiner

JLJ系列巧克力精炼机

巧克力精炼机的主要功能：通过精炼机内特殊的刀具有效混合·干燥·剪切，排去巧克力内的水分·异味等，满足巧克力的物理特性（可加工特性），同时获得最佳品质（柔滑·口味）

Gusu Machinery® Single Shaft Chocolate Refiner is the attractively priced introduction to chocolate conching process. With specially designed blades, chocolate mass acquire effectively mixing, drying, plasticizing, aroma formation and liquefying, and finally improve chocolate flavor.



型号 Model	容量 Capacity (L)	主机功率 Motor Power(kW)	电加热功率 Heating Power(kW)	转速 Speed(r/min)	重量 Weight(kg)	外形尺寸 Overall Size(mm)
JLJ5	5	2.2(Single Phase)	1	0-170	260	1150x600x1200
JLJ1000	1000	37	18	0-64	6100	3500x1850x1850
JLJ3000	3000	90	36	0-64	12500	5300x2400x2700

FTJ Series Sugar Mill

FTJ 系列粉糖机

姑苏FTJ系列粉糖机主要用于粉碎砂糖白糖成糖粉，是巧克力产品生产中的专用粉糖设备，也适用于食品、医药、化工等产品的干燥颗粒粉碎。整机结构紧凑、操作简单、维修方便。

Gusu FTJ series sugar mill is mainly used to pulverize the white sugar into powdered sugar, is the sepecialized sugar milling equipment in chocolate production. Sugar mill is also suitable for pulverizing dry particle of food, medicine and chemical products. The machine is compact designed and easy to handle and maintain.



型号 Model	产量 Capacity (kg/h)	电机功率 Motor Power(kW)	细度 Fineness(um)	外形尺寸 Outer Dimension(mm)
FTJ250	250	9	100	1240 x 1000 x 1750
FTJ400	300-400	11.25	100-120	1700x 1050 x 2200
FTJ500	400-450	21.25	100-120	1700 x 1100 x 2400
FTJ600	500-600	41.6	100-120	6000 x 1500x 3800



SCB Series Double paddle mixer

SCB系列双桨搅拌混料机

型号 Model	工作容积 (L) Capacity	搅拌电机功率 (kW) Mixing motor power	倒料电机功率 (kW) Dumping motor power	重量(KG) Wight
SCB-150	150	4	1.1	800
SCB-200	200	5.5	1.1	950
SCB-300	300	7.5	2.2	1200
SCB-400	400	11	2.2	1300
SCB-600/800	600	15	3	1900

HLJ Series Chocolate Mixing Machine


HLJ系列

巧克力混料机

本机用于用于混合粉状或湿性物料，使不同比例主辅料混合均匀。它具有高效率，结构简单,容易操作,维护清洗方便,速度快,混合效果佳等特点，广泛适用于制药、化工、食品等行业。

This machine is used for mixing powdery or wet materials to evenly mix different proportions of main and auxiliary materials.

It has the characteristics of high efficiency, simple structure, easy operation, convenient maintenance and cleaning, fast speed, and good mixing effect, and is widely used in pharmaceutical, chemical, food and other industries.



容量: 1000kg Capacity(kg): 1000kg

电机功率: 5.5kW Motor Power (kw): 5.5kW

加热功率: 9kW Heating Power(kw): 9kW

外形尺寸: 2160*360*1562mm Outer Dimension: 2160*360*1562mm

SMJ Series Grain crisp production line

SMJ 系列
谷物脆生产线

第二代谷物脆生产线主要用于生产各类不同形状的燕麦脆米巧克力产品。该全自动生产线主要由四个部分组成，分别是成型机构，立式冷道，脱模机构及带烘模的输送机构。

Gusu Machinery® Grain crisp production line is mainly used for making all kinds of different shaped oatmeal crispy rice chocolate products by moulds. There are two models of this Grain crisp production line, semi-auto and full-auto. Full-auto line consists of forming unit, vertical cooling tunnel, demould unit and moulds conveyor with heating tunnel.



SMJ400


外形尺寸: 4200x1250x2050mm	Outer Dimension:4200x1250x2050mm
模板尺寸: 400x300x30mm	Moulding Board Dims:400x300x30mm
输送带宽: 400mm	Mesh belt width:400mm
生产速度: 8-10molds/min	Production speed:8-10molds/min
总功率: 4.5kW	Total Power:4.5kW
皮带速度:2.4m/min	Conveyor belt speed:2.4m/min

SMJ600

外形尺寸: 21000x4600x2940mm	Outer Dimension:21000x4600x2940mm
模板尺寸: 600x400x35mm	Moulding Board Dims:600x400x35mm
输送带宽: 600mm	Mesh belt width:600mm
生产速度: 5-6molds/min	Production speed:5-6molds/min
总功率: 38kW	Total Power:38kW
皮带速度:2.4m/min	Conveyor belt speed:2.4m/min

Nuts Bar Forming and Inserting Machine

坚果棒
成型机



坚果棒成型机


型号: KLB60	Model: KLB60
产量: 50-60pcs/min	Capacity: 50-60pcs/min
外形尺寸: 1770x2090x1700mm	Outer Dimension: 1770x2090x1700mm
功率:26kW	Power: 26kW
总长: 22600mm (含冷道)	Total Length: 22600mm (Contains cooling tunnel)

SJB Series Chocolate Delivery Pump

SJB系列
巧克力送浆泵

姑苏SJB系列送浆泵是专门用于输送巧克力浆料和其他奶油混合物的设备，泵体有夹套保温。客户可以根据所需要的流量选择不同的型号。
该系列送浆泵可以单独使用或者与其他需要自动输送巧克力浆料的生产线配套使用。

GUSU Chocolate Delivery Pump is specialized for delivery of chocolate mass. The pump body is equipped with double-jacketed to keep warm. Customers can choose different model according to the flow rate required.
The pump can be used individually or with other production lines for automatic chocolate mass feeding.



型号 Model	流量 Flow Rate(L/min)	电机功率 Motor Power(kW)	重量 Weight(kg)	外形尺寸 Outer Dimension(mm)
SJB25	25(Adjustable)	0.75	55	700 x 300 x 350
SJB32	32(Adjustable)	1.5	65	780 x 390 x 350
SJB4000	70(Adjustable)	2.2	180	800 x 350 x 500
SJBY30	30(Adjustable)	1.1	120	850 x 300 x 350
SJBY70	70(Adjustable)	2.2	180	1150 x 400 x 400
SJB10	10(Adjustable)	0.37	45	650 x 280 x 350

Other Products

其他产品

LQMJ Series Ball Mill
LQMJ系列球磨机

FTJ250
Sugar Mill
粉糖机



QBT100 Chocolate Packing Machine
QBT100束式包装机



XQT
Mini Chocolate Tempering Machine
小型巧克力调温机



QJJ100
Manual Chocolate Moulding Machine
手工巧克力浇注机



HLJ Mixer
HLJ系列混料机



QJB90
Chocolate Coin Packing Machine
QJB90金币包装机



SLJ Series Spreader
SLJ系列撒料机



Famous Customers 合作客户



百乐嘉利宝 (苏州) 可可有限公司 Barry Callebaut(Suzhou) Chocolate Co.,Ltd.	上好佳(中国)有限公司 Oishi (China)
雀巢 (中国) 有限公司 NESTLE CO., LTD (CHINA)	福建雅客食品有限公司 YAKE FOOD
洛非实业有限公司 Luofei Co.,Ltd	玛氏 (中国) 食品有限公司 MARS FOOD (CHINA)
上海江崎格力高食品有限公司 SHANGHAI GLICO FOODS	上海金丝猴食品有限公司 SHANGHAI GOLDEN MONKEY FOOD
天津高乐高食品有限公司 COLA CAO FOOD (CHINA)	内蒙古蒙牛集团 INNER MONGOLIA MENGNIU
内蒙古伊利集团 INNER MONGOLIA YILI	天舜 (杭州) 食品股份有限公司 Tissin(hangzhou) Food Co.,Ltd
联合利华 (中国) 食品有限公司 WALL'S (CHINA)	台湾旺旺集团 TAIWAN WANT WANT
北京吉百利食品有限公司 CADBURY (CHINA)	北京马大姐食品有限公司 BEIJING MADAJIE
东莞徐记食品有限公司 DONGGUANG HSU FU CHI	天津巧王食品有限公司 TIANJIN QIAOWANG
洽洽食品股份有限公司 Qiaqia Food Co.,Ltd	哈尔滨索菲亚可可食品有限公司 Sofia Cocoa
青岛沃隆食品股份有限公司 Wolong Food Co.,Ltd	广东笑咪咪食品有限公司 GUANGDONG XIAOMIMI
TORTO FOOD INDUSTRIES (M) SDN. BHD.	Barry Callebaut (Malaysia)
Art(Russia)

Certificate Patent

证书、专利



高新技术企业产品认定证书

苏州市
苏州市食品机械
工程技术研究中心
苏州市科学技术局
二〇一四年
食品机械工程技术研究中心



Countries Exporting To

产品出口国家



美国U.S.A. 希腊GREECE 南非SOUTH AFRICA 塞浦路斯CYPRUS 瑞典SWEDEN 泰国THAILAND 克罗地亚CROATIA 斯里兰卡SRI LANKA 厄瓜多尔ECUADOR 瑞士SWITZERLAND	墨西哥MEXICO 土耳其TURKEY 新加坡SINGAPORE 黎巴嫩LEBANON 孟加拉国BENGAL 奥地利AUSTRIA 埃及EGYPT 德国GERMANY 法国FRANCE 荷兰NETHERLANDS	巴西BRAZIL 英国BRITAIN 伊拉克IRAQ 印度INDIA 日本JAPAN 智利CHILE 阿曼AMAN 韩国KOREA 加拿大CANADA	阿根廷ARGENTINA 西班牙SPAIN 尼日利亚NIGERIA 比利时BELGIUM 巴基斯坦PAKISTAN 澳大利亚AUSTRALIA 俄罗斯RUSSIA 越南VIETNAM 意大利ITALY	乌兹别克斯坦UZBEKISTAN 阿富汗AFGHANISTAN 阿尔及利亚ALGERIA 沙特阿拉伯SAUDI ARABIA 马其顿MACEDONIA 马来西亚MALAYSIA 印度尼西亚INDONESIA 菲律宾PHILIPPINES 新西兰NEW ZEALAND
--	---	--	--	---