

慈溪市夏蒙电器有限公司
CIXI CITY SHAR MOON ELECTRIC CO.,LTD.

地址：浙江省慈溪市新浦镇西工业区纬二路6号

Add:6# wei er Road ,Xinpu town,Cixi city ,Ningbo, China

Tel:+86-13967849328

Http://www.oekaen.com

E-mail:purifier@oekaen.com

慈溪市夏蒙电器有限公司
CIXI CITY SHAR MOON ELECTRIC CO.,LTD.

公司简介

慈溪市夏蒙电器有限公司成立于2003年，位于浙江省慈溪市，现有员工250余人，是一家专业化，现代化，国际化的高新技术企业。公司主要研制生产矿泉壶、净水壶、龙头净水器、宠物饮水机、净水花洒、前置过滤器、即热式泡茶机等50多个品种，拥有国际一流的生产设备、工艺技术和检测仪器，具有年300万台净水杯，200万台宠物饮水机，300万台龙头净水器，100万台即热式泡茶机，100万台前置净水器的生产能力。

夏蒙感谢您的支持，我们真诚希望与您携手合作，共谋发展！

CIXI SHARMOON ELECTRIC CO.,LTD is a profession factory,which is specialized in the research,development,manufacturing and assembly of household water pitcher, Mineral water pot,pet fountain ,water filter shower for 20 years.SHAR MOON company is located in Cixi , Ningbo,Zhejiang provice,equipped with advanced production equipment and test devices, under ISO9001 quality management system and BSCI (Business Social Compliance Initiative). SHAR MOON has gotten mainstream international certificates ,including CE/CB/ROHS/WQA/LFGB/FDA/BPA.

SHARMOON will always adheres to the concept of struggling for human drinking water health.



外观专利证书



发明专利证书



实用专利证书



卫批



ISO9001



BSCI



SGS




CB



FDA



CE-ROHS



LFGB



WQA



Seamless connection

smooth feeling
无缝连接, 合模处无线缝连接



Precision

Cover and funnel won't fall off
高配合密封度, 倒立时, 顶盖和原水杯不会掉出。



Precision

Lid and funnel high precision, Purified water pour out, but the raw water not leak
高精度嵌合, 顶盖与漏斗高精度嵌合, 确保净水倒出的同时, 原水不会渗出。




Timer

Remind replace the filter, suggest 60 days
滤芯更换提醒, 长按6秒开启滤芯更换提醒, 及时更换滤芯, 避免二次污染。
(建议两个月更换滤芯)



Personal customization

Ultrafiltration membranes, activated carbon, resin, alkaline ball, ORP ball
滤芯功效定制。



Clean

No residual water
无残留水



SMB-308A



SMB-308B



SMB-309A



SMB-359A

3.5L



(AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	250×145×260mm
Gift box Size(L×W×H)	260×160×280mm
Carton Size(L×W×H)	535×510×615mm
N.W./G.W.	0.7/1.2kg
Loading Capacity	4860pcs/40' HQ



SMB-358A



SMB-358B



SMB-363




SMB-366



SMB-365



SMB-367

3.5L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	250×145×260mm
Gift box Size(L×W×H)	260×160×280mm
Carton Size(L×W×H)	535×510×615mm
N.W./G.W.	0.7/1.2kg
Loading Capacity	4860pcs/40' HQ

3.5L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	234×152×250mm
Gift box Size(L×W×H)	260×160×280mm
Carton Size(L×W×H)	535×510×615mm
N.W./G.W.	0.66/1.15kg
Loading Capacity	4860pcs/40' HQ



SMB-368

NEW 
[Http://www.oekaen.com](http://www.oekaen.com)



SMB-368D



SMB-368F




SMB-362


NEW 



SMB-370

4.0L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	258×140×278mm
Gift box Size(L×W×H)	295×170×275mm
Carton Size(L×W×H)	605×530×275mm
N.W./G.W.	0.82/1.25kg
Loading Capacity	4200pcs/40' HQ

4.0L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	258×140×278mm
Gift box Size(L×W×H)	295×170×275mm
Carton Size(L×W×H)	605×530×275mm
N.W./G.W.	0.82/1.25kg
Loading Capacity	4200pcs/40' HQ



SMB-378



SMB-262
2.6L



SMB-269B




SMB-388



White



SMB-268A

4.0L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	275×135×255mm
Gift box Size(L×W×H)	295×170×275mm
Carton Size(L×W×H)	605×530×275mm
N.W./G.W.	0.8/1.3kg
Loading Capacity	4700pcs/40' HQ

2.6L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	260×105×275mm
Gift box Size(L×W×H)	270×120×290mm
Carton Size(L×W×H)	550×375×610mm
N.W./G.W.	0.6/1.2kg
Loading Capacity	6480pcs/40' HQ



NEW
SMB-265



NEW

SMB-371(手动计时器)



SMB-371



SMB-266




SMB-266




SMB-267



SMB-371F

2.6L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	234×109×249mm
Gift box Size(L×W×H)	270×120×290mm
Carton Size(L×W×H)	550×375×610mm
N.W./G.W.	0.6/1.2kg
Loading Capacity	6480pcs/40' HQ


3.8L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	234×109×249mm
Gift box Size(L×W×H)	270×120×290mm
Carton Size(L×W×H)	550×375×610mm
N.W./G.W.	0.6/1.2kg
Loading Capacity	6480pcs/40' HQ


NEW  SMB-758



NEW  SMB-651



2025 NEW ITEM

7.5L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	321×207×217.5mm
Gift box Size(L×W×H)	328×215×227mm
Carton Size(L×W×H)	665×340×475mm
N.W./G.W.	1.35/1.55kg
Loading Capacity	3774pcs/40' HQ

5.5L

 (AVAILABLE IN VARIOUS COLORS)


Product Size(L×W×H)	349×170×212mm
Gift box Size(L×W×H)	380×200×260mm
Carton Size(L×W×H)	620×540×780mm
N.W./G.W.	1.45KGS /1.82KGS
Loading Capacity	3132PCS/40HQ



NEW SMB-501

2025 NEW ITEM
GLASS WATER FILTER PITCHER



5.5L

 (AVAILABLE IN VARIOUS COLORS)

Product Size(L×W×H)	306×264×395mm
Gift box Size(L×W×H)	340×300×350mm
Carton Size(L×W×H)	690×610×720mm
N.W./G.W.	2.55KGS /3.02KGS
Loading Capacity	1808PCS/40HQ



Step1. MICRO NET
Eliminate suspended particles

Silver Activated Carbon(SAC)
 *Remove Chlorine Use high level quality carbon, for average chlorine remove 98%, test by US top lab.
 *Remove taste and odor
 *Remove Endrin & Pesticide & Residual pollutants
 *Use high level performance silver loading carbon avoid bacteria growing.
 *Improve taste of water

Step3. Ion-Exchange Resin(IER)
 *Remove Heavy metal Lead, cadmium, copper, mercury, aluminum;
 *Remove limescale
 *Remain calcium, magnesium and mineral substance

Step4. MICRO NET
*Net at base provides final filtration

Step5. Membrane with no pressure and remove all bacteria
Remain calcium and magnesium and mineral substance



超滤膜
Ultrafiltration
membranes

活性炭
Activated carbon

Step1. PP棉
过滤精度5微米，可过滤水中颗粒杂质，铁锈等

Step2. 离子交换树脂
去除重金属，去除水垢，保持钙，镁等矿物质

Step3. 椰壳活性炭
去除余氯，去除率可达99%
去除水中异味
去除农药、杀虫剂等残留物
改善口感

Step4. 微孔网布
最后过滤，防止漏炭



New
SMD-06



SMD-06-A



悬挂式滤芯
搭配滤芯水箱
B-2
底部富锶
滤芯
DF-1
底部吸盘
滤芯
DF-2

制热功率	2100w
制冷功率	65w
加热方式	绕丝加热管
制冷方式	电子制冷
水箱容量	4L
冰胆容量	600ml
产品尺寸	210×340×350mm
包装尺寸	260×390×390mm



悬挂式滤芯
搭配滤芯水箱
B-2
底部富锶
滤芯
DF-1
底部吸盘
滤芯
DF-2

制热功率	2100w
制冷功率	65w
加热方式	绕丝加热管
制冷方式	电子制冷
水箱容量	4L
冰胆容量	600ml
产品尺寸	210×340×350mm
包装尺寸	260×390×390mm



SMD-01



富锶活性炭滤芯
弥补人体矿物元素不足



底部富锶
滤芯
DF-1



SMD-02



富锶活性炭滤芯
弥补人体矿物元素不足



底部富锶
滤芯
DF-1



材 料: 本体 ABS/水箱 食品级PP
加热方式: 厚膜, 电热管可选
温度选择: 常温/50/80/开水
操作方式: 长按童锁键2s, 按键功能激活;
无操作30s, 自动上锁;
长按温度选择键放水250ml,
短按出水1分钟。

额定功率	2050w
工作电压	220v
工作频率	50hz
水箱容量	2L
产品净重	1.45Kg
产品毛重	1.9Kg
产品尺寸	275×115×285mm
包装尺寸	275×153×343mm

材 料: 本体 ABS/水箱 食品级pp
加热方式: 厚膜, 电热管可选。
温度选择: 6挡温度, 常温/50/70/80/90/开水。
操作方式: 长按童锁键2s, 旋钮功能激活。
无操作30s, 自动上锁。
按下250ml选择键, 250ml按键灯亮,
每次放水250ml, 否则出水1分钟。
旋转旋钮选择温度, 对应温度指示灯亮,
按下旋钮出水, 再次按下停止出水。

额定功率	2050w
工作电压	220v
工作频率	50hz
水箱容量	2L
产品净重	1.45Kg
产品毛重	1.9Kg
产品尺寸	275×115×285mm
包装尺寸	275×153×343mm



SMD-03



SMD-03-1



悬挂式滤芯
搭配滤芯水箱
B-2

底部富锶
滤芯
DF-1

底部吸盘
滤芯
DF-2

材 料: 本体 ABS/水箱 食品级AS
温度选择: 常温, 50, 80, 开水。
操作方式: 长按童锁键2s, 按键功能激活。
无操作30s, 自动上锁。
长按温度选择键放水250ml,
短按出水1分钟。

额定功率	2050w
工作电压	220v
工作频率	50hz
水箱容量	3L
产品净重	1.9Kg
产品毛重	2.4Kg
产品尺寸	280×168×299mm
包装尺寸	329×207×355mm

材 料: 本体 ABS/水箱 食品级AS
操作界面: 触摸+数码显示
操作方式: 长按童锁键, 按键功能激活。
按下温度键, 可在25度(常温), 45度, 60度, 70度, 80度, 90度, 99度各档位之间选择, 此时按下“+”“-”键可以进行1度可调, 长按“+”“-”键可以进行快速1度可调。
按流量键, 可以在200ml, 300ml, 500ml之间进行选择, 此时按下“+”“-”可50ml递增或递减。按下出水键出水, 中途再次按下停止出水。

额定功率	2050w
工作电压	220v
工作频率	50hz
水箱容量	3L
产品净重	1.9Kg
产品毛重	2.4Kg
产品尺寸	280×168×299mm
包装尺寸	329×207×355mm

New 饮水模式
SMD-03-2



New 饮茶模式
SMD-03-2



材 料: 本体: ABS
水箱: 食品级AS
茶杯: 高硼硅玻璃

操作界面: 触摸+数码显示

模 式: 两种模式, 饮水模式和饮茶模式

.饮水模式

- ◆长按童锁键, 按键功能激活。
- ◆按温度键, 可在25度(常温), 45度, 60度, 70度, 80度, 90度, 99度档位之间选择, 此时按下“+”“-”键可以进行1度可调, 长按“+”“-”键可以进行快速1度可调。
- ◆按流量键, 可以在200ml, 300ml, 500ml之间进行选择, 此时按下“+”“-”可50ml递增或递减。
- ◆按下出水键出水, 中途再次按下停止出水。

额定功率	2050w
工作电压	220v
工作频率	50hz
水箱容量	3L
产品净重	2.3Kg
产品毛重	2.86Kg
产品尺寸	303×168×308mm
包装尺寸	376×210×367mm

材 料: 本体: ABS
水箱: 食品级AS
茶杯: 高硼硅玻璃

操作界面: 触摸+数码显示

模 式: 两种模式, 饮水模式和饮茶模式

.饮茶模式

- ◆插入茶盅, 自动解锁并进入饮茶模式, 此时温度键变为茶叶种类选择键, 有花茶, 绿茶, 红茶, 黑茶四种选择, 温度已默认设定好并自动切换, 此时按下“+”“-”键可在默认温度下进行1度可调, 满足对不同用户对各类茶叶的温度需求。按下流量键, 可以设定流量, 满足泡茶所需的水量。
- ◆按下出水键出水, 中途再次按下停止出水。

额定功率	2050w
工作电压	220v
工作频率	50hz
水箱容量	3L
产品净重	2.3Kg
产品毛重	2.86Kg
产品尺寸	303×168×308mm
包装尺寸	376×210×367mm



SMD-185
8L



- ◆电子制冷
- ◆制冷过滤一体, 设计时尚, 改善口感, 去除重金属
- ◆滤芯可定制
- ◆制冷温度可以达到10-15度
- ◆额定电压/频率: 110 - 220V-50 -60Hz
- ◆额定功率: 68W
- ◆适用于厨房, 卧室, 淋浴间, 办公室等

Multi- function mini water cooler use widely, operate simply. small cute. quite energy saving, Convenient and Economic, Effectively remove the impurities, odor, dust, Can very well improve the taste. Features:

- ◆Electronic cooling .
- ◆Cold temperature: 10-15 degress centigrade.
- ◆Rate cold power: 68W.
- ◆Rated voltage: 110V-220V.
- ◆Rated frequency: 50-60Hz.
- ◆Cools and filters up to 70oz/2L per hour.

Product Size(L×W×H)	310×250×440mm
Gift box Size(L×W×H)	340×290×465mm
Carton Size(L×W×H)	555×320×490mm
N.W./G.W.	3.5/4.5kg
Loading Capacity	1470pcs/40'HQ



(AVAILABLE IN VARIOUS COLORS)



NEW
SMC-1701




NEW
SMC-1702



NEW
SMC-1703



NEW
SMC-1705



Material	ABS + POM
Filter	Ceramic filter Activated carbon
Flow speed	1.5-2.0L / Min (0.2Mpa)
Working pressure	0.1-0.4Mpa
Rated purification	500L-1000L(According to water quality)
Purification Temp.	4°C - 40°C
Packing	Skin packing+ white box
Product Size	147×104×64mm
Color box Size	165×140×75mm
Carton box	350×320×170mm(20PCS)
N.W/G.W	0.3KG/0.45KG
Load Quantity	20Ft 40HQ 30000 68000

Material	ABS + POM
Filter	Ceramic filter Activated carbon
Flow speed	1.5-2.0L / Min (0.2Mpa)
Working pressure	0.1-0.4Mpa
Rated purification	500L-1000L(According to water quality)
Purification Temp.	4°C - 40°C
Packing	Skin packing+ white box
Product Size	147×104×64mm
Color box Size	165×140×75mm
Carton box	350×320×170mm(20PCS)
N.W/G.W	0.3KG/0.45KG
Load Quantity	20Ft 40HQ 30000 68000

NEW

SMC-1706



NEW

SMC-1708



NEW

SMC-1707



NEW

SMC-1709



Material	ABS + POM
Filter	Ceramic filter Activated carbon
Flow speed	1.5-2.0L / Min (0.2Mpa)
Working pressure	0.1-0.4Mpa
Rated purification	500L-1000L(According to water quality)
Purification Temp.	4°C - 40°C
Packing	Skin packing+ white box
Product Size	147×104×64mm
Color box Size	165×140×75mm
Carton box	350×320×170mm(20PCS)
N.W/G.W	0.3KG/0.45KG
Load Quantity	20Ft 40HQ 30000 68000

Material	ABS + POM
Filter	Ceramic filter Activated carbon
Flow speed	1.5-2.0L / Min (0.2Mpa)
Working pressure	0.1-0.4Mpa
Rated purification	500L-1000L(According to water quality)
Purification Temp.	4°C - 40°C
Packing	Skin packing+ white box
Product Size	147×104×64mm
Color box Size	165×140×75mm
Carton box	350×320×170mm(20PCS)
N.W/G.W	0.3KG/0.45KG
Load Quantity	20Ft 40HQ 30000 68000

NEW
SMC-1801



NEW
SMC-1808

NEW
SMC-1809



NEW
SMC-1810



Material	ABS + POM
Filter	Ceramic filter Activated carbon
Flow speed	1.5-2.0L / Min (0.2Mpa)
Working pressure	0.1-0.4Mpa
Rated purification	500L-1000L(According to water quality)
Purification Temp.	4°C - 40°C
Packing	Skin packing+ white box
Product Size	147×104×64mm
Color box Size	165×140×75mm
Carton box	350×320×170mm(20PCS)
N.W/G.W	0.3KG/0.45KG
Load Quantity	20Ft 40HQ 30000 68000

Material	ABS + POM
Filter	Ceramic filter Activated carbon
Flow speed	1.5-2.0L / Min (0.2Mpa)
Working pressure	0.1-0.4Mpa
Rated purification	500L-1000L(According to water quality)
Purification Temp.	4°C - 40°C
Packing	Skin packing+ white box
Product Size	147×104×64mm
Color box Size	165×140×75mm
Carton box	350×320×170mm(20PCS)
N.W/G.W	0.3KG/0.45KG
Load Quantity	20Ft 40HQ 30000 68000

过滤嘴 Filter Tip



**Carbon Fiber
碳纤维滤芯**

采用日本进口碳纤维制加工而成, 过滤能力是优质活性炭的6-8倍, 可有效去除异味、颜色等。
Superior carbon fiber, with strong absorption ability, it can adsorb heavy metal, particular smell and color etc. No other products can do that.

**Ultrafiltration Fiber
超滤膜滤芯**

过滤精度0.05微米, 可高效过滤水中各种致病微生物和细菌等。
Ultrafiltration filter(UF), filtering accuracy is 0.05 micron, can filter effectively bacteria, virus etc. More effective than similar products.


**PP Slice
PP棉滤芯**

过滤精度5微米, 可过滤江河湖溪水中颗粒杂质, 如泥沙、铁锈等。
Filtering accuracy is 5 micron. It can filter the large particles like micro-mud, rust and so on. It can extend the lifetime of built in filters.

SM-801

Features:

- Small and exquisite: you can take along with you at any time.
- 0.05 micron Filtration Pore Size: ensure water flow rate and reduce suction resistance.
- SM-805 is the first straw water filter which can be changed cartridges.
- Gravity filtration way can supply water for a couple of people.
- Highly versatile design, filter can be used in a variety of way.



Model	SM-801
Filtration Pore Size	0.05micron
Size	35×180mm
NW	98g
GW	100g
Capacity	1000L(260gal)
Water Flow	200ml/min
Material	ABS, PP, carbon fiber, UF(medical grade)
Shelf Life	5 years



SM-515
16L



SM-618
20L



SM-619
20L

Item No.:	Product Size(L×W×H)	Gift box Size(L×W×H)	Carton Size(L×W×H)	N.W./G.W.	Loading Capacity
SM-515	260×260×420mm	265×265×250mm	810×270×510mm	1.8/2.3kg	3540pcs/40HQ
SM-618	290×290×457mm	295×295×300mm	900×300×620mm	2.0/2.6kg	2400pcs/40HQ
SM-619	280×280×430mm	285×285×305mm	870×295×620mm	2.2/2.8kg	2480pcs/40HQ



SMA-228C



UV Germicidal lamp



SMA-228F



UV Germicidal lamp

Product Size(L×W×H)	300×300×650mm
Gift box Size(L×W×H)	320×320×330mm
Carton Size(L×W×H)	330×655×680mm
N.W./G.W.	4.0/4.5kg
Loading Capacity	2016pcs/40'HQ

Product Size(L×W×H)	300×300×650mm
Gift box Size(L×W×H)	320×320×330mm
Carton Size(L×W×H)	330×655×680mm
N.W./G.W.	4.0/4.5kg
Loading Capacity	2016pcs/40'HQ



SMA-298
20L



SMA-208
20L



SMA-248
24L



SMA-206
16L



SMA-253
16L



SMA-258
25L



SMA-288
28L



SMA-328
32L

Item No.:	Product Size(L×W×H)	Gift box Size(L×W×H)	Carton Size(L×W×H)	N.W./G.W.	Loading Capacity
SMA-2085	275×210×275mm	220×220×190mm	590×300×545mm	1.0/2.2kg	8490pcs/40HQ
SMA-203	325×260×590mm	270×270×240mm	550×550×495mm	2.3/2.6kg	3600pcs/40HQ
SMA-206	350×305×620mm	310×310×250mm	940×320×520mm	2.4/3.0kg	2652pcs/40HQ
SMA-206	350×305×620mm	310×310×250mm	940×320×520mm	2.4/3.0kg	2652pcs/40HQ
SMA-253	355×310×620mm	355×310×620mm	980×330×540mm	3.6/4.1kg	2400pcs/40HQ
SMA-188	275×265×480mm	275×265×480mm	585×585×545mm	4.0/4.5kg	1680pcs/40HQ

Item No.:	Product Size(L×W×H)	Gift box Size(L×W×H)	Carton Size(L×W×H)	N.W./G.W.	Loading Capacity
SMA-298	315×315×620mm	320×320×265mm	650×330×540mm	2.3/2.7kg	2400pcs/40HQ
SMA-208	380×330×675mm	325×325×290mm	664×335×590mm	2.9/3.4.kg	2400pcs/40HQ
SMA-248	350×248×620mm	280×280×357mm	570×588×725mm	3.5/4.1kg	1680pcs/40HQ
SMA-258	350×380×650mm	350×350×260mm	710×360×530mm	3.5/3.9kg	2000pcs/40HQ
SMA-288	380×320×650mm	340×330×250mm	670×350×515mm	5.0/5.4kg	2100pcs/40HQ
SMA-328	385×340×770mm	335×335×320mm	690×340×660mm	4.8/5.5kg	1705pcs/40HQ



SMA-203F SMA-206F SMA-298F SMA-248F SMA-205F SMA-618F SMA-338F



A A-1 D D-3



SMA-203T



SMA-203C



SMA-188C



SMA-203M



DF-1



DF-2



E



B



B-1



B-2



B-3



DL-F01



DL-F01C



DL-F01CF



DL-F01UF



DL-F02