Electronic control system cat

www. cnstandingdesk. com





- Self-setting mechanical height position
- Rebound when blocked
- 4 sets of position memory
- LED digital tube display
- CM ← inch
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

• Size: 127*25*18mm

- As a factory standard option, 2/3 stages
- Meet most desk frame requirements
- Use stickers as control panel
- Easy to meet LOGO printing needs
- Stable perform ance and minimalist design





- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- LED digital tube display
- CM←→ inch
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

- USB charging port optional (18W / Type-A)
- Size: 120*20*17mm

- Meet most desk frame requirements
- Use of recessed pot buttons with good touch feel
- Not available as a required option for LOGO customization
- Small and beautiful design





WN-3

Main Functions

- Self-setting mechanical height position
- Rebound when blocked
- UP&DOWN keys
- Size: 63*33*10mm



WN-4

- Mostly used for simple model configurations and podium desks
- Not available as a required option for LOGO customization



- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

- USB charging port optional (18W / Type-A) / DC 24V
- Size: 142*45*20mm

- Only for single motor standing desk
- All-in-one built-in controller / External power adapter
- Support LOGO customization (laser marking)
- Piano key & Backlighting design style

S 1 2 3 012 A V

WN-6

Main Functions

- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- LED digital tube display
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

• Size: 142*45*20mm

- Only for dual motor standing desk
- All-in-one built-in controller / External power adapter
- Support LOGO customization (laser marking)
- Piano key & Backlighting design style

- Wireless Remote Control (MAX: 500cm)
- Self-setting mechanical height position
- UP&DOWN keys
- Size: 125*47*17mm
- The rest of the functions depend on the control box



- Only for TV frame
- Support LOGO customization (laser marking)

- Self-setting mechanical height position
- Rebound when blocked
- 4 sets of position memory
- LED digital tube display
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

• Size: 135*25*22mm



RS-1

- Self-designed model, 2/3 stages
- Better price/performance ratio
- Traditional form of individual buttons
- Support LOGO customization (laser marking)
- Classic appearance design, wide audience

- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- LED digital tube display
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

• Size: 137*42*16mm



XBL-1

- Only for dual motor standing desk
- All-in-one built-in controller / External power adapter
- Mostly used in specific styles
- Not available as a required option for LOGO customization
- Piano key design style

- Self-setting mechanical height position
- Rebound when blocked
- 2 sets of position memory
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

• Size: 100*30*20mm



XBL-2

- Only for single motor standing desk
- All-in-one built-in controller / External power adapter
- Not available as a required option for LOGO customization
- Piano key & Backlighting design style

MIZBYAV

XBL-3

Main Functions

- Self-setting mechanical height position
- Rebound when blocked
- 4 sets of position memory
- LED digital tube display
- CM ← inch
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/

Power down protection/Open circuit protection

• Size: 135*25*22mm

- Meet most desk frame requirements
- Support LOGO customization (laser marking)
- Classic appearance design, wide audience
- Silent soft padded keys, good hand feeling

THANKS