## Electronic control system catalog

www.cnstandingdesk.com





- Self-setting mechanical height position
- Rebound when blocked
- 4 sets of position memory
- LED digital tube display
- (M <> inch
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ Power down protection/Open circuit protection
- Size : 127\*25\*18mm

- As a factory standard option, 2/3 stages
- Meet most desk frame requirements
- Use stickers as control panel
- Easy to meet LOGO printing needs
- Stable perform ance and minimalist design



- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- LED digital tube display
- (M⇔inch
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ Power down protection/Open circuit protection
- USB charging port optional (18W / Type-A) Size : 120\*20\*17mm •
- ٠



- Meet most desk frame requirements •
- Use of recessed pot buttons with good touch feel •
- Not available as a required option for LOGO customization ۲
- Small and beautiful design ٠



WN-3

WN-4

#### Main Functions

- Self-setting mechanical height position ۲
- Rebound when blocked
- •
- UP&DOWN keys Size : 63\*33\*10mm •



- •
- Mostly used for simple model configurations and podium desks Not available as a required option for LOGO customization •

# △ ▽ 075 1 2 3 s

**WN-5** 

#### Main Functions

- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ ٠ Power down protection/Open circuit protection
- USB charging port optional (18W / Type-A) / DC 24V •
- Size : 142\*45\*20mm

- Only for single motor standing desk ۰
- All-in-one built-in controller / External power adapter Support LOGO customization (laser marking)
- ۲
- Piano key & Backlighting design style

- Self-setting mechanical height position
- Rebound when blocked •
- 3 sets of position memory •
- LED digital tube display ٠
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ • Power down protection/Open circuit protection
- Size : 142\*45\*20mm •



WN-6

- Only for dual motor standing desk •
- All-in-one built-in controller / External power adapter Support LOGO customization (laser marking)
- ۲
- Piano key & Backlighting design style •

- Wireless Remote Control (MAX : 500cm) •
- Self-setting mechanical height position UP&DOWN keys Size : 125\*47\*17mm •
- •
- ٠
- The rest of the functions depend on the control box •



- Only for TV frame
  Support LOGO customization (laser marking)

- Self-setting mechanical height position
- Rebound when blocked
- 4 sets of position memory
- LED digital tube display
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ • Power down protection/Open circuit protection
- Size : 135\*25\*22mm •



RS-1

- Self-designed model, 2/3 stages
- Better price/performance ratio Traditional form of individual buttons
- Support LOGO customization (laser marking)
- Classic appearance design, wide audience ۲

- Self-setting mechanical height position
- Rebound when blocked
- 3 sets of position memory
- LED digital tube display
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ Power down protection/Open circuit protection
- Size : 137\*42\*16mm



XBL-1

- Only for dual motor standing desk
- All-in-one built-in controller / External power adapter
- Mostly used in specific styles
- Not available as a required option for LOGO customization
- Piano key design style

- Self-setting mechanical height position
- Rebound when blocked
- 2 sets of position memory
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ Power down protection/Open circuit protection
- Size : 100\*30\*20mm



### XBL-2

- Only for single motor standing desk
- All-in-one built-in controller / External power adapter
- Not available as a required option for LOGO customization
- Piano key & Backlighting design style

- Self-setting mechanical height position
- Rebound when blocked
- 4 sets of position memory
- LED digital tube display
- (M <> inch
- Multi-protection: Overcurrent protection/Overheat protection/Low voltage protection/ Power down protection/Open circuit protection
- Size : 135\*25\*22mm



XBL-3

- Meet most desk frame requirements
- Support LOGO customization (laser marking)
- Classic appearance design, wide audience
- Silent soft padded keys, good hand feeling



