



Your Perfect Wood Floor & More



www.globalfloorings.com

Discover your perfect wood floor & more...


Welcome to the Dief Wood Flooring catalogue where we invite you to explore our collections of sustainably sourced, quality wood floors.

This year as part of reducing our impact on the environment, rather than printing several different versions for our residential and commercial customers, we have published just one carbon neutral edition.

The catalogue is divided into two main collections, the first is **Dief Wood Flooring®**, home to our extensive range of UK stocked wood floors. We are proud to include two new ranges that lead the way in wood flooring sustainability, with **Luxury Cork Flooring** and **Hardened Wood Flooring**. All the products in the Dief Wood Flooring collection are ready for immediate delivery (subject to stock availability) and can be seen and ordered in our partner showrooms.

The second main collection included this year is **Dief Bespoke**, a carefully curated selection of the finest crafted wood floors which are produced in specialist mills across England and Europe. Made to order these floors are only available to see on our website and in our Surrey Design Centre at Dief Wood Flooring.

We hope you will enjoy this edition and share with family, friends and colleagues alike.



So whether you are looking to complete your dream home, or create a beautiful and practical flooring solution for a commercial project, we believe we can help you find the right wood floor for your space.

Bring nature inside with our responsibly sourced wood floors

Dief has always taken an environmentally friendly approach to wood flooring, using only sustainably sourced timber. This means choosing Dief is not only a great choice for yourself or your project, but also the planet.

For over 20 years we have built a reputation in the flooring industry as providers of quality wood floors made with responsibly sourced timber and it is a reputation we are proud of.

With this in mind, we have always made sure that all of our wood floors are produced only with wood felled or harvested from well managed forests, with FSC®, PEFC® or UKTR certification.



Look out for the FSC® and
PEFC® logos on certified products.



Choosing Your Perfect Wood Floor

Selecting the right floor for your space is an important decision, so we've put together some useful information to help you decide what will best suit your needs.

We have a wide range of wood flooring options with different styles, formats, surfaces and finishes to suit any application. Our floors are engineered with precision to work in any space.

Choosing Format

We have many formats ranging from single-strip planks to intricate parquet designs, such as herringbone, chevron and design panels. All our floors are engineered with precision to work in any space.



Plank

Plank or one strip floors are available in many different widths and lengths and are often bevel edged to visually define each board.

Installation

Engineered planks offer the quickest installation and can be installed by laying (floating) on an appropriate high density underlay or by fully bonding to the subfloor with flexible wood floor adhesive. When floating a floor, T&G joints should be bonded with PVAC adhesive.



Herringbone

Unlike traditional parquet blocks that are installed in lefts and rights, our universal blocks offer more versatility, and can be installed in a variety of patterns. The Deco Parquet range has universal blocks which can be used to make different patterns.

Installation

Herringbone parquet flooring should be fully bonded to a correctly prepared subfloor with a flexible wood floor adhesive. PVAC Adhesive should not be used on the joints. Herringbone floors are multi-directional and installation is more complex so can take more time to plan and set out than plank floors.






Chevron

Usually fitted with left and right blocks to form the distinctive unbroken chevron pattern with a 45 degree angle which is also known as French herringbone.

Installation

Chevron parquet flooring should be fully bonded to a correctly prepared sub floor with a flexible wood floor adhesive. PVAC Adhesive should not be used on the joints. Installation is more complex so can take more time to plan and set out than plank floors.



Design Panel

Traditionally these are square panels but with modern milling techniques we have a wide range of Geometric shapes on offer.

Installation

Design panels can be tongue and grooved and sometimes just grooved so that false tongues are need to complete the T&G joint. Panels should be fully bonded to a correctly prepared subfloor with a flexible wood floor adhesive.





Choosing Finish

Oiled or lacquered?

Our engineered wood floors are expertly finished with natural oil or lacquer. Both create beautiful and durable surfaces, perfect for most interior spaces. Each finish has distinctive qualities and characteristics which may better suit your requirements.



Use the comparison chart below to see which surface is best for your project

 Oiled Wood Floors	 Lacquered Wood Floors
<p>Finish Oil is buffed into the timber surface to saturate into the wood grain. Once cured, the oil hardens, forming a natural barrier against general wear, water, spills and staining.</p>	<p>Finish Lacquer is applied in multiple coats to form a protective film on the surface of the timber, which is a very effective barrier against general wear, water, spills and staining.</p>
<p>Aesthetic Oiled wood floors have a natural matt appearance with a tactile surface that can be buffed to form a sheen. Pure oil adds a rich, warm lustre to wood grain, and pigments can be added to create many different colours and effects.</p>	<p>Aesthetic Lacquered floors can have various levels of sheen, from gloss to matt, for a natural appearance. Extremely smooth natural finishes can be achieved on sanded timber whilst textured and stained surfaces can also be coated and enhanced.</p>
<p>Cleaning Floors can be regularly swept and vacuum cleaned with a parquet setting to remove abrasive dust and surface dirt. Wipe up food and drink spills as they occur. Regular wet cleaning should be carried out weekly or less using a pH neutral oiled wood floor soap with a spray mop or well wrung mop and bucket.</p>	<p>Cleaning Floors can be regularly swept and vacuum cleaned with a parquet setting to remove abrasive dust and surface dirt. Wipe up food and drink spills as they occur. Regular wet cleaning should be carried out weekly or less using a pH neutral wood floor soap with a spray mop or well wrung mop and bucket.</p>
<p>Scratches & Repair Minor scratches will blend into the grain texture and will not affect the floor's durability as the oil still permeates the surface of the timber. Oil is simply buffed into damaged or repaired areas, to seal and blend into the surrounding floor whilst water marks, dark tannin stains and grease spots can often be eliminated with stain removing products.</p>	<p>Scratches & Repair Most scratches will not penetrate through the tough lacquer coats to bare wood, thus maintaining durability. A refresher or polish can be applied to fill in and smooth minor scratches, whilst spot repairs are best carried out by floor finishing professionals with experience in sanding and lacquer application.</p>
<p>Maintenance Oiled floors can be rejuvenated with an intensive clean, followed by an application of maintenance oil. Whilst this does not remove any surface damage, it will renew the durability and performance of a floor. Oil maintenance should be carried out periodically in regular intervals depending on the usage, see our website for detailed oil maintenance advice.</p>	<p>Maintenance Lacquered floors can be sanded and resealed and completely resurfaced. Existing lacquer is lightly sanded (keyed) and new coats of lacquer are applied. If floors are fully bonded to the subfloor, a more even sanding can be achieved so that very little surface is removed allowing for multiple resurfacing.</p>

Choosing Grade

Only the finest European timber is selected for our hardwood floors. Each piece is grown in nature and therefore unique and selected for its natural beauty. Find out more about the different characteristics below.



Select/ Nature Grade - AB

Planks are selected to give grain and colour variation. There can be a small amount of light sapwood around the edge of the board. Small sound knots and smaller filled knots also add to the natural effect.



Mixed Grade - ABC

Popular in species such as walnut. This grade displays more variation in grain and colour with larger sound & filled knots with more sapwood well distributed. Small filled cracks and dark streaks are also apparent.




Rustic Grade - CD

More economical timber selection allows for more grain and colour variation with contrasting sapwood, large sound knots and more filled knots, well distributed. Small filled cracks, end checks and dark streaks are also apparent.



Choosing Surface

The Deif Collection is comprised of many different finishes ranging from precision machined smooth sanding and modern staining processes, to the hand rendered distressing and scraping, done by skilled carpenters using traditional tools with centuries-old techniques. Each process gives a board its individual characteristic.



Smooth

The surface is sanded or planed flat. When this surface is oil-finished the grain will be slightly raised giving a slight texture, whereas lacquer will make it completely smooth to touch.



Brushed

A steel brush removes the soft grain from the surface layer creating a textured surface that enhances the beauty of the natural grain. This also allows for some interesting applications of colour.




Stained

Stain is applied by rollers and buffed in to penetrate the top surface of the board and then sealed with either oil or lacquer, resulting in extra emphasis of the natural figure of the wood.




Unfinished

This is a surface that has been milled and sanded smooth and any knot holes or blemishes have been filled, but the surface has not been sealed with lacquer or oil.



Bevel Edged

Most floors have a bevel edge on four or two sides of the surface. This is usually a 1-2 mm diagonal edge which helps distinguish the planks and adds character to the floor.



Smoked / Fumed

Timber is stored in chambers and exposed to processes that darken and enrich the natural wood colours. This is ideal for designers where rich tonal variety is preferred.




Hand Scraped / Hand Planed

This process can only be done by hand using traditional tools to scrape out the soft grain following the natural contour of the wood. The result is a gently undulating smooth surface.



Embossed / Deep Brushed

The soft grain is removed with up to 6 steel brushes, each one with less intensity to remove any rough edges or splinters. The result is a deep textured grain.




Thermo Treated

This is a chemical-free treatment that literally darkens the timber with heat. Oak is placed in a chamber kiln and gradually heated while steam is applied to keep the timber from drying out.




Cross Sawn

Random saw marks are made across the grain adding extra texture to the surface in order to replicate floors of old. The result is a beautifully tactile wood floor.



Distressed

Various methods are used to give the wood an aged, well used appearance, also that of a board milled using rudimentary rustic tools. The skill is in making the distressing look natural.



Edge Distressed

The edges of the top layer are distressed using hand tools to form cuts and dents that give the appearance of an aged plank.





Dief Wood Flooring®

Explore our extensive range of real wood floors that will bring warmth and beauty to every room of your home.

Welcome to our collection of engineered boards designed, milled and precision-crafted with strong layered wood bases that support luxurious top layers of sustainably sourced European oak and various natural hardwoods. Each collection has a unique selection of surface finishes with natural tones and colours, designed to complement any interior space.

The Dief Wood Flooring collection is available to see on our website where you can order free samples.



Shore Drift Oak Plank & Parquet



Frozen Umber Parquet



Frozen Umber Plank



Brushed Matt Oak Parquet & Plank

Deco

Design choices are made simple, with matching plank and parquet herringbone floors

Deco plank and matching parquet can be installed together using different patterns room by room. Or to create effective zones in open plan areas with borders and inlays, whilst still maintaining a continuous flow throughout your space.

This collection is FSC® 100% certified.



*Deco Plank can have floated installation



Free Samples

To visit our website:
www.globalfloorings.com
 and order your free samples via e-mail:
leo@globalfloorings.com

Deco Parquet

Herringbone

These precision milled engineered blocks have a universal fitting system that creates the perfect herringbone floor as well as many new patterns. When installed alongside Deco Plank the design possibilities are endless.



Louise Thompson's Chelsea Kitchen



Frozen Umber / ZB101
Brushed & Colour Oiled Rustic Oak
W90 D14/3 L400 mm



Nordic Beach / ZB102
Brushed & Colour Oiled Rustic Oak
W90 D14/3 L400 mm



Silver Haze / ZB103
Brushed & Colour Oiled Rustic Oak
W90 D14/3 L360 mm



Natural Oak / ZB108
Oiled Rustic Oak
W90 D14/3 L400 mm



Brushed Matt Oak / ZB109
Brushed & Lacquered Rustic Oak
W90 D14/3 L400 mm




Smoked Oak / ZB201
Brushed & Oiled Rustic Smoked Oak
W90 D14/3 L400 mm



White Smoked Oak / ZB203
Brushed & White Oiled Rustic
Smoked Oak | W90 D14/3 L400 mm




Shore Drift Oak / ZB204
Brushed & Invisible Lacquered
Rustic Oak | W90 D14/3 L400 mm



Black Walnut / ZB205
Oiled Mixed Grade American Black
Walnut | W90 D14/3 L400 mm



Tannery Brown / ZB206
Distressed & Colour Oiled Rustic Oak
W90 D14/3 L400 mm



Foundry Steel / ZB105
Distressed & Colour Oiled Rustic
Oak W90 D15/4 L360 mm



Unfinished Oak / ZB107
Rustic Oak (Must be coated before use)
W90 D14/3 L400 mm




Deco Plank

Engineered oak boards with generous proportions, designed to work in any sized interior space.

Deco Plank floors can also be used alongside their matching parquet floors to delineate zones in open plan spaces, or to create wide transitions between rooms and different levels.




Tannery Brown / DC206 - Ski Lodge, France



Frozen Umber / DC101
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Nordic Beach / DC104
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm




Natural Oak / A112
Oiled Rustic Oak
W190 D14/3 L1900 mm



Brushed Matt Oak / A111
Brushed & Lacquered Rustic Oak
W190 D14/3 L1900 mm




Smoked Oak / DC201
Brushed & Oiled Rustic Smoked Oak
W190 D14/3 L1900 mm




White Smoked Oak / DC203
Brushed & White Oil Rustic Smoked Oak | W190 D14/3 L1900 mm




Shore Drift Oak / DC204
Brushed & Invisible Lacquered
Rustic Oak | W190 D14/3 L1900 mm



Black Walnut / DC205
Oiled Mixed Grade American Black
Walnut | W190 D14/3 L1900 mm



Tannery Brown / DC206
Distressed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Wharf Grey / UN102
Brushed & Colour Oiled Rustic Oak
W190 D15/4 L1900 mm



Wharf Grey / UN102



Nordic Beach / DC104 - Belle Lucia's London Home



Natural Oak / A112





Fjordic Shore/ AL103 - New Build Apartments, Epsom by Zestan Limited

Driftwood

Lacquered Hardwood floors finished with simple elegance and glueless 5G lock for fast installation

Extra long engineered planks with slender proportions and tactile brushed surfaces, made with European oak tops finished in various natural tones and sealed with coats of hard-wearing lacquer. Install is simplified with the addition of a precision engineered glueless 5G locking system.

This collection is available with FSC® certification on request.



Free Samples

Visit our website and order your free samples via e-mail:
leo@globalfloorings.com



Brushed Oak / AL101
Brushed & Lacquered Rustic Oak
W180 D14/2.5 L2200 mm



Jetsam Oak / AL102
Brushed, Stained & Lacquered Rustic
Oak | W180 D14/2.5 L2200 mm



Fjordic Shore / AL103
Brushed, Stained & Lacquered Rustic
Oak | W180 D14/2.5 L2200 mm



Silver Sands / AL104
Brushed, Stained & Lacquered Rustic
Oak | W180 D14/2.5 L2200 mm



Marsh Grey Oak / AL106
Brushed, Stained & Lacquered Rustic
Oak | W207 D14/3.2 L2200 mm



Pebble Grey Oak / AL107
Brushed, Stained & Lacquered Rustic
Oak | W155 D14/2.5 L2200 mm




Lichen White Oak / AL108
Brushed, Stained & Lacquered Rustic
Oak | W207 D14/3.2 L2200 mm



Embered Oak / AL109
Brushed, Stained & Lacquered Rustic
Oak | W207 D14/3.2 L2200 mm



Burnt Bracken Oak / AL110
Brushed, Stained & Lacquered Rustic
Oak | W180 D14/2.5 L2200 mm



Deckboard Oak / A305
Matt Lacquered Select / Nature Oak
(HDF Core) | W200 D13/2.5 L2200



Pebble Grey / AL107




Embered Oak / AL109



Jetsam Oak / AL102



Silver Sands / AL104



Heritage

Natural oak boards hand finished by artisans in the heart of England

Heritage engineered planks are made with a generous European Oak top layer which is lightly brushed to accentuate the natural grain, giving a textured and inviting tactile surface. Natural colour oils are applied at our specialist finishing mill in Yorkshire, using traditional techniques passed down through generations, to achieve a perfect finish which is then sealed with modern UV technology to give a durable surface that is easy to live with and simple to maintain.

This collection is FSC® 100% certified.



Free Samples

To visit our website and order your free samples, simply scan the QR codes next to each product.



Kingswood / HG101
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Bisham / HG102
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Rockingham / HG103
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Enbourne / HG104
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Brampton / HG106
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Delamere / HG107
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Grasmere / HG109
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Toridan / HG111
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Lomond / HG112
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Cairngorms / HG113
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm





Forest Oak / EP101



Golden Oak / EP103 - Burger & Lobster, Bath

Alpine

Well-proportioned and classically finished oak planks provide a perfect and timeless design element


Alpine is the original Deif Wood Flooring collection with an ever-popular product range that spans 20 years. Perhaps the secret to this collection's longevity is in its design simplicity. Engineered planks in a selection of different sizes are finished with pure oil or lacquer to enhance and maintain the natural beauty of rustic oak.

This collection is available with FSC® certification on request.




Free Samples


To visit our website and order your free samples, simply scan the QR codes next to each product.




Vale Oak / VIT107
Oiled Rustic Oak.
W190 D14/3 L300-1200 mm




Brushed Oak / A103
Brushed & Matt Lacquered
Rustic Oak | W150 D14/3 L1900 mm




Upland Oak / A104
Brushed & Oiled Rustic Oak
W150 D14/3 L1900 mm




Glade Oak / A110
Matt Lacquered Rustic Oak
W190 D14/3 L1900 mm



Sunlit Oak / E125
Satin Lacquered Rustic Oak
W125 D18/5 L300-1500 mm




Hillside Oak / EC101
Matt Lacquered Rustic Oak
W190 D18/4 L1900 mm




Canyon Oak / EC103
Brushed & Oiled Rustic Oak
W190 D18/4 L1900 mm



Broad Oak / EG106
Oiled Rustic Oak
W220 D21/6 L2200 mm



Forest Oak / EP101
Brushed & Oiled Rustic Oak
W150 D18/5 L300-1500 mm



Golden Oak / EP103
Brushed & Colour Oiled Rustic Oak
W125 D18/5 L300-1500 mm



Brushed Oak / A103 - Sports Bar, Jersey



Glade Oak / A110



Vale Oak / VIT107



Thermo Oak Herringbone / TH111

Tundra

A collection with subtle finishes inspired by the natural wilderness and applied across three different formats.

Tundra is a collection of finely engineered oak floors in three originally proportioned formats, including stick-down plank, herringbone and chevron. Perfect for large commercial spaces and design-lead home environments alike.

This collection is FSC® 100% certified.



Free Samples

To visit our website and order your free samples via e-mail:
leo@globalfloorings.com

Tundra Herringbone

These slender engineered strips of oak are packed full of character. The more narrow proportions have an elongating effect which accentuates the rustic grain, creating a delicate multi-directional pattern across the floor space.




Oak Natural / TH107
Brushed & Oiled Rustic Oak
W70 D11/4 L490 mm



Smoked Oak / TH108
Brushed & Oiled Rustic Smoked Oak | W70 D11/4 L490 mm



Seashell / TH109
Brushed & Colour Oiled Rustic Oak
W70 D11/4 L490 mm



Misty Grey / TH110
Brushed & Colour Oiled Rustic Oak
W70 D11/4 L490 mm



Thermo Oak / TH111
Brushed & Oiled Rustic Thermo Treated Oak | W70 D11/4 L490 mm



Seashell Herringbone / TH109 - Surrey Renovation by Saskia Kate Interiors




Smoked Oak / CV103

Tundra Chevron

Precision-engineered European oak strips with 45° angled headers fit perfectly together to form ordered rows of natural grain that work in all directions, complimenting spaces of any shape and size.



Oak Natural / CV101
Brushed & Oiled Rustic Oak
W90 D9/3 L610 mm



Smoked Oak / CV103
Brushed & Oiled Smoked Rustic Oak | W90 D10/4 L610 mm



Seashell / CV104
Brushed & Colour Oiled Rustic Oak
W90 D9/3 L610 mm



Misty Grey / CV105
Brushed & Colour Oiled Rustic Oak
W90 D9/3 L610 mm



Thermo Oak / CV106
Brushed & Oiled Thermo Treated Rustic Oak | W90 D10/4 L610 mm

Tundra Plank

These elegant boards are designed to flex with the subfloor and as such are installed fully bonded. Various lengths available, please enquire before ordering.

Available Lengths (mm)

1700 / 1800 / 1900 / 2000



Oak Natural / TK101
Brushed & Oiled Rustic Oak
W190 D14/3 L1900 mm



Smoked Oak / TK103
Brushed & Oiled Rustic Smoked
W190 D14/3 L1900 mm



Seashell / TK104
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Misty Grey / TK105
Brushed & Colour Oiled Rustic Oak
W190 D14/3 L1900 mm



Thermo Oak / TK106
Brushed & Oiled Rustic Thermo
Treated Oak | W190 D14/3 L1900
mm



Misty Grey Chevron / CV105 - Ground Floor refurbishment, Kingston

Hardened Wood Flooring

More Sustainable

When compared with conventional engineered wood flooring, the hardened wood veneer enables 10 times more flooring to be produced from the same amount of timber.

More Durable

Woodura technology makes this our hardest wood floor, with up to three times more impact protection than standard wood floors, making it the perfect solution for commercial spaces.

More Water Resistant

5G[®] Dry[™] Gives enhanced water resistance that makes this the perfect wood flooring solution for busy kitchens and high traffic spaces.





Powder White Ash Select XL

Introducing

Deif Hardened Wood Flooring

This real wood floor combines natural beauty and unrivalled durability with next-level sustainability.

Deif's extra wide planks are manufactured in Sweden with a patented Woodura® technology to cure wood and make it stronger. Leading the way in sustainability, this revolutionary new technology means that the hardwood top layer can be much thinner than conventional wood floors. The result is an innovative wooden floor with a genuine wooden feel that is far stronger than other wooden floors, which utilises renewable raw materials in an optimal way. Welcome to the future of engineered wood flooring!

This collection is FSC® Mix certified.



Plank Formats (mm)

XL: W206 D11.3/0.6 L2200
 XXL: W271 D11.3/0.6 L2378

Grading

Select or Rustic

Finish

Lacquered or Brushed & Lacquered

Free Samples

To visit our website and order your free samples via e-mail:
leo@globalfloorings.com



Mineral Grey Oak
Brushed, Stained & Lacquered
Select Oak



Terra Brown Oak
Brushed, Stained & Lacquered
Select Oak



Earth Grey Oak
Brushed, Stained & Lacquered
Select Oak



Powder White Oak
Brushed, Stained & Lacquered
Select Oak



Misty White Oak
Brushed, Stained & Lacquered
Select Oak



Natural Oak
Brushed & Lacquered Select Oak




Honey Oak
Stained & Lacquered Rustic Oak



Shadow Brown Oak
Stained & Lacquered Rustic Oak



Earth Grey Ash
Stained & Lacquered Select Ash



Powder White Ash
Stained & Lacquered Select Ash

Grade Choice
Select or Rustic

Finish Choice
Lacquered or Brushed & Lacquered*

Commercial Specifier's Note
Class 33 Commercial grade
is not available for Brushed
& Lacquered finish.



Hardened Wood Flooring

With Woodura technology

The patented Woodura surface technology is based on fusing a thin sheet of hardwood with a high density Compositex core through a powder mix layer. The powder mix perfectly fills up the natural openings of the wood. It enhances the woods appearance and creates a significantly stronger surface with a hardness, three times greater than a traditional solid wood flooring.

The future of sustainable wood flooring

The Woodura surface technology enables 10 times more flooring to be produced from the same amount of timber compared to traditional engineered wood flooring.



1. UV Acrylic Lacquer
2. Hardened natural wood
3. Compressed hardened wood-based powder layer
4. Moisture Resistant HDF Core
5. Compressed hardened wood-based powder layer
6. Hardened natural wood base



Powder White Oak Select XXL



Honey Oak Rustic XL



Earth Grey Ash Select XXL

Natureeffect®
expressive floors designed by nature, made for living



Sun Washed Oak / NE32

Deif Laminate

A natural sensation with unrivalled durability, perfect for everyday living.

Twelve quality made laminate wood floors with glueless locking installation for interior use. Six of which also come with added Aqualock joints for 36 hr protection against water spills. Imprinted with high resolution real wood floor images and natural textured grain that is warm and tactile underfoot, this durable and unique surface gives every sensation of a real timber floor.




Free Samples

To visit our website and order your free samples via e-mail: leo@globalfloorings.com




WARRANTY
Residential: 12 years



Cairn Stone Oak / NE23
Textured Oak Effect Laminate
W194 D8 L1286 mm




Wheaten Tan Oak / NE24
Textured Oak Effect Laminate
W194 D8 L1286 mm




Hay Bluff Oak / NE27
Textured Oak Effect Laminate
W194 D8 L1286 mm



Bracken Brown Oak / NE28
Textured Oak Effect Laminate
W194 D8 L1286 mm



Silent Pool Oak / NE31
Textured Oak Effect Laminate
W194 D8 L1286 mm



Sun Washed Oak / NE32
Textured Oak Effect Laminate
W194 D8 L1286 mm



Fenland Oak / NAL51
Textured Oak Effect Aqualock
Laminate | W192 D8 L1285 mm



Hammer Beam Oak / NAL52
Textured Oak Effect Aqualock
Laminate | W192 D8 L1285 mm



Indian Summer Oak / NAL53
Textured Oak Effect Aqualock
Laminate | W192 D8 L1285 mm



Granary Oak / NAL54
Textured Oak Effect Aqualock
Laminate | W192 D8 L1285 mm



Silvered Oak / NAL55
Textured Oak Effect Aqualock
Laminate | W192 D8 L1285 mm



Cromer Sands Oak / NAL56
Textured Oak Effect Aqualock
Laminate | W192 D8 L1285 mm





Dief Bespoke


Produced with our partners, these floors are made to order to meet your specification.

We invite you to explore our flooring collections, all made from responsibly sourced timber in specialist mills to deliver the ultimate design palette of real wood finishes in an extensive selection of engineered wood flooring formats.

The floors in this section are only available to see on our website and as large format samples at our Surrey Design Centre.

Dief Flooring





Cinder Brown / EQ104

Equilibrium

Perfectly balanced engineered flooring on an impressive scale

Engineered with a top and base layer of the same thick oak with a spruce core, to achieve balance and produce ultimate stability, which means this floor can be produced to order in just about any size imaginable. Available in precision milled herringbone and chevron parquet blocks and a range of plank sizes which can be up to eighty centimetres wide and include enormous four-metre lengths that show the full majesty of the tree.

This collection is PEFC® certified.



2000

2800

4000



Available Formats (mm)

Plank:

W65- 800 D15/D20 L1200- 4000

Herringbone:

W90/W135 D11 /D15 L700/L1000

Chevron:

W90/W135 D11 /D15 L600/L1000

Free Samples

To visit our website and order your free samples via e-mail: leo@globalfloorings.com



Cashmere / EQ101
Brushed, Stained & Lacquered Oak



Chamois / EQ102
Brushed, Stained & Lacquered Oak



Pumice Grey / EQ103
Brushed, Stained & Lacquered Oak



Cinder Brown / EQ104
Brushed, Stained & Lacquered Oak



White Truffle / EQ105
Brushed, Stained & Lacquered Oak



Incense / EQ106
Brushed, Stained & Lacquered Oak




Moroccan Clay / EQ107
Brushed, Stained & Lacquered Oak



Sachertorte / EQ108
Brushed, Stained & Lacquered Oak



Umbrian Earth / EQ109
Brushed, Stained & Lacquered Oak





Belvedere White Sheen / BD106

Baroque Design

Decorative panels including the classic Versailles pattern and many more, reimagined for classic and contemporary spaces.

The Baroque period of the 17th and 18th centuries was well known for its extravagant and ornate style. Many aristocratic homes installed elegant decorative pattern panel flooring, laying down each element piece-by-piece to make a glorious fashion statement. We've reimagined this sumptuous style of flooring and given it a 21st Century makeover with our Baroque Design Panels.

Baroque Design is also available in matching chevron and herringbone formats which can be seen at the Deif Design Centre.

This collection is available with FSC® certification on request.



Available Formats (mm)

Panel: W600 D16/4 L600

Large Panel: W980 D16/4 L980

Herringbone: Size on enquiry

Chevron: Size on enquiry

Free Samples

To visit our website and order your free samples via e-mail:
leo@globalfloorings.com



Blenheim Grey / BD101
Brushed & Colour Oiled Oak
W600 D16/4 L600 mm



Chatsworth Cobalt Oak / BD102
Brushed & Colour Oiled Oak
W600 D16/4 L600 mm



Kensington Charcoal Oak / BD103
Brushed & Colour Oiled Oak
W600 D16/4 L600 mm



Saverne Gunstock Oak / BD104
Brushed & Colour Oiled Smoked
Oak | W600 D16/4 L600 mm



Trianon Natural Oak / BD105
Brushed & Oiled Oak
W600 D16/4 L600 mm




Belvedere White Sheen / BD106
Oak Brushed & Colour Oiled Oak
W600 D16/4 L600 mm




Peterhof Earthen Oak / BD108
Brushed & Colour Oiled Oak
W600 D16/4 L600 mm




Versailles Baked Oatmeal / BD110
Brushed & Colour Oiled Oak
W600 D16/4 L600 mm




Hampton Antique Lace / BD111
Brushed & Colour Oiled Oak
W600 D16/4 L600 mm



Basket Weave Oak / TS101
Unfinished Select Oak
W Mixed D15/4 L Mixed mm




Mansion Weave Smoked Oak / TS102 Unfinished Select Smoked Oak | W Mixed D15/4 L Mixed mm




Basket Weave Oak / TS103
Unfinished Select Smoked Oak
W Mixed D15/4 L Mixed mm




Mansion Weave Smoked Oak / TS104 Unfinished Select Oak
W Mixed D15/4 L Mixed mm




Diamond / TS105
Oiled Select / Nature Oak
W600 D15/4 L1200 mm




Kite / TS106
Colour Oiled Select / Nature Oak
W Mixed D15/4 L Mixed mm




Trio Combination / TS107
Colour Oiled Select / Nature Oak
W Mixed D15/4 L Mixed mm




Mansion Weave / TS108
Colour Oiled Select / Nature Oak
W Mixed D15/4 L Mixed mm



Highland Weave / TS109
Colour Oiled Select / Nature Oak
W680 D15/4 L680 mm



Hexagonal / TS110
Brushed & Colour Oiled Rustic Oak
W280 D15/4 L280 mm



Ridged Highland Weave / TS111
Colour Oiled Select / Nature Oak
W680 D15/4 L680 mm



Metal Inlay / TS112
Oiled Prime Oak With Metal Pattern
W1000 D15/4 L1000 mm



Vandyke Brown / EBA277 - Alchemy

European Boutique

With colours inspired by the artist's palette, expertly applied over four collections, each with their own distinctive aesthetic.

Alchemy, Basilica, Empires and Lineage.

Made to order in one of our partner mills, situated in the heart of the Czech countryside. Long and broad engineered planks and herringbone blocks are milled from locally and sustainably sourced PEFC® certified oak and can be produced in both rustic and select grades to suit.

This collection is PEFC® certified.



Available Formats (mm)

Plank
W190 D14/3 L1200 - 2400
W225 D14/3 L1200 - 2400

Herringbone
W120 D14/3 L600
W175 D14/3 L700

Free Samples

Visit our website and order your free samples via e-mail: leo@globalfloorings.com

Alchemy

Lightly brushed oak with hand-applied colours

The Alchemy collection is lightly brushed so that the subtle colours fill the surface and enhance the natural grain of the PEFC® certified European oak

Grading

Alchemy is available in rustic as featured here, and also select grade on request.



Natural Raw / EBA252
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Smoked Charcoal / EBA271
Brushed & Colour Oiled Smoked Oak | W190 D14/3 L1200-2400 mm



Flake White / EBA272
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Transparent Grey / EBA273
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm




Natural Raw / EBA252



Mars Madder / EBA274
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Sepia / EBA275
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Raw Sienna / EBA276
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Vandyke Brown / EBA277
Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm

Basilica

Tumbled oak surface gives a centuries-old aesthetic

Basilica creates a beautiful sense of age and character. Planks are tumbled and distressed and the surface includes cracks and open knots which are sanded smooth and hand filled.

Grading

Basilica is available in rustic as featured here, and also select grade on request.



Daveys Grey / EBB231
Distressed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Flake White / EBB232
Distressed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Mars Madder / EBB233
Distressed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Natural / EBB234
Distressed & Oiled Oak
W190 D14/3 L1200-2400 mm



Natural Smoked / EBB235
Distressed & Oiled Smoked Oak
W190 D14/3 L1200-2400 mm



Sepia / EBB237
Distressed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Smoked Charcoal / EBB238
Distressed & Colour Oiled Smoked Oak | W190 D14/3 L1200-2400 mm



Titanium Smoked / EBB239
Distressed & Colour Oiled Smoked Oak | W190 D14/3 L1200-2400 mm



Titanium Smoked / EBB239

Empires

A deep brushed oak surface gives a classic finish

The Empires collection comprises eight engineered oak floors with a rich application of coloured hardwax oils over a deep brushed European oak.

Grading

Empires is available in rustic as featured here, and also select grade on request.



Flake White / EBE220
Deep Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Flake White Smoked / EBE221
Deep Brushed & Coloured Smoked Oak | W190 D14/3 L1200-2400 mm



Mars Madder / EBE222
Deep Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Natural / EBE223
Deep Brushed & Oiled Oak
W190 D14/3 L1200-2400 mm



Natural Smoked / EBE224
Deep Brushed & Oiled Smoked Oak
W190 D14/3 L1200-2400 mm



Raw Umber / EBE225
Deep Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Sepia / EBE226
Deep Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Transparent Grey / EBE228
Deep Brushed & Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Raw Umber / EBE225

Lineage

Simplicity with quality is elegance

The Lineage collection comprises eight engineered oak floors with delicately applied colours over smooth planed European oak. The result is an elegant and timeless floor to suit any environment.

Grading

Lineage is available in rustic as featured here, and also select grade on request.

Lineage Solid Oak Tables



Flake White / EBL202
Colour Oiled Oak
W190 D14/3 L1200-2400 mm




Mars Madder / EBL204
Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Natural / EBL205
Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Natural Smoked / EBL206
Colour Oiled Smoked Oak
W190 D14/3 L1200-2400 mm



Raw Umber / EBL207
Colour Oiled Oak
W190 D14/3 L1200-2400 mm




Sepia / EBL208
Colour Oiled Oak
W190 D14/3 L1200-2400 mm




Titanium Smoked / EBL210
Colour Oiled Smoked Oak
W190 D14/3 L1200-2400 mm



Transparent Grey / EBL211
Colour Oiled Oak
W190 D14/3 L1200-2400 mm



Natural Lineage Table & Benches



Mars Madder / EBL204



Seascapes

Oak floors, hand-finished in the UK and inspired by the ancient coastline that surrounds us.

Drawing inspiration from the Seascapes that reflect the skies above the ever-changing tidal shores that protect the British Isles, from coast to coast, this collection offers a choice the of finest European made engineered broad oak plank and well-proportioned parquet floors. Each floor is given a rich depth of colour, created with detailed layers of hand-applied finishes that are then sealed with natural oils.

This collection is available with FSC® certification on request.



Available Formats (mm)

Plank: W220 D16/4 L2200 - 2600
Herringbone: W100 D16/4 L500

Free Samples

To visit our website and order your free samples via e-mail: leo@globalfloorings.com



Barfundle / SC101
Brushed & Colour Oiled Rustic Oak
W220 D16/4 L2200 - 2600 mm




Pentle / SC102
Brushed & Colour Oiled Rustic Oak
W220 D16/4 L2200 - 2600 mm



Porthcurno / SC103
Brushed & Reactive Stained Rustic Oak | W220 D16/4 L2200 - 2600 mm



Holkum / SC104
Brushed & Colour Oiled Rustic Smoked Oak | W220 D16/4 L2200 - 2600 mm



Studland / SC105
Brushed Bleached & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm




Bamburgh / SC106
Brushed Bleached & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm




Rhossili / SC107
Brushed Bleached & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm



Morecambe / SC108
Brushed, Feathered & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm



Chesil / SC109
Brushed, Feathered & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm



Whitby / SC110
Brushed, Feathered & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm



Blackpool / SC111
Brushed, Feathered & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm



Kynance / SC112
Brushed, Feathered & Colour Oiled Rustic Oak | W220 D16/4 L2200 - 2600 mm



Tankerton / SC113
Brushed, Feathered & Colour Oiled
Rustic Oak | W220 D16/4 L2200 -
2600 mm



Morfa Nefyn / SC114
Brushed, Feathered & Colour Oiled
Rustic Oak | W220 D16/4 L2200 -
2600 mm



Formby / SC115
Aged, Distressed, Sawn, Unfilled,
Stained & Oiled Rustic Oak Plank. |
W220 D16/4 L2200 - 2600 mm



Luskentyre / SC116
Aged, Distressed, Sawn, Unfilled,
Stained & Oiled Rustic Oak Plank. |
W220 D16/4 L2200 - 2600 mm



Scarista / SC117
Brushed, Feathered & Colour Oiled
Rustic Oak | W220 D16/4 L2200 -
2600 mm



Wittering / SC118
Brushed, Feathered & Colour Oiled
Rustic Oak | W220 D16/4 L2200 -
2600 mm



Durdle Door / SC119
Brushed, Feathered & Colour Oiled
Rustic Oak | W220 D16/4 L2200 -
2600 mm

Di ef Floor ing



Wittering



Morcambe, Herringbone



Bamburgh



Wild Rice Herringbone



Available Formats (mm)

Plank:

W155 D9 L1200 / W190 D9 L1500
/ W270 D11 L2370

Herringbone:

W146 D9 L730

Free Samples

To visit our website and order your free samples via e-mail: leo@globalfloorings.com

Linia Eco

An even more sustainable way to engineered hardwood flooring.

A precision micro sliced top layer allows a much higher yield from the sustainably sourced European Oak, whilst the core is made of high density wood fibres from fast growing spruce. The surface is protected with a flexible lacquer that closes around any potential surface scratching, which makes it durable and easy to live on.

This collection is available with FSC® certification on request.




Spun Flax / LIN101
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm




Burnt Rye / LIN102
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm



Harvest Corn / LIN103
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm



Milled Wheat / LIN104
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm



Rolled Oat / LIN105
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm




Cotton Seed / LIN106
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm



Pearled Barley / LIN107
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm



Wild Rice / LIN108
Brushed & Lacquered BC Rustic
Oak | W155 D9 L1200 mm



Pearled Barley



Spun Flax



Floated Installation Essentials

Our underlays provide the perfect base

Our plank wood flooring may be installed as a floated floor. This means that instead of being bonded to the subfloor, planks are joined together with locking systems or with adhesive for tongue and grooved floors, then laid over underlay.



Wood's Good EcoGold Underlay
Cushioning recycled rubber for wood floors with vapour barrier | W1m D3.5mm L10m



Timbermax UFH Underlay
For use over underfloor heating with built in vapour barrier | W1.1m D2mm L9.1m



Timbermax Dual Underlay
High-density foam ideal, for laminate floors with vapour barrier | W1m D3mm L10m



Visqueen 1000 Gauge DPM
Polyethylene damp-proof membrane. For added protection used beneath an underlay | W4m D0.254mm L25m



Vapour Tape
To seal joints when installing vapour barrier underlays | - W75mm L25 m



Mapei D3 PVAC Adhesive
Bonds T&G joints for floated installations. Forms a bond that is stronger than wood.

Wood Floor Care Guide

The following guides will help you get the best performance from your wood flooring. For more detailed advice visit v4woodflooring.co.uk/support

Oiled

Initial Maintenance

Recommended after installation for busy kitchens and communal areas subject to high traffic and more frequent damp cleaning.

Recommended Products

- Rubio Monocoat (RM) Universal Maintenance Oil 2 Mix

Daily Cleaning

Sweep with a soft bristle brush / Vacuum with a Parquet or hard floor setting.

Weekly Cleaning

Damp clean leaving the floor free from standing water using a spray cleaner or well wrung mop.

Recommended Products

- RM Surface Care
- RM All Natural Wood Cleaner
- RM Universal Soap
- Bona Spray Mop For Oiled Wood Floors

Regular Maintenance

Recommended for busy kitchens and communal areas subject to high traffic and more frequent damp cleaning.

Recommended Products

- RM Universal Maintenance Oil 2 Mix

Lacquered

Daily Cleaning

Sweep with a soft bristle brush / Vacuum with a Parquet or hard floor setting.

Weekly Cleaning

Damp clean leaving the floor free from standing water using a spray cleaner or well wrung mop.

Recommended Products

- RM Surface Care
- RM All Natural Wood Cleaner
- RM Universal Soap
- Bona Premium Spray Mop For Wood Floors

Regular Maintenance

Recommended for busy kitchens and communal areas subject to high traffic and more frequent damp cleaning.

Recommended Products

- Bona Wood Floor Polish
- Bona Wood Floor Refresher

Laminate & Cork

Daily Cleaning

Sweep with a soft bristle brush / Vacuum with a Parquet or hard floor setting.

Weekly Cleaning

Damp clean leaving the floor free from standing water using a spray cleaner or well wrung mop.

Recommended Products

- RM Surface Care
- RM All Natural Wood Cleaner
- RM Universal Soap
- Bona Premium Spray Mop For Wood Floors

Regular Maintenance

Recommended for busy kitchens and communal areas subject to high traffic and more frequent damp cleaning.

Recommended Products

- Bona Stone, Tile & Laminate Polish

Floor Care Tips

There is no other natural surface as beautiful and robust as a hardwood floor. Here are some useful tips to help you get the most from your wood flooring and keep it looking like new.

Regular cleaning

Daily and weekly cleaning consists of sweeping and vacuum cleaning. Sweep with a soft broom or dust-attracting flat head mop. Before you vacuum make sure the hard floor or parquet setting is selected and check for debris which could cause scratches. Floors can be periodically damp cleaned with an appropriate (pH neutral) spray cleaner and mop pad or a well wrung mop. Avoid use of excess moisture and standing water. **DO NOT** use a steam cleaner on any wood flooring.

Wipe up spills

Wipe up any liquid spills quickly with a non-abrasive, absorbent cloth or kitchen towel. Never allow spills to stay on the surface for any length of time. If moisture ingresses into the surface of your floor it may cause lasting damage. Oil and oil-fried food can react with oiled surfaces and should be wiped up directly.

Avoid wet wipes & builders' wipes

These contain harsh surface-active surfactants that can react with the oiled or lacquered finish and damage the wooden surface.

Using the right type of floor cleaner

Both lacquered and oiled finishes are semi-permeable allowing the wood to breathe. This means you should avoid using harsh chemical and abrasive cleaners on your hardwood or laminate wood floors. Many 'supermarket' brands claim to work well on all surfaces including wood floors but most should be avoided as they contain high acidic or caustic ingredients that will quickly compromise the lacquered or oiled surface of your floor, destroying the water and stain resistant properties.

Other cleaning techniques to avoid

Do not use any strong chemicals on the flooring, including washing up liquid, bleach, sugar-soap and any other abrasive cleaners. Do not use steam cleaners on the floor and limit the amount of water used when mopping the floor. Wood should only be cleaned with soft pads. The use of any abrasive pads, such as scouring pads, is not recommended.

Kitchen floors

Wood flooring is a great natural choice for kitchens and will perform well if properly cared for. Oak is particularly well suited as it is naturally anti-septic, and if regularly swept and vacuum cleaned, will not require the use of bleach or disinfectant. It is important to be aware of how a wood should be cleaned and maintained to keep it stain and water resistant and in great condition.

Foot traffic

When possible avoid wearing outside shoes especially if wet or muddy. Stiletto heels may damage wood floor finish and regular traffic may cause compression marks on some wood species, and are not recommended for use on wood floors. Avoid heavy work boots with abrasive soles and thick treads which can retain abrasive objects such as gravel stones. In areas of high foot traffic pay special attention to daily cleaning and where possible use protective rugs and matting.

Protect from furniture

Use self-adhesive felt pads on flat furniture feet to protect the floor from excessive scratching, and use felt based castor cups under wheeled furniture. A purpose made polypropylene floor mat must be used below wheeled office chairs. Heavy scratching will break the surface causing damage to the timber by ingress of moisture from cleaning.

Entrance Matting

Internal and external matting at all entrances to the property will help prevent abrasive particles from being carried onto the floor, and avoid excessive wear.

Sunshine and the effects of UV light

Wood is a natural material and will react in different ways to UV light. In rooms with large windows, especially those which are south facing, special care should be taken to reposition furniture and rugs to ensure an even colour across the floor.



Canyon Oak, Alpine Collection

Household plants

A) Take care when watering not to spill water around the base of any planter. Avoid using metal trays as these can react with water and the natural tannins in oak to produce black watermarks.

B) A planter with soil soaked in water can cause the underside to be cold which can lead to condensation, so it is a good idea to use protective non-reactive plastic mats beneath pots and trays.

Pet care

A) Keep pets' claws well trimmed to avoid scratches and protect areas where they sleep to avoid damage from moisture and spills.

B) Always protect flooring around your pet's food and water bowls from spills and standing water.

Protection whilst decorating

A) When protecting your floor, use card or fabric dust sheeting and avoid covering with plastic or material that does not breathe as it can form condensation.

B) When using masking tape to paint round architrave and skirting, DO NOT leave any type of adhesive tape on the floor for longer than it takes to paint each coat. If left for more than a couple of hours, tape adhesive can react with the floor finish causing damage.

C) If paint is spilt, remember that cleaning fluids may damage the floor so avoid using these, instead use mild soap and a nylon brush to work away the paint.

Correct ambient conditions

During the life of the floor ambient humidity must be maintained within the range of 45% to 65% relative humidity (RH) and a room temperature between 18 to 24°C. This includes periods when the property is unoccupied, such as during holidays. Please note that high humidity may lead to warping and other issues, whilst excessive drying caused by high temperature &/ or low humidity may lead to splits and warping. Avoid rapid changes in temperature.

Wood Floors in Bathrooms

Whilst many people live happily with wood flooring in bathrooms, we do not recommend or guarantee our engineered or laminate wood floors for bathroom installation. Apart from water spills from showers and baths, the main problem is excessive humidity that can damage the wood causing it to swell and warp. It is worth also noting that harsh bathroom cleaners can damage oiled and lacquered wood surfaces.

Underfloor heating with wood flooring

Engineered flooring is extremely versatile and can be installed over underfloor heating (UFH). For best results we recommend using the underfloor heating at low and constant temperatures. When turning UFH on or off, do so gradually to avoid sudden changes in temperature. Avoid covering large areas with rugs which can cause over heating.

We are here to help with all things wood flooring



Email the team: enquiries@v4woodflooring.co.uk

How To Buy Our Floors For Commercial Projects

Our commercial and specification team are available to help with any sized enquiry. With expert knowledge and technical advice, our team can work with you to make sure you get the right product for your specification.



Contact our commercial team to arrange free sampling or a consultation at our design centre, email leo@globalfloorings.com or call **(86)195-3130-3356**



A woman with long dark hair, wearing a red and black patterned dress and black boots, is standing in a showroom. She is looking at a large display of wood flooring samples. The display consists of several vertical panels of wood, some with a herringbone pattern and others with a vertical plank pattern. The woman is touching one of the panels. The background shows a modern interior with a staircase and a window.

We're here To help with All things Wood Flooring

For Your Home
+86-150-7001-3356
support@globalfloorings.com

Commercial Enquiry
+86-195-3130-3356
leo@globalfloorings.com



Deif Design Centre, Woking

Carbon Neutral Printing

To help reduce its impact on the environment, this brochure was produced with carbon neutral printing. With that in mind we ask you to please recycle, or reuse by sharing it with friends, family and colleagues. Thank you for your support.



bring nature inside