



RUIAN WEIXINLI FOOD MACHINERY CO.,LTD
ADD:Mayu Town, Ruian City,Wenzhou City,Zhejiang Province,China
TEL: 86-0577-65780171 FAX: 86-0577-65778761
web:www.wxinelic.com www.gzchangzao.en.alibaba.com



专业餐饮设备制造商

PROFESSIONAL CATERING EQUIPMENT MANUFACTURER

RUIAN WEIXINLI FOOD MACHINERY CO.,LTD



INNOVATION
EFFICIENCY
INTEGRITY AND WIN-WIN

创新·高效·诚信·共赢



Company Profile



Weixinli Food Machinery Co., Ltd was established by Mr. Xie Changzao in 1996, located in Wenzhou City, Zhejiang Province, China, which near to Ningbo Port, Yiwu Port Or Shanghai Port. Our company specializes in manufacturing high quality kitchen and catering equipment for hotels and restaurant industries, such as Deep Fryer, Griddle & Grills, Panini Grill, Bain Marie, Hot Dog Grill, Food Warmer, Crepe Maker, Waffle Maker, Soup Kettle, Gas Cooker, etc, We also produce poultry equipment, such as chicken plucker, scalding, combine plucker & scalding, killing cone. etc. With more than 20 years of professional experience, our business covers in domestic and abroad, the quality has a special meaning with regard to our customers. Most of our product has CE, RoHS, LFGB certification, and we have exported to many countries, such as Germany, Spain, UK, France, Greece, Mexico, USA, Chile, Australia, etc.

It's our goal to continually meet and exceed the expectations of those, we serve by performing our work in a quality manner. We enjoy a good reputation of providing high quality products and services. It's our company's aim to perfect and strive to be the leader in our industry where first class quality and customer satisfaction come first.



CONTENTS 目录

001-003	/	Combination Furnace
004-014	/	Fryer
015-036	/	Griddle
037-040	/	Scalding
041-043	/	Hot Dog Grill
044-045	/	Potato Peeler
046-047	/	Salamander
048-056	/	Electric Bain Marie
057-058	/	Cooker&Stove
059	/	Rock Grill
060-061	/	Rotisserie Machine
062-066	/	Warming Showcase
067	/	Cup Warmer
068-080	/	Cooking
081-089	/	Beverage Machine
090-091	/	Cooking
092-094	/	Beverage Machine
095-098	/	Trolley
099-100	/	Packing Equipment
101-108	/	Bakery Equipment
109-114	/	Food Processing

COOKING RANGE

Gas grill with cabinet Size	800*900*(850+70)mm
Griddle plate size	686*600mm
Gas consumption LPG/2800Pa	1.2kg/h
Gas consumption NG/2000Pa	1.76kg/h
Power supply LPG	17kw
Power supply NG	17kw
Gas connection	R1 3/4



GD-RH

Gas 4 burner Range with Oven Size of oven	568*590*270mm
LPG gas consumption	2.15 kg/h NG
gas consumption	3.89kg/h
LPG power supply	25kw
NG power supply	36.8kw
Gas connection	R1 3/4



GD-RS-4

Gas griddle with cabinet(2/3 flat, 1/3 grooved) Size	800*900*(850+70)mm
Griddle plate size	670*600*20mm
Gas consumption LPG/2800Pa	0.86kg/h
Gas consumption NG/2000Pa	1.28kg/h
Power supply LPG	12kw
Power supply NG	12kw
Gas connection	R1 3/4



GD-RG

Neutral working table with cabinet Size	800*900(850+70)mm
--	-------------------



GD-RZ-800

Gas indirect jacket boiling pan	
Size	800*900*(850+70)mm
Oil tank size	φ 600*500mm
Capacity	100-150L
Gas consumption LPG/2800Pa	1.78kg/h
Gas consumption NG/2000Pa	2.6kg/h
Power supply LPG	25kw
Power supply NG	25kw
Gas connection	R1 3/4



GD-RO

Gas Tilting brasing pan	
Size	800*900*(850+70)mm
Capacity	80L
Gas consumption LPG 2800Pa	1.76kg/h
Gas consumption NG 2000Pa	2.2kg/h
Power supply LPG	24kw
Power supply NG	24kw Gas connection R1 3/4



GD-RS



GD-TT-4

Electric 4 Hot Plate Cooker with Oven(Square)	
Internal size of oven	568*590*270mm
Size of plate	300*300mm
Power supply output	20.8kw
Voltage/Frequency	380V/50 -60Hz



GD-RU-4

Electric 4 Hot Plate Cooker with Oven(round)	
Internal size of oven	568*700*270mm
Size of plate	φ 220*2pcs/ φ 180*2pcs
Power supply output	14kw
Voltage/Frequency	380V/50 -60Hz



GD-RM-6E

Electric 2 tank pasta cooker with cabinet Size	
800*900*(850+70)	
Tank size	340*550*270mm
Capacity	43*2L
Power supply output	18*2kw
Voltage/frequency	380V/50 -60Hz
Power supply LPG	25kw
Power supply NG	25kw
Gas connection	R1 3/4



GD-RC-2

Gas 2 tank fryer with cabinet Size	
800*900*(850+70)mm	
Oil tank size	267*365mm
Capacity	21*2L
Gas consumption LPG/2800Pa	2.46kg/h
Gas consumption NG/2800Pa	3.12kg/h
Power supply LPG	31kw
Power supply NG	31kw
Gas connection	R1 3/4

PRESSURE FRYER



MDXZ-16



MDXZ-16B



MDXZ-22



PFG-800

Model	MDXZ-16	MDXZ-16B	MDXZ-22	PFG-800
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW	3kW	3.5kW	220V/50Hz
Capacity	16L	16L	22L	24L
Size(mm)	380*470*530	380*470*530	527*475*565	460*960*1230



MDXZ-24



PFE-500



PFE-600



PFE-600L

Model	MDXZ-24	PFE-500	PFE-600	PFE-600L
Voltage	220~240V/50~60Hz; 380V/50Hz			
Power	13.5kW	13.5kW	13.5kW	13.5kW
Capacity	24L	24L	24L	24L
Size(mm)	460*960*1230	460*960*1230	460*960*1230	460*960*1230

ELECTRIC OPEN FRYER



OFE-321



OFE-322



OFE-323

Model	OFE-321	OFE-322	OFE-323
Pressure	380V/50Hz		
Capacity	25L	25L*2	25L*3
Size(mm)	441*949*1180	882*949*1180	1323*949*1180



DZL-061B



DZL-062B



DZL-081B



DZL-082B

Model	DZL-061B	DZL-062B	DZL-081B	DZL-082B
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	2kW	2kW*2	2kW	2kW*2
Capacity	6L	6L*2	8L	8L*2
Size(mm)	190*435*285	380*435*285	185*440*320	380*440*320

FRYER

ELECTRIC FRYER

CE,RoHS



DZL-6H



DZL-8H



DZL-4L



DZL-4L-2

Model	DZL-6H	DZL-8H	DZL-4L	DZL-4L-2
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.5kW	2kW	2.5kW	2.5kW*2
Capacity	1.5L	2.5L	4L	4L*2
Size(mm)	345*163*277	412*176*280	215*375*305	415*385*300



DZL-101B
DZL-131B
DZL-151B
DZL-171B

Model	DZL-101B	DZL-131B	DZL-151B	DZL-171B
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW	3kW	3kW	3kW
Capacity	10L	13L	15L	17L
Size(mm)	275*430*265	280*430*320	340*460*320	285*490*320



DZL-102B
DZL-132B
DZL-152B
DZL-172B

Model	DZL-102B	DZL-132B	DZL-152B	DZL-172B
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW*2	3kW*2	3kW*2	3kW*2
Capacity	10L*2	13L*2	15L*2	17L*2
Size(mm)	560*425*284	560*430*320	680*460*320	680*460*320



DZL-10L



DZL-20L



DZL-8L



DZL-8L-2

Model	DZL-10L	DZL-20L	DZL-8L	DZL-8L-2
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW/2kW	3kW*2/2kW*2	3.25kW	3.25kW*2
Capacity	10L	10L*2	8L	8L*2
Size(mm)	275*445*295	562*445*295	260*415*385	520*415*385



DZL-10B



DZL-20B



DZL-10C



DZL-20C

Model	DZL-10B	DZL-20B	DZL-10C	DZL-20C
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW/2kW	3kW*2/2kW*2	3kW/2kW	3kW*2/2kW*2
Capacity	6L	6L*2	6L	6L*2
Size(mm)	270*425*265	560*430*265	270*430*295	560*430*295



DZL-10V
DZL-13V
DZL-17V



DZL-16V

Model	DZL-10V	DZL-13V	DZL-17V	DZL-16V
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW	3kW	3kW	6kW
Capacity	10L	13L	17L	16L
Size(mm)	280*455*350	280*455*375	310*515*365	340*540*365



DZL-20V
DZL-26V
DZL-34V



DZL-32V

Model	DZL-20V	DZL-26V	DZL-34V	DZL-32V
Voltage	220~240V/50~60Hz; 110~120V/60Hz; 380V/50Hz			
Power	3kW*2	3kW	3kW	6Kw*2
Capacity	10L*2	13L*2	17L*2	16L*2
Size(mm)	570*455*350	455*455*375	625*515*365	690*540*365



DZL-18B



DZL-12B



DZL-25B

Model	DZL-18B	DZL-12B	DZL-25B
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power	3.2kW	3kW	4.5kW
Capacity	18L	12L	25L
Size(mm)	450*480*230	635*380*225	770*420*250



DZL-18V



DZL-36V



DZL-12L

Model	DZL-18V	DZL-36V	DZL-12L
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power	4.8kW	4.8kW*2	2.8kW
Capacity	18L	18L*2	12L
Size(mm)	330*565*435	660*565*435	280*530*400



DZL-13B



DZL-26B



DZL-131E



DZL-261E

Model	DZL-13B	DZL-26B	DZL-131E	DZL-261E
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW/2kW	4.5kW	3kW/2kW	4.5kW
Capacity	20L	30L	20L	30L
Size(mm)	530*480*405	641*523*450	530*480*405	641*523*450



DZL-400

DZL-800

DZL-400E

DZL-800E

Model	DZL-400	DZL-800	DZL-400E	DZL-800E
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW/2kW	3kW*2/2kW*2	3kW/2kW	3kW*2/2kW*2
Capacity	30L	30L*2	30L	30L*2
Size(mm)	460*540*365	860*540*365	460*540*365	860*540*365
Carton Size(mm)	665*525*425	950*675*425	665*525*425	950*675*425
Gross Weight(Kg)	17.5	28	17.5	28



DZL-16VC

DZL-32VC

DZL-48V

DZL-96V

Model	DZL-16VC	DZL-32VC	DZL-48V	DZL-96V
Voltage	220~240V/50~60Hz; 380V/60Hz			
Power	6kW	6kW*2	9kW	9kW*2
Capacity	16L	16L*2	48L	48L*2
Size(mm)	345*550*915	690*540*915	450*760*945	850*760*945

ELECTRIC FRYER w/ Computer Control



DZL-52B

DZL-76B

Model	DZL-52B	DZL-76B
Voltage	220~240V/50~60Hz; 380V/60Hz	
Power	7.5kW	9kW
Capacity	52L	76L
Size(mm)	680*575*935	950*575*935



DZL-16LC

DZL-13EC

DZL-26EC

DZL-400EC

Model	DZL-16LC	DZL-13EC	DZL-26EC	DZL-400EC
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	6kW	3kW/2kW	4.5kW	3kW/2kW
Capacity	16L	20L	30L	30L
Size(mm)	340*540*365	625*580*490	720*580*490	535*630*490



DZL-52BC



DZL-76BC

Model	DZL -52BC	DZL -76BC
Voltage	220~240V/50~60Hz; 380V/50Hz	
Power	7.5kW	9kW
Capacity	52L	76L
Size(mm)	680*585*927	950*585*930



DZL-14E



DZL-14ES



DZL-14E-2

Model	DZL-14E	DZL-14ES	DZL-14E-2
Voltage	380V/50Hz		
Power	14kW	14kW	28kW
Capacity	28L	14Lx2	28Lx2
Size(mm)	435*885*1175	435*885*1175	842*885*1175

GAS FRYER



CHZ-10L



CHZ-20L



CHZ-20B



GZL-10L

Model	CHZ-10L	CHZ-20L	CHZ-20B	GZL-10L
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Remark	1-tank 1-basket	2-tank 2-basket	1-tank 2-basket	1-tank 1-basket
Capacity	10L	10L*2	20L	10L
Size(mm)	290*450*485	580*450*485	580*450*485	290*525*485



GZL-10



GZL-20



GZL-17



GZL-34

Model	GZL -10	GZL-20	GZL-17	GZL -34
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Remark	1-tank 1-basket	2-tank 2-basket	1-tank 1-basket	2-tank 2-basket
Capacity	10L*2	20L	17L	17L*2
Size(mm)	290*520*515	580*450*485	340*590*580	680*590*580



GZL-25



GZL-50

Model	GZL-25	GZL-50
Pressure	2800Pa/2000Pa LPG/Natural Gas	
Remark	1-tank 1-basket	2-tank 2-basket
Capacity	25L	25L*2
Size(mm)	403*660*570	774*662*570



GZL-46



GZL-92



GF90
GF120
GF150

CE

Model	GZL-46	GZL-92	GF90	GF120	GF150
Pressure	2800Pa/2000Pa LPG/Natural Gas				
Remark	1-tank 2-basket	2-tank 4-basket	3 Burners	4 Burners	5 Burners
Capacity	46L	46L*2	18.5-23L	21.3-25L	31-37L
Size(mm)	445*715*945	895*715*945	394*759* 1195	394*759* 1195	533*759*1195

ELECTRIC GRIDDLE

CE,RoHS



DPL-320A



DPL-400A



DPL-818A



DPL-740A

Model	DPL-320A	DPL-400A	DPL-818A	DPL-740A
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.4kW	1.7kW	3kW	4.4kW
Hotplate Material	Stainless Steel 430	Stainless Steel 430	Stainless Steel 430	Stainless Steel 430
Hotplate Pattern	Full Flat	Full Flat	Full Flat	Full Flat
Hotplate Thickness	3mm	3mm	3mm	3mm
Size(mm)	323*295*185	411*297*185	554*380*250	743*440*250

ELECTRIC GRIDDLE

CE,RoHS



Model	DPL-818	DPL-818-2	DPL-818-3	DPL-818D
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW/2kW	3kW/2kW	3kW/2kW	3kW/2kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	550*430*240	550*430*240	550*430*240	550*430*240

ELECTRIC GRIDDLE

CE,RoHS



Model	DPL-410	DPL-410-2	DPL-410-3	DPL-410D
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	2kW	2kW	2kW	2kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/2 Groove 1/2 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	410*505*255	741*580*280	741*580*280	410*505*255

ELECTRIC GRIDDLE

CE,RoHS



DPL-550



DPL-550-2



DPL-550-3



DPL-550D

Model	DPL-550	DPL-550-2	DPL-550-3	DPL-550D
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3kW	3kW	3kW	3kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	555*470*250	555*470*250	555*470*250	555*470*250

ELECTRIC GRIDDLE

CE,RoHS



DPL-620



DPL-620-2



DPL-620-3



DPL-620D

Model	DPL-620	DPL-620-2	DPL-620-3	DPL-620D
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	4.4kW	4.4kW	4.4kW	4.4kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	620*610*315	620*610*315	620*610*315	620*610*315

ELECTRIC GRIDDLE

CE,RoHS



DPL-740



DPL-740-2



DPL-740-3



DPL-740D

Model	DPL-740	DPL-740-2	DPL-740-3	DPL-740D
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	4.4kW	4.4kW	4.4kW	4.4kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	740*505*250	740*505*250	740*505*250	740*505*250

ELECTRIC GRIDDLE

CE,RoHS



DPL-900



DPL-900-2



DPL-900-3



DPL-900D

Model	DPL-900	DPL-900-2	DPL-900-3	DPL-900D
Voltage	220~240V/50~60Hz; 380V/50Hz			
Power	9kW	9kW	9kW	9kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	10mm	10mm	10mm	10mm
Size(mm)	905*645*265	905*645*265	905*645*265	905*645*265

ELECTRIC GRIDDLE

CE,RoHS



DPL-1200



DPL-1200-2



DPL-1200-3



DPL-1200D

Model	DPL-1200	DPL-1200-2	DPL-1200-3	DPL-1200D
Voltage	220~240V/50~60Hz; 380V/50Hz			
Power	12kW	12kW	12kW	12kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	12mm	12mm	12mm	12mm
Size(mm)	1205*645*265	1205*645*265	1205*645*265	1205*645*265

ELECTRIC GRIDDLE - Dulex



DPL-600D

Model	DPL-600D
Voltage	220~240V/50~60Hz; 110~120V/60Hz
Power	4.4kW
Hotplate Material	A3 Iron
Hotplate Pattern	Full Flat
Hotplate Thickness	12mm
Size(mm)	602*570*280

ELECTRIC GRIDDLE W/ Computer Control



DPL-600C



DPL-740C

Model	DPL-600C	DPL-740C	DPL-600C-2	DPL-740C-2
Power	4.4kW	4.4kW	4.4kW	4.4kW
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	A3 Iron
Hotplate Pattern	Full Flat	Full Flat	1/3 Groove 2/3 Flat	1/3 Groove 2/3 Flat
Hotplate Thickness	12mm	12mm	12mm	12mm
Size(mm)	602*570*280	741*580*280	602*570*280	741*580*280

GAS GRIDDLE



GPL-818



GPL-818-2



GPL-818-3



GPL-818D

Model	GPL-818	GPL-818-2	GPL-818-3	GPL-818D
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	550*520*360	550*520*360	550*520*360	550*520*360

GAS GRIDDLE



GPL-740



GPL-740-2



GPL-740-3



GPL-740D

Model	GPL-740	GPL-740-2	GPL-740-3	GPL-740D
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	740*505*360	740*505*360	740*505*360	740*505*360

GAS GRIDDLE



GPL-530



GPL-530-2



GPL-530-3



GPL-530D

Model	GPL-530	GPL-530-2	GPL-530-3	GPL-530D
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	A3 Iron
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Chrome
Hotplate Thickness	8mm	8mm	8mm	8mm
Size(mm)	530*570*465	530*570*465	530*570*465	530*570*465

GAS GRIDDLE



GPL-600



GPL-600-2



GPL-600D



GPL-750



GPL-750-2



GPL-750D

Model	GPL-600	GPL-600-2	GPL-750	GPL-750-2	GPL-750D	GPL-600D
Pressure	2800Pa/2000Pa LPG/Natural Gas					
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	A3 Iron	Chrome	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Flat	1/3 Groove 2/3 Flat	Full Flat	Full Flat
Hotplate Thickness	8mm	8mm	8mm	8mm	8mm	8mm
Size(mm)	605*580*475	605*580*475	747*570*465	747*570*465	747*570*465	605*580*475

GAS GRIDDLE



GPL-900



GPL-900-2



GPL-900-3



GPL-900D

Model	GPL-900	GPL-900-2	GPL-900-3	GPL-900D
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Hotplate Material	A3 Iron	A3 Iron	A3 Iron	Chrome
Hotplate Pattern	Full Flat	1/3 Groove 2/3 Flat	Full Groove	Full Flat
Hotplate Thickness	10mm	10mm	10mm	10mm
Size(mm)	908*705*445	908*705*445	908*705*445	908*705*445

GAS GRIDDLE



GPL-1200



GPL-1200D



GPL-818A



GPL-740A

Model	GPL-1200	GPL-1200D	GPL-818A	GPL-740A
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Hotplate Material	A3 Iron	Chrome	Stainless Steel 430	Stainless Steel 430
Hotplate Pattern	Full Flat	Full Flat	Full Flat	Full Flat
Hotplate Thickness	12mm	12mm	3mm	3mm
Size(mm)	1200*710*475	1200*710*475	550*475*230	740*440*230

GAS GRIDDLE



Model	CP-G12-M	CP-G24-M	CP-G36-M	CP-G48-M	CP-G60-M
Number of burners	1	2	3	4	5
Grill plate size(mm)	300*526	605*526	910*526	1216*526	1526*526
Size(mm)	304*740*394	609*740*394	914*740*394	1220*740*394	1530*740*394
Power	8.8kW	17.6kW	26.4kW	35.2kW	44kW
N.W/G.W(kg)	45/55	70.5/92	100/129	129/164	154/207

Eletric Griddle

Model	CP-G24-E
Size(mm)	609*740*390
Voltage	220V
Power	6.70kW
N.W(kg)	86
G.W(kg)	110



Model	CP-G36-E
Size(mm)	914*740*390
Voltage	220V
Power	10.05kW
N.W(kg)	120
G.W(kg)	157



Model	CP-G48-E
Size(mm)	1220*740*390
Voltage	220V
Power	13.40kW
N.W(kg)	181
G.W(kg)	237



GAS BBQ GRILL

CE



GPL-550-1T



GPL-550-2T



GPL-500-400B

Model	GPL-550-1T	GPL-550-2T	GPL-500-400B
Pressure	2800Pa	2800Pa	2800Pa
Grill Plate Size(mm)	500*280*30mm	500*280*30mm	500*280*30mm
G.W	31.5KG	41.4KG	41.7KG
Grill Plate Size	1020*560*905	1195*650*980	1015*650*1040



GPL-550-1W



RTC-2T-400B

Model	GPL-550-1W	GPL-550-1W
Pressure	2800Pa	2800Pa
Grill Plate Size(mm)	500*280*30mm	500*280*30mm
G.W	40.6KG	36KG
Grill Plate Size	1195*695*980	1050*650*1040

CONTACT GRILL

PANINI/CONTACT GRILL

CE,RoHS



CHZ-810



CHZ-810A



CHZ-810B



CHZ-810-2

Model	CHZ-810	CHZ-810A	CHZ-810B	CHZ-810-2
Plate Type	Full Ribbed	Top Ribbed+ Bottom Flat	Full Flat	Full Ribbed
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.8kW	1.8kW	1.8kW	3.6kW
Size(mm)	305*360*195	305*360*195	305*360*195	565*360*195

STEAK GRILL



Model	SG-3E
Product dimension(mm)	470*430*630
Voltage	220V~240V/50~60Hz; 110V/60Hz
Power	5.4kW



Model	SG-3G
Product dimension(mm)	470*430*630
Pressure	2800Pa/200Pa LPG/naturalgas

PANINI/CONTACT GRILL

CE,RoHS



CHZ-810-2A



CHZ-810-2B



CHZ-820



CHZ-820A

Model	CHZ-810-2A	CHZ-810-2B	CHZ-820	CHZ-820A
Plate Type	Top Ribbed+ Bottom Flat	Full Flat	Full Ribbed	Top Ribbed+ Bottom Flat
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	3.6kW	3.6kW	2.2kW	2.2kW
Size(mm)	565*360*195	565*360*195	425*360*195	425*360*195

PANINI/CONTACT GRILL

CE,RoHS



CHZ-820B



CHZ-820-2



CHZ-820-2A



CHZ-820-2B

Model	CHZ-820B	CHZ-820-2	CHZ-820-2A	CHZ-820-2B
Plate Type	Full Flat	Full Ribbed	Top Ribbed+ Bottom Flat	Full Flat
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	2.2kW	4.4kW	4.4kW	4.4kW
Size(mm)	425*360*195	851*366*210	851*366*210	851*366*210

PLUCKER

POULTRY PLUCKER/Chicken Feather Removal Machine

CE,RoHS,LFGB



CHZ-45 CHZ-50 CHZ-55
CHZ-60 CHZ-65

- Economic Type
- * Short drum with less fingers
 - * Without water tap & hose
 - * Without bottom water proof cover

Model	CHZ-45	CHZ-50	CHZ-55	CHZ-60
Capacity	1~2chicken/time	2~3chicken/time	3~4chicken/time	5~6chicken/time
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	0.55kW	1.5kW	1.5kW	1.5kW
Drum Diameter	45cm	50cm	55cm	60cm
Size(mm)	510*510*800	570*570*890	613*613*890	670*670*890



- Luxury Type
- * Tall drum with more fingers
 - * With water tap & hose
 - * With bottom water proof cover
 - * With wheels
 - * With top switch pillar
 - * With motor water proof cover

Model	CHZ-N45	CHZ-N50	CHZ-N55	CHZ-N60	CHZ-N65
Capacity	1~2chicken/time	2~3chicken/time	3~4chicken/time	5~6chicken/time	6~7chicken/time
Voltage	220~240V/50~60Hz; 110~120V/60Hz				
Power	0.55kW	1.5kW	1.5kW	1.5kW	1.5kW
Drum Diameter	45cm	50cm	55cm	60cm	65cm
Size(mm)	510*510*800	570*570*1100	613*613*1100	670*670*1100	702*703*1100



CHZ-N70/CHZ-N80

- Luxury Type
- * Tall drum with more fingers
 - * With water tap & hose
 - * With bottom water proof cover
 - * With wheels
 - * With top switch pillar
 - * With motor water proof cover

Model	CHZ-N70	CHZ-N80
Capacity	7~8chicken/time	8~9chicken/time
Voltage	220~240V/50~60Hz; 110~120V/60Hz	
Power	2.2kW	2.2kW
Drum Diameter	70cm	80cm
Size(mm)	760*760*1150	862*862*1150

POULTRY PLUCKER/Quail Feather Removal Machine

CE,RoHS,LFGB



CHZ-N30



CHZ-N40



CHZ-N50-1

Model	CHZ-N30	CHZ-N40	CHZ-N50-1
Capacity	1~ 2 pigeons/min	2~ 3 pigeons/min	2~3 chicken/time
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power	0.2kW	0.2kW	1.5kW
Drum Diameter	30cm	40cm	50cm
Size(mm)	347*347*675	446*446*680	570*570*1100

POULTRY PLUCKER W/ SCALDER

CE,RoHS



YTJ-N45
YTJ-N50
YTJ-N55
YTJ-N60

Model	YTJ-N45	YT-N50	YTJ-N55	YTJ-N60
Capacity	1~2chicken/time	2~3chicken/time	3~4chicken/time	5~6chicken/time
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	0.55kW+1.8kW	1.5kW+1.8kW	1.5kW+1.8kW	1.5kW+1.8kW
Drum Diameter	45cm	50cm	55cm	60cm
Size(mm)	920*502*842	1020*554*955	1122*602*955	1221*652*955

MANUAL PLUCKER



HP-01

Model	HP-01
Capacity	21pcs of fingers
Size(mm)	Φ 10*12(H)cm

ELECTRIC SCALDER

CE,ROHS



ES70L



ES120L

Model	ES70L	ES120L
Capacity	55L	100L
Voltage	220~240V/50~60Hz; 110~120V/60Hz	
Power	1.8kW	3kW
Size(mm)	350*450*670	600*500*640

KILLING CONE



KC-1



KC-2



KC-3



KC-4

Model	KC-1 (small)	KC-2 (medium)	KC-3 (big)	KC-4
Carton Size(mm)	820*350*340 (10pcs/ctn)	860*380*360 (10pcs/ctn)	910*440*400 (10pcs/ctn)	1860*500*75 +440*440*580

HOT DOG ROLLER

HOT DOG GRILL

CE



KG-5



KG-7



KG-9



KG-11



KG-14



KG-14T

Model	KG-5	KG-7	KG-9	KG-11	KG-14	KG-14T
Voltage	220~240V/50~60Hz; 110~120V/60Hz					
Power	1kW	1.4kW	1.8kW	2.2kW	2.8kW	2.8kW
No. of Rollers	5	7	9	11	14	14
Size(mm)	585*275*190	585*345*190	585*425*190	585*495*190	580*560*175	603*603*235

HOT DOG GRILL

CE



CZ-5



CZ-7



CZ-9



CZ-11



KG-9W



KG-11W

Model	CZ-5	CZ-7	CZ-9	CZ-11	KG-9W	KG-11W
Voltage	220~240V/50~60Hz; 110~120V/60Hz					
Power	1kW	1.4kW	1.8kW	2.2kW	2.2kW	2.6kW
No. of Rollers	5	7	9	11	9	11
Size(mm)	585*275*385	585*345*410	585*425*440	585*495*190	580*425*340	580*500*340

HOT DOG GRILL

CE



Model	CZ-9W(Glass Cover)	CZ-11W(Glass Cover)	CZ-9W(Acrylic Cover)	CZ-14W	CZ-32W
Voltage	220~240V/50~60Hz; 110~120V/60Hz				
Power	2.2kW	2.6kW	2.2kW	2.8kW	0.4kW
No. of Rollers	9	11	9	561*399*650	/
Size(mm)	585*390*515	580*500*500	585*390*520	620*450*680	470*360*340

Model	HDW-0	HDW-2	HDW-3	HDW-4	HDW-6
Power	0.4kW	0.55kW	0.625kW	0.7kW	0.85kW
No. of rollers	/	2	4	4	6
Size(mm)	0.4kW	305*295*377	530*295*377	530*295*377	730*295*377

POTATO PEELER

CE

POTATO PEELER



Model	X10C	X15C	X30C	X6D	X10D	X15D
Barrel Capacity	10L	15L	30L	6L	10L	15L
Output Capacity	240~480Kg/h	480~900Kg/h	1080~2160Kg/h	100~240Kg/h	240~480Kg/h	480~900Kg/h
Voltage	220~240V/50~60Hz; 110~120V/60Hz					
Power	0.55kW	0.75kW	1.5kW	0.37kW	0.75kW	1.5kW
Carton Size(mm)	495*495*810	562*534*880	625*625*1062	675*455*960	750*465*975	700*495*990

VEGETABLE DEHYDRATOR



XT-20



HLP-15



HLP-20

Model	XT-20	HLP-15	HLP-20
Barrel Capacity	1	20.6L	27L
Output Capacity	/	165Kg/h	190Kg/h
Voltage	/	220~240V/50~60Hz; 110~120V/60Hz	
Power	550kW	0.75kW	0.95kW
Dimensions(mm)	670*440*830	476*646*1243	536*676*1273
Gross Weight(Kg)	50	76.4	85.2

POTATO PEELING MACHINE



QPJ-10



QPJ-15



QPJ-10S



QPJ-15S

Model	QPJ-10	QPJ-15	QPJ-10S	QPJ-15S
Barrel Capacity	10KG	15KG	10KG	15KG
Output Capacity	240-300Kg/h	300-450Kg/h	240-300Kg/h	300-450Kg/h
Voltage	230V/50Hz	220~240V/50~60Hz	230V/50Hz	220~240V/50~60Hz
Power	0.75kW	0.75kW	0.75kW	0.75kW
Dimensions(mm)	400*760*950	400*760*1100	395*660*870	395*660*1035

SALAMANDER

ELECTRIC SALAMANDER

CE



ES-360D



ES-360



ES-370



ES-936/ES-937/ES-938

Model	ES-360D	ES-360	ES-370	ES-936	ES-937	ES-938
Voltage	220~240V/50~60Hz; 110~120V/60Hz					
Power	3.25kW	2.4kW	3.6kW	2kW	4kW	2.2kW
Size(mm)	496*257*379	445*250*290	445*250*410	645*320*280	840*465*490	610*400*380



ES-450



ES-600



ES-800

Model	ES-450	ES-600	ES-800
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power	2.8kW	4kW	5.6kW
Size(mm)	450*520*500	600*520*500	800*520*500
Carton Size(mm)	580*570*615	705*590*630	910*595*630

GAS SALAMANDER



GS-12



GS-14



GS-16



GS-18

Model	GS-12	GS-14	GS-16	GS-18
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Size(mm)	510*500*510	610*530*620	860*530*620	1070*530*620



GS-20

Model	GS-20
Pressure	2800Pa/2000Pa LPG/Natural Gas
Size(mm)	1280*530*620

BAIN MARIE

ELECTRIC BAIN MARIE

CE,RoHS



SB-2P



SB-2P(1/1)



SB-2P(1/2)



SB-2P(1/3)

Model	SB-2P	SB-2P(1/1)	SB-2P(1/2)	SB-2P(1/3)
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.2kW	1.2kW	1.2kW	1.2kW
Pan Size	No Pan & Lid	1/2GN*10cmx1pc	1/2GN*10cmx2pcs	1/3GN*10cmx3pcs
Size(mm)	354*556*275	354*556*275	354*556*275	354*556*275

ELECTRIC BAIN MARIE

CE,RoHS



SB-2P(1/4)



SB-2P(1/6)



SB-3T(1/1)



SB-3T(1/2)

Model	SB-2P(1/4)	SB-2P(1/6)	SB-3T(1/1)	SB-3T(1/2)
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.2kW	1.2kW	1.2kW	1.2kW
Pan Size	1/2GN*10cmx4pcs	1/2GN*10cmx6pcs	1/1GN*15cmx1pc	1/2GN*15cmx2pcs
Size(mm)	354*556*275	354*556*275	350*560*270	350*560*270

ELECTRIC BAIN MARIE

CE,RoHS



SB-3T(1/3)



SB-3T(1/4)



SB-3T(1/6)



SB-2T(1/1)

Model	SB-3T(1/3)	SB-3T(1/4)	SB-3T(1/6)	SB-2T(1/1)
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.2kW	1.2kW	1.2kW	1.5kW
Pan Size	1/3GN*10cmx3pcs	1/4GN*10cmx4pcs	1/6GN*10cmx6pcs	1/1GN*10cmx1pc
Size(mm)	350*560*270	350*560*270	350*560*270	575*350*225

ELECTRIC BAIN MARIE

CE,RoHS



SB-2T(1/2)



SB-2T(1/3)



SB-2T(1/4)



SB-2T(1/6)

Model	SB-2T(1/2)	SB-2T(1/3)	SB-2T(1/4)	SB-2T(1/6)
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.5kW	1.5kW	1.5kW	1.5kW
Pan Size	1/2GN*10cmx2pcs	1/3GN*10cmx3pcs	1/4GN*10cmx4pcs	1/6GN*10cmx6pcs
Size(mm)	575*350*225	575*350*225	575*350*225	575*350*225

ELECTRIC BAIN MARIE

CE,RoHS



SB-4T



SB-6T



SB-8T



SB-6TR

Model	SB-4T	SB-6T	SB-8T	SB-6TR
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.5kW	1.5kW	1.5kW	1.5kW
Pan Size	1/2GN*10cmx4pcs	1/2GN*10cmx6pcs	1/2GN*10cmx8pcs	1/2GN*10cmx4pcs
Size(mm)	695*575*225	1035*575*225	1375*575*225	1034*575*350

ELECTRIC BAIN MARIE

CE,RoHS



RTC-2H



RTC-3H



RTC-6H



RTC-3D



RTC-4H



RTC-5H



RTC-4D



RTC-5D

Model	RTC-2H	RTC-3H	RTC-4H	RTC-5H
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.5kW	1.5kW	1.5kW	1.8kW
Pan Size	1/2GN*10cmx2pcs	1/2GN*10cmx3pcs	1/2GN*10cmx4pcs	1/2GN*10cmx5pcs
Size(mm)	645*350*315	905*350*315	1170*350*315	1450*350*315

Model	RTC-6H	RTC-3D	RTC-4D	RTC-5D
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	1.8kW	1.5kW	1.5kW	1.8kW
Pan Size	1/2GN*10cmx6pcs	1/2GN*10cmx3pcs	1/2GN*10cmx4pcs	1/2GN*10cmx5pcs
Size(mm)	1715*350*315	950*362*340	1215*362*340	1475*362*340

ELECTRIC BAIN MARIE

CE,RoHS



RTC-3W(Table)



RTC-4W(Table)



RTC-5W(Table)

Model	RTC-3W(Table)	RTC-4W(Table)	RTC-5W(Table)
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power	3kW/2kW	3kW/2kW	3kW/2kW
Pan Size	1/1GN*15cm x3pcs	1/1GN*15cm x4pcs	1/1GN*15cm x5pcs
Size(mm)	1175*700*800	1500*700*800	1840*700*800mm



RTC-3W(Floor)



RTC-4W(Floor)



RTC-5W(Floor)

Model	RTC-3W(Floor)	RTC-4W(Floor)	RTC-5W(Floor)
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power	3kW/2kW	3kW/2kW	3kW/2kW
Pan Size	1/1GN*15cmx4pcs	1/1GN*15cmx4pcs	1/1GN*15cmx5pcs
Size(mm)	1175*700*800	1500*700*800	1840*700*800mm



GC-M1



GC-M2



GC-M3



GC-M4



GC-M5



GC-M6

chocolate melting machine

Model	GC-M1	GC-M2	GC-M3	GC-M4	GC-M5	GC-M6
Tank size	36*33*12CM	33*18*10CM	33*18*10CM	18*16*10CM	33*18*10CM 18*16*10CM	18*16*10CM
Machine size	48.5*36*18CM	48.5*36*18CM	66.5*36*18CM	48.5*36*18CM	66.5*36*18CM	66.5*36*18CM
Power	1KW	1KW	1KW	1KW	1KW	1KW
Temperature	0~90℃	0~90℃	0~90℃	0~90℃	0~90℃	0~90℃
Capacity	8KGS	8KGS	12KGS	8KGS	12KGS	12KGS
N.W/G.W.	9/10KGS	9/10KGS	11.5/13KGS	9/10KGS	11.5/13KGS	11.5/13KGS
Packing size	55.5*43*26CM	55.5*43*26M	73*43*26CM	55.5*43*26CM	73*43*26CM	73*43*26CM

COOKER & STOVE

CE, CSA



HP-12-M



HP-24-M



HP-36-M

Model	CP-HP12-M	Model	Model
Pressure	2800Pa/2000Pa LPG/Natural Gas		
Size(mm)	740*304*330	740*609*330	740*914*330
Carton Size(mm)	860*410*450	900*720*450	920*1030*450
G.W(kg)	24.5	43.5	62



WXL-RB2



WXL-RB4



WXL-RB6

Model	WXL-RB2	WXL-RB4	WXL-RB6
Pressure	2800Pa/2000Pa LPG/Natural Gas		
Size(mm)	300*770*325	605*765*320	675*510*180
Carton Size(mm)	395*860*410	705*870*385	905*765*320
Gross Weight(Kg)	45	80	118

OOKER & STOVE

CE,CSA



GZL-3W



GZL-4W



GZL-6W



GZL-8W

Model	GZL-3W	GZL-4W	GZL-6W	GZL-8W
Pressure	2800Pa/2000Pa LPG/Natural Gas			
Size(mm)	1260*575*810	840*830*810	1210*830*810	1210*830*810
Carton Size(mm)	1350*670*400	930*920*400	1300*920*400	1670*920*400
Gross Weight(Kg)	35	70	97	126

LAVA ROCK GRILL



CP-CB12-M



CP-CB24-M



CP-CB36-M

Model	CP-CB12-M	CP-CB24-M	CP-CB36-M	CP-CB48-M
NO. of burner	1	2	3	4
Dimension(mm)	304*740*394	609*740*394	914*740*394	1120 *740*394
Packing Size(mm)	410*890*490	410*890*490	1010*890*490	1310*890*490
Power	10.3kW	20.6kW	30.9kW	41.2kW
G.W(kg)	31.5	50.5	70	90



CP-CB48-M



CHZ-4G



CHZ-4G-F

Model	CHZ-4G	CHZ-4G-F
Size(mm)	710*650*980	710*725*980
Carton Size(mm)	830*770*520	830*770*530
Power	20.6kW	20.6kW
Cross Weight(kg)	82.5	94

Electric Rotisserie Machine



KJL-4E



KJL-6E

Model	KJL-3E	KJL-4E	KJL-6E	KJL-8E
Voltage	380V/50Hz	380V/50Hz	380V/50Hz	380V/50Hz
Heater Power	6kW	8kW	12kW	16kW
Spec	3Rods	4Rods	6Rods	8Rods
Dimension(mm)	1190*500*810	1167*480*1130	1167*480*1490	1167*480*1855



KJL-4EC



KJL-6EC

Model	KJL-4EC	KJL-6EC
Voltage	220V/50Hz	380V/50Hz
Heater Power	8kW	12kW
Spec	4Rods	6Rods
Dimension(mm)	1170*580*1630	1170*580*1990

Gas Rotisserie Machine



KJL-3G



KJL-4G



KJL-6G

Model	KJL-3G	KJL-4G	KJL-6G	KJL-8G
Gas Consumption LPG/2800Pa	/	/	/	/
Gas Consumption NG/2000Pa	/	/	/	/
Spec	3Rods	4Rods	4Rods	8Rods
Dimension(mm)	1170*520*950	1170*520*1130	1170*520*1490	1170*610*1860



KJL-4GC



KJL-6GC

Model	KJL-4B	KJL-6B
Gas Consumption LPG/2800Pa	/	/
Gas Consumption NG/2000Pa	/	/
Spec	4Rods	6Rods
Dimension(mm)	1170*580*1630	1170*580*1990

WARMING SHOWCASE



ZSG-50-2 (painted body)
ZSG-50-2 (s.s. body)



ZSG-65-2 (painted body)
ZSG-65-2 (s.s. body)



ZSG-10-2 (painted body)
ZSG-10-2 (s.s. body)



CZ-1P

Model	ZSG-50-2 (painted body)	ZSG-65-2 (painted body)	ZSG-10-2 (painted body)	/
Model	ZSG-50-2 (s.s. body)	ZSG-65-2 (s.s. body)	ZSG-10-2 (s.s. body)	CZ-1P
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	0.7kW	0.7kW	1.4kW	0.85kW
Size(mm)	515*415*515	660*460*610	960*460*610	660*460*610
Carton Size(mm)	590*500*615	730*550*710	1010*520*660	660*460*610
Gross Weight(Kg)	17	27.04	37.58	17.5



ZSG-50-3 (painted body)
ZSG-50-3 (s.s. body)



ZSG-65-3 (painted body)
ZSG-65-3 (s.s. body)



ZSG-10-3 (painted body)
ZSG-10-3 (s.s. body)



CZ-1PE

Model	ZSG-50-3 (painted body)	ZSG-65-3 (painted body)	ZSG-10-3 (painted body)	/
Model	ZSG-50-3 (s.s. body)	ZSG-65-3 (s.s. body)	ZSG-10-3 (s.s. body)	CZ-1PE
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	0.7kW	0.7kW	1.4kW	0.8kW
Size(mm)	515*415*515	660*460*610	960*460*610	660*460*610
Carton Size(mm)	590*500*615	730*550*710	1010*520*660	660*460*610
Gross Weight(Kg)	17.5	27.74	37.58	11.95



ZSG-350



ZSG-700



ZSG-350A



ZSG-700A

Model	ZSG-350	ZSG-700	ZSG-350A	ZSG-700A
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Power	0.8kW	1.2kW	0.8kW	1.2kW
Size(mm)	355*355*520	705*375*520	460*440*630	725*377*593
Carton Size(mm)	470*420*570	790*460*570	520*500*680	820*470*650
Gross Weight(Kg)	19.45	30.45		



ZSG-604



ZSG-601



ZSG-602



ZSG-603

Model	ZSG-604	ZSG-601	ZSG-602	ZSG-603
Power	1kW	1.5kW	1.8kW	2kW
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Size(mm)	380*480*640	660*480*640	900*480*640	1200*480*640
Carton Size(mm)	460*560*740	735*555*720	975*555*720	1275*555*720
Gross Weight(Kg)	24	33	41	53



ZSG-1098

Model	ZSG-1098
Voltage	220V~240V/50~60Hz
Size(mm)	1098*480*615
Power	1800W



ZSG-1098-T

Model	ZSG-1098
Voltage	220~240V/50~60Hz
Size(mm)	1098*480*695
Power	1800W

CUP WARMER



CW-1A



CW-2A



CW-1

Model	CW-1A	CW-2A	CW-1
Packing size(mm)	385*290*570	385*360*570	325*410*504
Dimension(mm)	360*250*550	360*320*550	/
Power	400W	400W	/
Volts	200~240V	200~240V	400W
Temperature range	0~75℃	0~75℃	220~240V
N.W(kg)	8.5	11.7	17.6

PLATE WARMER



Model	PW-1	PW-2
Voltage	220V/50Hz 110V/60Hz	220V/50Hz 110V/60Hz
Power	750W	1500W
Inner size(mm)	360*370*670	760*370*670
Dimension(mm)	400*420*800	800*420*800

POPCORN& COTTON CANDY MACHINE

Candy floss machine



CF01



CF02



CF03

	CF01(Φ520)	CF01(Φ720)	CF02(Φ520)	CF02(Φ720)
SIZE	52*52*50cm	72*72*50cm	52*75*91cm	72*72*91cm
Voltage	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz	220V/50Hz or 110V/60Hz
Power:	1080W	1080W	1080W	1080W
Capacity	one unit / 30s	one unit / 30s	one unit / 30s	one unit / 30s
G.W:	15KG	19KG	23KG	27KG



HP-07



HP-09



HP-6B



HP-CC

	HP07	HP09	HP-6B	HPCC
Product size	500x400x690	500x400x770	552 × 418 × 742	915x400x900
Capacity	8Oz	8Oz	8Oz	8Oz
Voltage	220-240V/110V	220-240V/110V	220-240V/110V	220-240V/110V
Power	1.5kW	1.5kW	1.44kW,	1.5kw
Net weight	18.8KGS	20KGS	19KGS	38KGS

WAFFLE MACHINE



GD-HF1



GD-HF2



GD-CB1



GD-CB2

Model	GD-HF1	GD-HF2	GD-CB1	GD-CB2
Voltage	220~240V/50~60Hz; 110~120V/60Hz	220~240V/50~60Hz; 110~120V/60Hz	220~240V/50~60Hz; 110~120V/60Hz	220~240V/50~60Hz; 110~120V/60Hz
Power	1.2kW	2.4kW	1.2kW	2.4kW
Size(mm)	280*380*280	560*380*280	250*325*260	500*252*260
Carton Size(mm)	470*320*290	540*455*325	420*320*300	570*420*300
Gross Weight(Kg)	8	13	8	13



Model	GD-542	GD-543
Voltage	220V/50Hz	220V/50Hz
Power(W)	850	850*2
Size(CM)	32*29.5*16cm	60*30*19
N .W/G.W(KGS)	4.0/6.0	10/12k
Packing size(CM)	44*41*26	65*38*22



GD-2300



GD-2301



GD-2302

Product Name	Hello Kitty shape waffle machine	Mickey shape waffle machine	Butterfly shape waffle machine
Model No.	GD-2300	GD-2301	GD-2302
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5KW	1.5KW	1.5KW
Item Size	280*380*235mm	280x380x235mm	280*380*235mm
packing size	460*330*270 mm	460*330*300mm	580*390*200mm
N.W.	11.5KG	11.5KG	10.0KG
G.W.	12,5KG	13 KG	11,5KG



GD-2200A



GD-2201A



GD-2307

Product Name	Electric Waffle Maker	Electric Waffle Maker	Electric Waffle Maker
Model No.	GD-2200A	GD-2201A	GD-2307
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5KW	1.5KW	2KW
Single cake size	105x105x10mm	108x105x10mm	/
Item Size	280x380x250mm	280x380x250mm	310x430x245 mm
Packing Size	460x330x270mm	460x330x270mm	380x450x315 mm
N.W.	11 KG	11 KG	9.5 KG
G.W.	12 KG	12 KG	10.5 KG



GD-2210

Product Name	Waffle Maker(10 grids)	Electric Waffle Maker (3 Grid)	Lolly Waffle Machine
Model No.	GD-2210	GD-2213	GD-118
Voltage	220V-240V	220V-240V	220V-240V
Power	1.2KW	1.5KW	1.5KW
Single cake size	82x55x9mm	120x80x12mm	120x45x15mm
Item Size	390x340x240mm	390x350x280mm	380x350x280mm
Packing Size	480x370x290mm	435x400x290mm	425x380x310mm
N.W.	9.5KG	10 KG	12 KG
G.W.	10.5KG	11 KG	13 KG



GD-2213



GD-118



GD-2310

Product Name	Electric Waffle Maker	Electric Waffle Maker	Waffle Maker
Model No.	GD-2310	GD-2309	GD-2306
Voltage	220V-240V	220V-240V	220V-240V
Power	2 KW	2KW	2KW
Single cake size	70*70*13mm	98x58x13 mm	Φ51x13 mm
Item Size	310x430x245mm	310x430x245mm	545x330x180mm
Packing Size	450*385*320	380x450x315 mm	380x450x315mm
N.W.	10 KG	9.5kg	9.5kg
G.W.	11 KG	10.5kg	10.5kg



GD-2309



GD-2306



GD-118A

Product Name	Lolly Waffle Machine	Product Name	Lolly Waffle Machine	Lolly Waffle Machine
Model No.	GD-118A	Model No.	GD-118B	GD-118C
Voltage	220V-240V	Voltage	220V-240V	220V-240V
Power	1.5KW	Power	1.5KW	1.5KW
Single cake size	220x58x15mm	Single cake size	220x58 x15mm	/
Item Size	320x400x240mm	Item Size	350x350x280mm	280x380x205 mm
Packing Size	360x450x280mm	Packing Size	450x420x340mm	460x330 × 240mm
N.W.	7.6KG	N.W.	12.5 KG	9 KG
G.W.	8.1 KG	G.W.	13.5 KG	10.5 KG



GD-118B



GD-118C



GD-215

Product Name	Electric Heart Shape Waffle Maker	Electric Waffle Maker	Electric Waffle Maker
Model No.	GD-215	GD-2206B	GD-2206D
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5KW	1.5KW	1.5KW
Item Size	315x350x240mm	310x340x240mm	310x340x240mm
Single cake size	Φ75mm	Φ45x6mm	230x230X6mm
Packing Size	450x380x350mm	350x390x260mm	350x390x260mm
N.W.	10.5kg	11.0KG	9.6KG
G.W.	11.5kg	12.0 KG	10.5 KG



GD-2206B



GD-2206D



GD-133

Product Name	Electric Waffle Maker(4 Grid)	Electric Waffle Maker(4 Grid)	Electric Poffertjes Machine
Model No.	GD-133	GD-133A	GD-3309
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5KW	1.5KW	2KW
Single cake size	112x112x6mm	112x112x6mm	Φ80
Item Size	280x380x240mm	280x380x240mm	360x390x240mm
Packing Size	460x330x270mm	460x330x270mm	450x430x280mm
N.W.	9.6KG	9.6KG	12.0kg
G.W.	10.5KG	10.5 KG	13.2kg



GD-133A



GD-3309



GD-0011

Product Name	Electric Waffle Maker	Electric Waffle Maker	Electric Waffle Maker
Model No.	GD-0011	GD-0022	GD-0033
Voltage	220V-240V	220V-240V	220V-240V
Power	3.0kw	3 kw	3 kw
Item Size	610x410x240mm	610x410x240mm	610x410x240mm
Packing Size	650x460x280mm	650x460x280mm	650x460x280mm
N.W.	21.0kg	21kg	21 kg
G.W.	23.0kg	23kg	23 kg



GD-0022



GD-0033



GD-2226

Product Name	Electric Waffle Maker	Electric Waffle Maker	Electric Waffle Maker
Model No.	GD-2226	GD-2204	GD-2206A
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5KW	1.2kw	1.5kw
Single cake size	112x112x6mm	100x100x11mm	112x112x6mm
Item Size	280x380x235mm	260x310x240mm	310X340X240mm
Packing Size	460x330x270mm	440x335x300mm	350x390x260mm
N.W.	9.6KG	8.0kg	9.6kg
G.W.	10.5 KG	9.0kg	10.5kg



GD-2204



GD-2206A



GD-802

Product Name	Double Double Plate Square Waffle Maker (Aluminum Plate)	Double Double Plate Square Waffle Maker (Aluminum Plate)
Model No.	GD-802	GD-802A
Voltage	220V-240V	220V-240V
Power	4 kw	4 kw
Single cake size	170x105x13mm	170x105x13mm
Item Size	570x350x250mm	610x410x240mm
Packing Size	610x410x270mm	650x460x290mm
N.W.	16.5kg	16.5kg
G.W.	18.0kg	18 kg



GD-802A



GD-801



GD-801A



GD-801C

Product Name	Electric Waffle Maker	Electric Waffle Maker	Electric Waffle Maker
Model No.	GD-801	GD-801A	GD-801C
Voltage	220V-240V	220V-240V	220V-240V
Power	2.0kw	2.0kw	2.0kw
Single cake size	170x105x13mm	105x85x13mm	/
Item Size	310x350x280mm	310x350x280mm	355x265x240mm
Package size	490x380x340mm	490x380x340mm	430x300 × 270mm
N.W	18.0kg	19.5kg	9.0kg
G.w	20.5kg	20.5kg	10.5kg



GD-801B



GD-801A-B



GD-801X

Product Name	Waffle Maker (Computer Screen)	Waffle Maker (Computer Screen)	Electric Waffle Machine
Model No.	GD-801B	GD-801A-B	GD-801X
Voltage	220V-240V	220V-240V	220V-240V
Power	2kw	2kw	2.0kw
Single cake size	170x105x13mm	105x85x13mm	/
Item Size	310x400x240mm	310x400x240mm	355x265x240mm
Package size	490x380x340mm	490x380x340mm	430x300x270mm
N.W	12KG	12KG	9.0kg



GD-113



GD-113A



GD-009

Product Name	Sandwich Waffle Maker	Sandwich Waffle Maker	Sandwich Waffle Maker
Model No.	GD-113	GD-113A	GD-009
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5 kw	1.5 kw	0.8 kw
Item Size	390x340x240mm	390x340x245mm	420x290x180mm
Single cake size	125x145mm	125x145mm	99x99x21mm
N.W.	9.6kg	9.6kg	4kg
G.W.	10.5kg	10.5kg	4.7kg
Packing Size	430x400x300mm	430x400x300mm	470 × 230 × 210mm



GD-008



GD-112



GD-228

Product Name	Round Cake Machine	Electric Fish-shape Waffle maker	Tartlet Machine
Model No.	GD-008	GD-112	GD-228
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5kw	1.5 kw	1.5 kw
Item Size	360x390x180mm	380x300x240mm	380x300x240mm
Single cake size	Φ90x10mm	90x70mm	/
N.W.	12.2kg	9.0kg	13kg
G.W.	13.5kg	10.0kg	14kg
Packing Size	450x380x350mm	360x450x280mm	360x450x280mm

French Fries warmer



GD-115-2



GD-115



GD-216

Product Name	Hot Dog Rolling Machine	Electric Corn Waffle Maker	Cone&Hot Dog Waffle Machine
Model No.	GD-115-2	GD-115	GD-216
Voltage	220V-240V	220V-240V	220V-240V
Power	1.5 kw	1.5kw	1.5 kw
Item Size	330x280x240mm	330x280x240mm	390x340x245mm
single cake size	140x40x15mm	140x40x15mm	140x40x15mm
N.W.	9.0kg	8.5kg	11kg
G.W.	10,5 kg	10 kg	12kg
Packing Size	400x380x350mm	400x380x350mm	490*450*280



GD-119



GD-119-2



GD-2311

Product Name	Electric Waffle Stick Maker	Electric Waffle Stick Maker	Electric Waffle Maker
Model No.	GD-119	GD-119-2	GD-2311
Voltage	220V-240V	220V-240V	220V-240V
3Power	1.5kw	1.5 kw	1.5kw
Item Size	330x280x240mm	340x280x270mm	390x340x245mm
single cake size	140x40x15mm	140x40x15mm	40x30mm
N.W.	8 kg	9.5kg	12kg
G.W.	9 kg	10.5 kg	13 kg
Packing Size	400x380x350mm	400x380x350mm	360x450x280mm



YH-540



FY-560



FY-620

Model	YH-540I	FY-560	FY-620
Packing size(mm)	630*390*670	660*390*230	815*465*210
Dimension(mm)	565*335*135	565*335*135	630*350*560
Power	550W	1000W	1000W
Volts	220~240V	220~240V	220~240V
N.W(kg)	6.5	8	8
G.W(kg)	8	9.5	9



FW-1



FW-2

Model	FW-1	FW-2
Size(mm)	700x400x570	720*590*710
Basin Size (mm)	525*320*150	640*520*95
Type	Electric	Electric
Power	1100W	1300W
Voltage	220-240V	220-240V
Weight(kg)	16.2	28

NOODLE BOILER



ZML-T4



ZML-T4+1



ZML-T6

Model	ZML-T4	ZML-T4+1	ZML-T6
Voltage	230V/50Hz	230V/50Hz	230V/50Hz
Power	1.5kW*2	1kW*3	/
peak power	3kW	3kW	3kW
Basket size(mm)	130*140	130*140	/
Dimension(mm)	422*580*300	605*506*340	590*480*280



EC-8

Model	EC-8
Voltage	230V
Power	2.6kW
N.W	5.5KG
G.W	6.5KG
Item size(mm)	375*220*290

SMOKER



SO-102

Model	SO-102	SO-132
Capacity	105L	147L
Power	1kW	1kW
Time(min)	0-120	0-120
Temperature Range	0-135℃	0-135℃
Dimension(mm)	440*600*1020	450*600*1320

CHEESE AND SAUCE MACHINE



QK-1



QK-2



QK-3



QK-4



QK-04B



QK-Q7-A



QK-Q7



QK-Q8

Model	Demensions	Volts	Power	Temperature	N.W/G.W
QK-1	182 *250*235mm	220V/50Hz, 110V/60HZ	160W	30~85C	2/2.5KG 16/20.5KG
QK-2	316*250*235mm	220V/50Hz, 110V/60HZ	320W	30~85C	3.4/3.8KG 13.6/16.5KG
QK-3	454*250*235mm	220V/50Hz, 110V/60HZ	480W	30~85C	4.7/5.5KG 9.5/11.5KG
QK-4	576*195*230mm	220V/50Hz, 110V/60HZ	640W	30~85C	5.7/6.5KG 11.4/14 KG

Model	QK-04B	QK-Q7-A	QK-Q7	QK-Q8
Voltage	220~240V/50~60Hz; 110~120V/60Hz			
Heat/Motor Power	0.5kW	0.57kW	0.5kW	1.0kW
Capacity	4.4L(3.5Qt)	/	/	/
Size(mm)	206*394*382	390*260*370	265*400*370	500*400*370
Carton Size(mm)	300*490*390	450*310*430	315*345*300	550*380*300
Gross Weight(Kg)	3.6	6.8	6.7	9.5



QK-Q1



QK-Q2



QK-Q3



QK-05A

Model	QK-Q1	QK-Q2	QK-Q3
Voltage	220~240V/50~60Hz; 110~120V/60Hz		
Power		0.3kW	0.3kW
Size(mm)	180*240*365	350*240*365	350*230*380
Carton Size(mm)	230*290*415	400*290*415	400*280*430
Gross Weight(Kg)	3.5	8.3	8.6

Model	QK-05A
Voltage	220~240V/50~60Hz; 110~120V/60Hz
Heat/Motor Power	0.55kW
Capacity	4.4L(3.5Qt)
Size(mm)	230*394*394
Carton Size(mm)	300*490*390
Gross Weight(Kg)	4.6

ICE BLENDER



GD-767



GD-968Z



GD-906

Model:	GD-767	GD-968Z	GD-906	GD-908Z	GD-999Z
Voltage:	220~240V 110~120V	220~240V 110~120V	220~240V 110~120V	220~240V 110~120V	220~240V 110~120V
Power:	1390W	1800W	1500W	1500W	1800W
Rotate speed:	12000~25000RPM	12000~28000RPM	4400~20000RPM	4400~20000RPM	12000~28000RPM
Jug Capacity:	2.0L	2.5L	1.5L	1.5L	2.5L
Product size:	230X200X500mm	290x210x570mm	270x225x475mm	270x225x475mm	290x210x570mm
Package size:	610X450X657mm	890x370x620mm	325x295x560mm	320x280x544mm	890x370x620mm



GM112



GM212



GM312

Model	GM112	GM212	GM312
Power	570W	800W	1000W
Voltage	110/60Hz	110/60Hz	110/60Hz
N.W	30KG	42KG	57KG
Dimension(mm)	260*550*790	400*550*790	600*550*790



GW-A4000



GW-A6000



GW-A9000

Model	GW-A4000	GW-A6000	GW-A9000
Voltage	110/220v,50/60Hz	110/220v,50/60Hz	110/220v,50/60Hz
Motor Power	180W	550W	180W
Speed	4300r/min	2800r/min	1400r/min
Capacity	50-65kg/hr	80-100kg/hr	10-15kg/hr
Surface Treatment	aluminum+stainless steel	aluminum+stainless steel	plastic
Main Material	aluminum body+stainless steel	aluminum body+stainless steel	plastic
size(mm)	36x22x35cm	43x27x48cm	30x19x34cm
Carton Size(mm)	43x29x35cm	43x31x49cm	34*25.5x39cm
N.W./G.W.	7/7.5KGS	13/14.7KGS	3/4.2KGS

MANUAL JUICER



KT-5030



KT-5015



KT-A1

MODEL	KT-5030	KT-5015	KT-A1
SIZE	360x180x470mm	22.5*17.5*40cm	size: 18,5*15*37.5CM
WEIGHT	6.3kgs	5.5KGS	1.8kgs

MILK SHAKE MACHINE



BL-015

Voltage:220v-240v
Power:300w
Dimension:220*225*490mm
RPM:12000r/min
Weight:10kg



BL-018

Voltage:220v-240v
Power:600w
Dimension:340*270*540mm
RPM:12000r/min
Weight:10kg

CHOCOLATE MACHINE



GC-4



GC-5



GC-6



GC-7

Model	GC-4	GC-5	GC-6	GC-7
Size	28*28*58cm	33*33*68cm	36*36*82cm	43*43*103cm
Power	300W	300W	300w	350W
Temperature	30~150℃	30~150℃	30~150℃	30~150℃
Capacity	3kg	4kg	6kg	8kg
Weight	9kg	10kg	11kg	15kg
Packing size	59*47*28cm	39*39*71cm	70*59*28cm	81*68*34cm

ICE MAKING MACHINE



GD-IC30



GD-IC60



GD-IC90



GD-IC120



GD-IC200

Model:	GD-IC30	GD-IC60	GD-IC90	GD-IC120	GD-IC200
Voltage:	110-120V 220-240V	110-120V, 220-240V	110-120V, 220-240V	110-120V , 220-240V	110-120V, 220-240V
Power:	390W	495W	495W	510W	750W
Ice making per cycle:	16pcs	32pcs	45pcs	55pcs	90pcs
Ways of adding water:	Automatically, filter provided	Automatically, filter provided	Automatically, filter provided	Automatically, filter provided	Automatically, filter provided
Cooling way:	Air cooling	Air cooling	Air cooling	Air cooling	Air cooling
Refrigerant:	R134a	R134a	R134a	R134a	R404a
Ice making capacity:	50kgs/24h	25kgs/24h	40kgs/24h	55kgs/24h	90kgs/24h
Ice storage capacity:	6kgs	15kgs	10kgs	15kgs	25kgs
Product size:	480x395x545mm	500x420x800mm	360x430x760mm	500x420x800mm	656x675x830mm
Package size(ice bin):	560x470x605mm	562x502x860mm	470x430x810mm	562x502x860mm	770x735x920mm
Loading quantity:	144/288/384pcs	88/184/368pcs	182/375pcs	88/184/368pcs	40 / 90pcs

HOT WATER BOILER /CORN STEAMER



HOT WATER BOILER



DOUBLE LAYER HOT WATER BOILER

MODEL	AG18	AG-22	AG-28	AG-32	AG-38	AG-48	AG-52	AG-58
Voltage(V)	220	220	220	220	220	220	220	220
Power(kW)	2	2	2	2	2	2.5	2.5	2.5
Capacity(L)	18	22	28	32	38	48	52	58
Dimension(mm)	310x310x520	315x315x550	335x335x580	335x335x580	335x335x630	430x430x490	430x430x530	430x430x570
Weight(KG)	3	3.3	3.5	4	4.5	6	6.5	7

MODEL	AG-11LE	AG-12LE	AG-15LE	AG-20LE	AG-30LE	AG-35LE
Voltage(V)	220	220	220	220	220	220
Power(KW)	0.95	0.95	1.5	1.5	2	2
Capacity(L)	11	12	15	20	30	35
Dimension(mm)	245x245x430	245x245x450	310x310x550	310x310x590	350x350x607	350x350x650
Weight(KG)	3	3.3	3.5	4	4.5	6

JUICE DISPENSER



LYJ18L



LYJ18X2



LYJ18X3



LYJ12Lx1

Model	Voltage	Power	Temp.	Dimension(mm)
LYJ18Lx1	220V~240V /50HZ	200W	7~12℃	345*445*700
LYJ18Lx2	220V~240V /50HZ	300W	7~12℃	460*445*700
LYJ18Lx3	220V~240V /50HZ	350W	7~12℃	710*445*700
LYJ12Lx1	220V~240V /50HZ	200W	7~12℃	235*430*670
LYJ12Lx2	220V~240V /50HZ	300W	7~12℃	370*430*670
LYJ12Lx3	220V~240V /50HZ	350W	7~12℃	545*430*670
LYJ12Lx4	220V~240V /50HZ	500W	7~12℃	745*430*670
LYJ50Lx1	220V~240V /50HZ	350W	7~12℃	398*353*680

CREPER

ELECTRIC CREPE MAKER

CE



CHZ-35



CHZ-35-2



CHZ-35A



CHZ-35B

Model	CHZ-35	CHZ-35-2	CHZ-35A	CHZ-35B
Voltage	220~240V/50~60Hz; 110~120V/60Hz; 380V/50Hz			
Power	3kW/2kW	3kW*2/2kW*2	3kW	3.6kW
Plate Diameter(cm)	Φ40	Φ40+Φ40	Φ40	Φ40
Size(mm)	450*450*240	850*450*240	400*400*160	400*400*180
Carton Size(mm)	505*535*280	930*550*320	440*440*220	505*535*280
Gross Weight(Kg)	16	35.5	12.8	16.7

GAS CREPE MAKER



WXL-35



WXL-35-2



WXL-35A

Model	WXL-35	WXL-35-2	WXL-35A
Pressure	2800Pa/2000Pa LPG/Natural Gas		
Plate Diameter(cm)	Φ40	Φ40+Φ40	Φ40
Size(mm)	450*460*315	850*450*315	400*400*180
Carton Size(mm)	520*510*345	950*550*385	450*440*230
Gross Weight(Kg)	16	31.5	16.7

Heat Preservation Light



FY-620



FY-620



FY-620

Model	FY-540	FHL-250	FHL-500
Volts	220V~240	220V~240/50~60Hz;110V/60Hz	
Power	550W	250W	250W
Dimension(mm)	560*380*800	500*300*700	550*500*645
Packing size(mm)	620*400*415	/	/

Hot Plate Food Warmer



FY-T60-B

Model	FY-T60-B
Packing size(mm)	630*390*670
Dimensions(mm)	730*585*625
Power	1070W
Voltage	220~240V
N.W(kg)	15.4

BEVERAGE MACHINE



LYJ12Lx2



LYJ12Lx3



LYJ12Lx4



LYJ50Lx1

Compressor	Refrigerant	Capacity	Cooling System	N.W.(KG)	G.W.(KG)	Package Dimension(mm)
WanBao	R290	18L	Air	20	23	400*470*740
WanBao	R290	36L	Air	28	30	520*470*740
WanBao	R290	54L	Air	39	42	770*470*740
WanBao	R290	12L	Air	15	17	290*460*710
WanBao	R290	24L	Air	22	25	430*460*710
WanBao	R290	36L	Air	30	33	610*460*710
WanBao	R290	48L	Air	36	39	810*460*710
WanBao	R290	50L	Air	25	28	520*520*750

SULUSH MACHINE



XRJ15L × 1



XRJ15L × 2



XRJ15L × 3



XRJ10LX1



XRJ10LX2

Model	Voltage	Power	Temp.	Dimension (mm)	Compressor	Capacity	Cooling System	G.W. (KG)	Package Dimension (cm)
XRJ15L × 1	220V~240V /50HZ	500W	-3~-2℃	288*550*740	ZEL	15L	Air	48	36*63*91
XRJ15L × 2	220V~240V /50HZ	600W	-3~-2℃	425*550*740	SECOP/ASPERA	30L	Air	55	48*63*91
XRJ15L × 3	220V~240V /50HZ	800W	-3~-2℃	603*550*740	SECOP/ASPERA	45L	Air	73	67*63*91
BXRJ15L × 1	220V~240V /50HZ	500W	-3~-2℃	305*550*740	ZEL	15L	Air	50	39*63*91
BXRJ15L × 2	220V~240V /50HZ	600W	-3~-2℃	440*550*740	SECOP/ASPERA	30L	Air	57	51*63*91
BXRJ15L × 3	220V~240V /50HZ	800W	-3~-2℃	603*550*740	SECOP/ASPERA	45L	Air	75	72*63*91
XRJ10LX1	220V~240V /50HZ	500W	-8~-2℃	310*500*820	ZEL	10L	Air	46	38*55*98
XRJ10LX2	220V~240V /50HZ	1000W	-8~-2℃	450*500*820	SECOP/ASPERA	20L	Air	65	52*55*98



XRJ10LX3



XRJ12LX1



XRJ12LX2



XRJ12LX3

Model	Voltage	Power	Temp.	Dimension (mm)	Compressor	Capacity	Cooling System	G.W. (KG)	Package Dimension (mm)
XRJ10LX3	220V~240V /50HZ	1300W	-8-2℃	650*500*820	EMBRACO/ASPERA	30L	Air	80	720*550*980
XRJ12LX1	220V~240V /50HZ	620W	-8-2℃	320*520*820	SECOP/ASPERA	12L	Air	46	475*585*985
XRJ12LX2	220V~240V /50HZ	860W	-8-2℃	420*520*820	SECOP/ASPERA	24L	Air	66	595*585*985
XRJ12LX3	220V~240V /50HZ	1280W	-8-2℃	690*520*820	SECOP/ASPERA	36L	Air	82	885*585*985
BXRJ12LX1	220V~240V /50HZ	560W	-10-2℃	270*515*810	KK	12L	Air	47	350*590*985
BXRJ12LX2	220V~240V /50HZ	940W	-10-2℃	470*515*810	KK	24L	Air	69	550*590*985
BXRJ12LX3	220V~240V /50HZ	1400W	-10-2℃	670*515*810	KK	36L	Air	92	750*590*985
XRJ3LX1	220V~240V /50HZ	300W	-7-2℃	200*500*520	Cubgi	3L	Air	27	570*270*570
XRJ3LX2	220V~240V /50HZ	340W	-7-2℃	350*500*520	Cubgi	6L	Air	39	570*430*570
XRJ3LX3	220V~240V /50HZ	700W	-7-2℃	520*500*520	Cubgi	9L	Air	52	590*590*570

WORKING TABLE

FLAT TOP WORK TABLE



#1.2MM.430S/S top shelf,galvanized undershelf and hat channel
Galva,zed leg and socket,Plastic bullet foot,carton packing.

Item No.	Size(mm)
WT-2424-E	600×600
WT-2436-E	600×900
WT-2448-E	600×1200
WT-2460-E	600×1500
WT-2472-E	600×1800
WT-2484-E	600×2100
WT-2496-E	600×2400
WT-24108-E	600×2700
WT-24120-E	600×3000
WT-3030-E	700×700
WT-3036-E	700×900
WT-3048-E	700×1200
WT-3060-E	700×1500
WT-3072-E	700×1800
WT-3084-E	700×2100
WT-3096-E	700×2400
WT-30108-E	700×2700
WT-30120-E	700×3000

#1.2MM.304S/S flat top shelfgalvanized undershelf and hat channel,
Galvanized leg and socket,Plastic bullet foot,carton packing.

Item No.	Size(mm)
WT-2424-S	600×600
WT-2436-S	600×900
WT-2448-S	600×1200
WT-2460-S	600×1500
WT-2472-S	600×1800
WT-2484-S	600×2100
WT-2496-S	600×2400
WT-24108-S	600×2700
WT-24120-S	600×3000
WT-3030-S	700×700
WT-3036-S	700×900
WT-3048-S	700×1200
WT-3060-S	700×1500
WT-3072-S	700×1800
WT-3084-S	700×2100
WT-3096-S	700×2400
WT-30108-S	700×2700
WT-30120-S	700×3000

With back splash work table



#1.2MM.430S/S top shelf with 2" rear edge up galvanized undershelf and hat channel,
Galvanized leg and socket,Plastic bullet foot, carton packing.

Item No.	Size(mm)	Back splash	Item No.	Size(mm)	Back splash
WT-2424-EB	600×600	2"	WT-3030-EB	700×700	2"
WT-2436-EB	600×900	2"	WT-3036-EB	700×900	2"
WT-2448-EB	600×1200	2"	WT-3048-EB	700×1200	2"
WT-2460-EB	600×1500	2"	WT-3060-EB	700×1500	2"
WT-2472-EB	600×1800	2"	WT-3072-EB	700×1800	2"
WT-2484-EB	600×2100	2"	WT-3084-EB	700×2100	2"
WT-2496-EB	600×2400	2"	WT-3096-EB	700×2400	2"
WT-24108-EB	600×2700	2"	WT-30108-EB	700×2700	2"
WT-24120-EB	600×3000	2"	WT-30120-EB	700×3000	2"

#1.2MM.430S/S top shelf with 4" rear edge up galvanized undershelf and hat channel,
Galvanized leg and socket, Plastic bullet foot, carton packing

Item No.	Size(mm)	Back splash	Item No.	Size(mm)	Back splash
WT-2424-EB-4	600×600	4"	WT-3030-EB-4	700×700	4"
WT-2436-EB-4	600×900	4"	WT-3036-EB-4	700×900	4"
WT-2448-EB-4	600×1200	4"	WT-3048-EB-4	700×1200	4"
WT-2460-EB-4	600×1500	4"	WT-3060-EB-4	700×1500	4"
WT-2472-EB-4	600×1800	4"	WT-3072-EB-4	700×1800	4"
WT-2484-EB-4	600×2100	4"	WT-3084-EB-4	700×2100	4"
WT-2496-EB-4	600×2400	4"	WT-3096-EB-4	700×2400	4"
WT-24108-EB-4	600×2700	4"	WT-30108-EB-4	700×2700	4"
WT-24120-EB-4	600×3000	4"	WT-30120-EB-4	700×3000	4"

KITCHEN TROLLEY



Stainless Steel Double-line Cake Cart

Model	Dimension	Packing Dimension	Remarks
LR2-6A	920×620×1000mm	900×660×140mm	12 pans
LR2-6H(thicken)	920×620×1000mm	900×660×140mm	12pans
LR2-10A	920×620×1300mm	1200×660×140mm	20 pans
LR2-10H(thicken)	920×620×1300mm	1200×660×140mm	20 pans
LR2-15A	920×620×1735mm	1650×660×140mm	30 pans
LR2-16A	920×620×1735mm	1650×660×140mm	32 pans
LR2-15H(thicken)	920×620×1735mm	1650×660×140mm	30 pans
LR2-16H(thicken)	920×620×1735mm	1650×660×140mm	32 pans

Stainless Steel Cake Cart

Model	Dimension	Packing Dimension	Remarks
LR-15A	470×620×1735mm	1650×660×110mm	15 pans
LR-16A	470×620×1735mm	1650×660×110mm	16pans
LR-15H	470×620×1735mm	1650×660×110mm	15 pans
LR-16H	470×620×1735mm	1650×660×110mm	16pans



L001 L002ROUND TUBE



L004 L005



L010 L011 L012



L013 L014 L015



L021 L022 L023



L030 L031 L032

Product name	item #	Specification mm	G.W	Packing Size
Dinging Cart (S/S 201)	L001	860*530*950	11.29	860*545*135
Dinging Cart (S/S 201)	L002	810*460*850	10.00	800*480*135
Dinging Cart (S/S 210)	L004	860*530*950	14.06	860*545*160
Dinging Cart (S/S 210)	L005	810*460*850	10.96	800*480*160
Dinging Cart (S/S 201)	L010	950*500*950	10.52	930*530*125
Dinging Cart (S/S 201)	L011	850*450*900	9.15	830*470*125
Dinging Cart (S/S 201)	L012	750*400*835	7.78	740*430*125
Dinging Cart (S/S 201)	L013	950*500*950	12.79	920*520*155
Dinging Cart (S/S 201)	L014	850*450*900	11.39	820*460*155
Dinging Cart (S/S 201)	L015	750*400*835	9.26	730*430*155
Dinging Cart (S/S 201)	L021	950*500*950	12.00	960*530*140
Dinging Cart (S/S 201)	L022	850*450*900	10.87	860*480*140
Dinging Cart (S/S 201)	L023	750*400*835	10.03	760*430*140
Dinging Cart (S/S 201)	L024	950*500*950	11.96	930*530*155
Dinging Cart (S/S 201)	L025	850*450*900	11.89	830*470*155
Dinging Cart (S/S 201)	L026	750*400*835	11.20	730*430*155
Dinging Cart (S/S 201)	L027	950*500*950	14.10	940*500*195
Dinging Cart (S/S 201)	L028	850*450*900	10.73	900*470*185
Dinging Cart (S/S 201)	L029	750*400*935	10.41	800*420*130
Dinging Cart (S/S 201)	L030	950*500*950	12.15	980*530*145
Dinging Cart (S/S 201)	L031	850*450*900	9.58	880*470*145
Dinging Cart (S/S 201)	L032	750*400*835	11.20	780*420*145

GN PAN

STAINLESS STEEL GN



GN 1/1

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
1/1 cover	1/1 cover	0.7	530 × 325
1/1 × 20	1/1 × 20mm	0.6	530 × 325 × 20
1/1 × 40	1/1 × 40mm	0.6	530 × 325 × 40
1/1 × 65	1/1 × 65mm	0.6	530 × 325 × 65
1/1 × 100	1/1 × 100mm	0.6	530 × 325 × 100
1/1 × 150	1/1 × 150mm	0.7	530 × 325 × 150
1/1 × 200	1/1 × 200mm	0.7	530 × 325 × 200

GN 2/3

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
2/3 cover	2/3 cover	0.7	353 × 325
2/3 × 20	2/3 × 20mm	0.6	353 × 325 × 20
2/3 × 40	2/3 × 40mm	0.6	353 × 325 × 40
2/3 × 65	2/3 × 65mm	0.6	353 × 325 × 65
2/3 × 100	2/3 × 100mm	0.6	353 × 325 × 100
2/3 × 150	2/3 × 150mm	0.7	353 × 325 × 150

GN 1/2

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
1/2 cover	1/2 cover	0.7	325 × 265
1/2 × 20	1/2 × 20mm	0.6	325 × 265 × 20
1/2 × 40	1/2 × 40mm	0.6	325 × 265 × 40
1/2 × 65	1/2 × 65mm	0.6	325 × 265 × 65
1/2 × 100	1/2 × 100mm	0.6	325 × 265 × 100
1/2 × 150	1/2 × 150mm	0.7	325 × 265 × 150
1/2 × 200	1/2 × 200mm	0.7	325 × 265 × 200

GN 1/3

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
1/3cover	1/3 cover	0.7	325 × 176
1/3 × 20	1/3 × 20mm	0.6	325 × 176 × 20
1/3 × 40	1/3 × 40mm	0.6	325 × 176 × 40
1/3 × 65	1/3 × 65mm	0.6	325 × 176 × 65
1/3 × 100	1/3 × 100mm	0.6	325 × 176 × 100
1/3 × 150	1/3 × 150mm	0.7	325 × 176 × 150

GN 1/4

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
1/4cover	1/4 cover	0.7	265 × 162
1/4 × 40	1/4 × 40 mm	0.6	265 × 162 × 40
1/4 × 65	1/4 × 65 mm	0.6	265 × 162 × 65
1/4 × 100	1/4 × 100 mm	0.6	265 × 162 × 100
1/4 × 150	1/4 × 150mm	0.7	265 × 162 × 150

GN 1/6

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
1/6cover	1/6 cover	0.7	176 × 162
1/6 × 65	1/6 × 65mm	0.6	176 × 162 × 65
1/6 × 100	1/6 × 100mm	0.6	176 × 162 × 100
1/6 × 150	1/6 × 150mm	0.7	176 × 162 × 150

GN 1/9

Model	Spec.(mm)	Thickness 201 (mm)	Size(mm)
1/9 cover	1/9 cover	0.7	176 × 108
1/9 × 65	1/9 × 65 mm	0.6	176 × 108 × 65
1/9 × 100	1/9 × 100 mm	0.6	176 × 108 × 100

VACUUM MACHINE



Model	DZ-400	DZ-400E	DZ-300	DZ-300T	DZ-250
Pump power(kw)	1.2	1.2	0.37	0.3	0.25
Sealing length(mm)	390*10	400*10	280X8	260X8	250*8
Chamber Size(mm)	436*420*75	420*420*100	289*387*70	340*390*130	275*280*60
pump capacity(m³/h0	20	20	8	8	7.2
Dimension(mm)	540*490*560	540*499*4*5	494*365*390	515*404*389	370*355*314
Weight(kg)	73	73	36.3	35.3	32.2

MANUAL SEALER



MODEL	PFS-100A	PFS-200A	PFS-300A	PFS-400A	PFS-100P	PFS-200P
sealing length:	100mm	200mm	300mm	400mm	100mm	200mm
shell material:	Aluminum	Aluminum	Aluminum	Aluminum	ABS	ABS
size:	200*72*140mm	320*80*150mm	450*85*180mm	550*85*180mm	200*72*140mm	320*80*150mm
power:	150w	300w	400w	500w	150w	300w
weight:	1.31kgs	2.24kgs	3.7kgs	4.08kgs	1.34kgs	1.35kgs

MODEL	PFS-300P	PFS-400	PFS-200I	PFS-300I	PFS-400I
sealing length:	300mm	400mm	200mm	300mm	400mm
shell material:	ABS	ABS	IRON	IRON	IRON
size:	450*85*180mm	550*85*180mm	320*80*150mm	450*85*180mm	550*85*180mm
power:	400w	500w	300w	400w	500w
weight:	1.58kgs	1.7kgs	1.78kgs	2.33kgs	3.65kgs

MIXER



Spiral Mixer Series(Gear)

Model	HLM5A	HLM5B	HLM5C	HLM7A	HLM7B	HLM7C
Volume	5L	5L	5L	7L	7L	7L
Voltage	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V
Power	0.2KW	0.2KW	0.2KW	0.28KW	0.28KW	0.28KW
Packing(mm)	485 × 320 × 500	485 × 320 × 500	485 × 320x500	485 × 320 × 500	485 × 320 × 500	485 × 320 × 500
G.W.(kg)	17	17	17	18	18	18
Attachment	Whipperx1 Beaterx1 Hookx1	Whipperx1 Beaterx1 Hookx1 Coverx1 Safety switchx1	Whipperx1 Beaterx1 Hookx1 Coverx1 safety switchx2	Whipperx1 Beaterx1 Hookx1	Whipperx1 Beaterx1 Hookx1 Coverx1 Safety switchx1	Whipperx1 Beaterx1 Hookx1 Coverx1 Safety switchx2



B10 B15 B20 B30 B30

Planetary Mixer(Gear)

Model	B10	B15	B20	B30E
Volume(L)	10	15	20	30
Voltage	220V/50Hz	220V/50Hz	220V,380V/50Hz	220V,380V/50Hz
Power(KW)	0.37	0.37	1.1	1.5
Speed	170(90)/340(160)/300	170(90)/340(160)/300	105/180/425	105/204/483
Capacity Mixing(kg)	1	1.5	3	3-6
Dimension(mm)	444x360 × 650	444 × 360 × 650	513 × 405 × 762	560 × 600 × 820
N.W(kg)	50	52	65	77



B40



B50B B60B



B50C B60C

Planetary Mixer(Belt)

Model	B20-F	B25-C	B30-C	B40-B	B50-C	B60-C	B80-B
Volume(L)	20	25	30	40	50	60	80
Voltage	220V, 380V/50Hz	220V, 380V/50Hz	220V, 380V/50Hz	380V/50Hz	380V/50Hz	380V/50Hz	380V/50Hz
Power(KW)	1.1	1.5	1.5	2	2	2.2	3
Speed	110/200/420	110/200/420	110/200/420	65/102/296	65/102/296	82/163/318	74/141/277
Capacity Mixing(kg)	2-4	2-4	3-6	6-8	5-9	6-9	8-12
Dimension (mm)	450 × 390 x810	450 × 390 × 810	450 × 430 × 880	580 × 630 × 1050	620 × 500 x1130	820 × 700 × 1260	800 × 750 × 1400
N.W(kg)	72	72	78	140	160	250	415



Spiral Mixer Series (Single speed,single phase)

Model	HS10	HS20	HS30	HS40	HS50	HS60
Volume(L)	10	20	30	40	50	60
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Motor Power(KW)	0.75	1.5	1.5	1.5	2.2	2.2
Mixing Limited(kg)	5	8	12	15	22	25
Time of Mixing(min)	10-12	10-12	12-18	12-18	12-18	12-18
Speed of Barrel(r/m)	25	25	25	25	25	12.5/25
Speed of Mixer(r/m)	250	250	250	250	250	125/250
Dimension(mm)	540 × 315 × 650	700 × 500 × 770	770x550x850	770 × 550 × 850	880 × 530 × 920	880 × 530x920
N.W(kg)	-	77	87	97	150	150
	-	single speed	single speed	single speed	single speed	single speed

Spiral Mixer Series(Double speed.single phase)

Model	BHS20A	BHS30A	BHS40A
Volume(L)	20	30	40
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Motor Power(KW)	1.5	2	2.2
Mixing Limited(kg)	8	12	15
Time of Mixing(min)	10-12	12-18	12-18
Speed of Barrel(r/m)	12.5/25	12.5/25	12/25
Speed of Mixer(r/m)	125/250	125/250	125/250
Dimension(mm)	700 × 500x770	770x550x850	770x550 × 850
N.W(kg)	91	114	116
	double speed	double speed	double speed



Spiral Mixer Series (Double speed, three phase)

Model	HS20A	HS30A	HS40A	HS50A
Volume(L)	20	30	40	50
Voltage	380V/50Hz	380V/50Hz	380V/50Hz	380V/50Hz
Motor Power(KW)	0.75	1.5	1.5	2.2
Mixing Limited(kg)	8	12	15	22
Time of Mixing(min)	10-12	12-18	12-18	12-18
Speed of Barrel(r/m)	12.5/25	12.5/25	12/25	12.5/25
Speed of Mixer(r/m)	125/250	125/250	125/250	125/250
Dimension(mm)	700x500x770	770x550x850	770x550x850	880 × 530 × 920
N.W(kg)	80	97	97	178
-	double speed	double speed	double speed	double speed

Model	HS60A	HS70A	HS80A
Volume(L)	60	70	80
Voltage	380V/50Hz	380V/50Hz	380V/50Hz
Motor Power(KW)	2.2	2.2/3.3	2.2/3.3
Mixing Limited(kg)	25	30	35
Time of Mixing(min)	12-18	12-18	12-18
Speed of Barrel(r/m)	12.5/25	12.5/25	12.5/25
Speed of Mixer(r/m)	125/250	125/250	125/250
Dimension(mm)	880x530x920	998x590 × 1040	998 × 590x1040
N.W(kg)	178	260	285
-	double speed	double speed	double speed



APD-30



APD-40



YM300 YM 350 YM500



SP-520



bread slicer

HM18
HM24
HM31
HM 50

Model	APD30	APD40
Voltage	220V/50Hz	220V/50Hz
Power(kW)	0.45	0.45
Dough weight(g)	50 ~ 500	50 ~ 500
Pizza diameter(cm)	10~30	10~40
Product Size(mm)	510*490*630	550*540*650
Net weight(kg)	35	42

Model	YM300	YM350	YM500
Rated voltage(V)	220/380	220/380	220/380
Rated frequency(Hz)	50	50	50
Power(kW)	1.5	2	1.5/2.2
Press roll size(mm)	120*300	120x350	120*500
Press roll speed(rpm)	129	129	129
Product Size(mm)	540*430*870	600*430*870	750*420*870
weight(kg)	117	124	144

Model	SP-520
Voltage	220- 380V/50Hz
Power(kW)	0.75
Roll shaft spacing(mm)	0-35
Workbench width(mm)	500
Roll shaft size(mm)	W88*520
Product Size(mm)	2050*870*1225
Net weight(kg)	195

Model	SH-12	SH-15	SH-18	SH-20
Voltage	220V/50Hz			
Power	370W			
Slice Thickness(mm)	12	15	18	20
Dimension(mm)	465*630*580			



MFA-11L



MFA-12L



MFA-24L



MFA-36L

Product name	Model	voltage	Power	Dimension	internal dimensions	weight
1 deck 1 tray gas oven	MFA-11L	220V	0.1KW	1080x635x600mm	630x565x230mm	63kg
1 dock 2 tray gas oven	MFA-12L	220V	0.1KW	1300x835x600mm	860x665x230mm	88kg
2 dock 4 tray gas oven	MFA-24L	220V	0.2KW	1300x835x1400mm	860x665x230mm	175kg
3 dock 6 tray gas oven	MFA-36L	220V	0.3KW	1300x835x1680mm	870x665x230mm	238kg

Model	Specification	Voltage	Power	Dimension
MF-13B	13trays	220v	2.6kW	490x730x1655mm
MF-16B	16trays	220V	2.6kW	490x730x1915mm
MF-26B	26trays	220V	3.2kW	990x730x1655mm
MF-32B	32trays	220V	3.2kW	990x730x1915mm

Model	Specification	Voltage	Power	Dimension
MF-15A	15 trays	220V	2.6kW	600x840x2040mm
MF-30A	30 trays	220V	3.2kW	1200x840x2040mm
MF-18D	18 trays	220v	refrigerating power (refrigerating): 0.65kW refrigerating power(freeze) : 1.8kW heating power:1.8kW	610x930x2060mm
MF-36D	36 trays	220v	refrigerating power (refrigerating): 0.8kW refrigerating power(freeze) : 2.1kW heating power: 2.3kW	812x1134x2060mm



MF-13B



MF-16B



MF-32B



MF-30A



MFT-22/5F



MFT-24/8F

Product name	Model	voltage	Power	Dimension	Spec. (Baking)	Spec. (Ferm)
1 deck 1 tray eletric oven & 5 trays proofer	MFT-11H/5F	220v	3.4KW+2.6KW	960x560x1335mm	1 Tray	5 Tray
2 deck 2 tray eletric oven & 5 trays proofer	MFT-22/5F	220V/380V	6.8KW+2.6KW	960x560x1710mm	2 Tray	5 Tray
1 deck 2 tray eletric oven & 8 trays proofer	MFT-12/8F	220V/380V	6.8KW+2.6KW	1300x835x1380mm	2 Tray	8 Tray
2 deck 4 tray eletric oven & 8 trays proofer	MFT-24/8F	220V/380V	14KW+2.6KW	1300x835x1780mm	4 Tray	8 Tray



GD-61-MP
GD-61-CMP



GD-10-MP



GD-10-CMP

GD-61-MP	6 Layer Universal Steam Oven
Size	850x770x785mm
Capacity	6*1/1 GN
output	30-80
Pan size	1/1,1/2,2/3,1/3,2/8,GN
Power supply output	10+9kw
Voltage	380V
Package size	930x845x900mm
N.W	146kg
G.W	174kg

GD-61-CMP	6 Layer Universal Steam Oven
Size	850x770x785mm
Cleaning	Auto
Capacity	6*1/1 GN
output	30-80
Pan size	1/1,1/2,2/3,1/3,2/8,GN
Power supply output	10+9kw
Voltage	380V 3N~
Package size	930X845X900mm
N.W	146kg
G.W	174kg

GD-10-MP	10 Layer Universal Steam Oven
Size	850x770x1060mm
Cleaning	Auto
Capacity	10*1/1GN
output	80-150
Pan size	1/1,1/2,2/3,1/3,2/8,GN
Power supply output	18+18kw
Voltage	380V 3N~
Package size	930x845x1100mm
N.W	217kg
G.W	249kg

GD-10-CMP	10 Layer Universal Steam Oven
Size	850x770x1060mm
Cleaning	Auto
Capacity	10*1/1 GN
output	80-150
Pan size	1/1,1/2,2/3,1/3,2/8,GN
Power supply output	18+18kw
Voltage	380V 3N~
Package size	930 × 845x1100mm
N.W	217kg
G.W	249kg



GD-10-AC

GD-10-AC	10 Layer Computer Board Control Universal Steam Oven
Size	850x770x1060mm
Cleaning	Auto
Capacity	10*1/1GN
output	80-150
Pan size	1/1,1/2,2/3,1/3,2/8,GN
Power supply output	18+18kw
Voltage	380V 3N~
Package size	930x845x1100mm
N.W	217kg
G.W	249kg



GD-1M

Electric Pizza Oven	GD-1M
Size	560*570*280 mm
Inner size	400*400*150mm*1decks
Power supply output	2 kw
Voltage	220V-240V
Frequency	50Hz-60Hz
Temperature	50-350℃



GD-1M-C

Electric Pizza Oven	GD-1M-C
Size	560*570*280 mm
Inner size	400*400*150mm*1decks
Power supply output	2 kw
Voltage	220V-240V
Frequency	50Hz-60Hz
Temperature	50-350℃



GD-2M-C

Electric Pizza Oven	GD-2M-C
Size	570*560*280mm
Inner size	400*400*150mm
Power supply output	2.4kw
Voltage	220V-240V
Temperature	50-350℃



GD-3M

Electric Pizza Oven	GD-3M
Size	560*540*360mm
Inner size	400*400*105mm
Power supply output	2.4kw
Voltage	220V-240V
Temperature	50-350℃



GD-D52-10

Computer Board control Perspective Convection Oven	
Size	670*640*810mm
Voltage	220V-240V
Power Supply output	6.0KW
Capacity	110L
Inner size	460*370*650mm
Baking tray size	435*315*10pcs



GD-D53-5

Computer Board control Perspective Convection Oven	
Size	670*640*500mm
Voltage	220V-240V
Power Supply output	3.0KW
Capacity	60L
Inner size	460*370*350mm
Baking tray size	435*315*5pcs



GD-2M-A

Electric pizza oven Black color	
Size	560*540*360mm
Inner size	400*400*105mm
Power supply output	2.4kw
Voltage	220-240V
Temperature	50-350℃



GD-2M-B

Electric pizza oven Red color	
Size	560*540*360mm
Inner size	400*400*105mm
Power supply output	2.4kw
Voltage	220-240V
Temperature	50-350℃



GD-D51-5

Computer Board control Perspective Convection Oven	
Size	630*640*630mm
Inner size	400*400*105mm
Power supply output	3.5KW
Capacity	60L
Inner size	490*350*380mm
Baking tray size	435*315*9mm

MEAT GRINDER



TK-8S

Dimension(mm)	450*160*275mm
Power	250W
Capacity	75kg/h
G.W	13kg



TK-8

Dimension(mm)	305*175*270mm
Power	250W
Capacity	80kg/h
G.W	13kg



TK-12

Dimension(mm)	400*300*400mm
Power	760W
Capacity	150kg/h
G.W	27kg



TK-12A

Dimension(mm)	400*235*405mm
Power	760W
Capacity	150kg/h
G.W	27kg



TK-12S

Dimension(mm)	530*290*300mm
Power	760W
Capacity	50kg/h
G.W	27kg



TK-12B

Dimension(mm)	460*215*324mm
Power	600W
Capacity	150kg/h
G.W	28kg



TK-32A

Dimension(mm)	490*355*560mm
Power	1500W
Capacity	500kg/h
G.W	61kg



TK-32S

Dimension(mm)	490*355*560mm
Power	1500W
Capacity	500kg/h
G.W	61kg



TK-42S

Dimension(mm)	880*460*850mm
Volts	220V/380V
Power	4KW
Capacity	650kg/h
G.W	197kg



AL-12

Dimension(mm)	410*220*370mm
Volts:	220V
Power	0.65KW
Capacity	650kg/h
N.W	18kg
G.W	19KGS



AL-22

Dimension(mm)	440x200x370mm
Volts:	220V
Power	0.75KW
Capacity	650kg/h
N.W	21kg
G.W	22KGS



GD-A6138AL

Product Name	vegetable fruit cutting dicer machine
Model	GD-A6138AL
Voltage	220-240V~ 50/60Hz
Power	150W
Rotating speed	200rpm
Cutter Size	10 inch cutter head (304 stainless steel)
N.W./G.W.	14.5/16.5Kg

VEGETABLE CUTTER



PT01



PT02



PT03



PT04



PT05



PT06



PT07

Item No.	The fuselage size	Gift box size/pcs	Ctn size	G.W/N.W (1ctn)	Qty/ctn
PT-01	36.5*23.5*24	41.5*27.5*25.5	43*29*53.5	9.0KG/9.5KG	2pcs
PT-02	28*17*21.5	37*19*26	41*39*55	3.0KG/3.5KG	4 pcs
PT-03	29*20*21CM	38.5*25*25CM	53*41*53CM	3.5/4.0kgs	4pcs
PT-04	21.5*17.5*50	25.5*22*53.5	54*47*57	7.3KG/7.8KG	4 pcs
PT-05	21*21*47.5	22.5*21.5*50.5	48*46*53	2.25KG/2.8KG	4 pcs
PT-06	45.5*15*17	48*17*20	49*35*42.5	5.0KG/5.3KG	4 pcs
PT-07	28*13.5*15	28*13.5*15	68.5*29.5*31.5	1.0kg/1.1KG	10 PCS

BONE SAWING MACHINE



W310A

W360E
W500EW360A
W500A

W310CA



W360CA

Model	Power (KW)	Volt	Wheel Diameter (mm)	Length of saw blade (mm)	Commodity Height/width (mm)	Table Size (mm)	N.W. (Kg)	Dimension (mm)	Worklabe Height (mm)
W310CA	1.5	110/220/230/380	260	2218	380×215	675×550	91	710×695×1700	900
W360CA	1.5	110/220/230/380	300	2580	440×245	790×565	150	905×780×1860	960
W310A	1.5	110/220/230/380	260	2218	380×213	675×550	89	865×735×1700	900
W360A	1.5	110/220/230/380	300	2580	440×245	790×565	138	880×770×1867	960
W500A	2.2	110/220/230/380	400	3370	566×345	875×760	180	970×955×2100	960
W360E	1.5	110/220/230/380	300	2580	440×245	785×580	153	880×770×1867	960
W500E	2.2	110/220/230/380	400	3370	566×345	860×870	196	1070×955×2100	960