

图片为本公司部分产品，款式及参数仅供参考，以实物为准，最终解释权归属本公司。如有更改，恕不另行通知！  
Pictures are part of the company's products, styles and parameters for reference only, subject to the actual, the final interpretation rights belong to the company.  
Subject to change without prior notice!



# LITHIUM BATTERY TOOLS

专业锂电工具制造商



2025

**永康市新代科技有限公司**  
YONGKANG XINDAI TECHNOLOGY CO., LTD.

地址Add: 浙江省永康市城西工业区  
Add: Chengxi Industrial Zone, Yongkang City, Zhejiang Province  
手机(Mob): 158 6791 9852(Mr.SHI) 156 5891 8989(Mr.LU)  
电话(Tel): 0579-87230476 传真(Fax): 0579-87156599  
全国热线电话: 400-9003-717



微信二维码  
Wechat



微信二维码  
Wechat


**永康市新代科技有限公司**  
YONGKANG XINDAI TECHNOLOGY CO., LTD.





## CERTIFICATE OF HONOR

:: 荣誉证书 ::



权威证书



25mm 修枝剪

## XD-2501

LITHIUM PRUNING SHEARS

:: 锂电树枝剪

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-25mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	25mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



## XD2504

LITHIUM PRUNING SHEARS

:: 锂电树枝剪

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-25mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	25mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2503-1** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-25mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	25mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2503-2** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-25mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	25mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2802-1** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	28mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2802-2** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	28mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2503-3** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-25mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	16.8V
剪切直径/ Shear diameter:	25mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2503-4** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-25mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	25mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2803-3** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	16.8V
剪切直径/ Shear diameter:	28mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2802-4** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	28mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



**XD2503-5** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-25mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	25mm
输出功率/ Output power:	SK5
刀片长度/ Blade length:	4-5h
充电时间/ Charging time:	1.5h



**XD2503-6** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.




- 高硬度碳钢SK5刀片,更坚固耐用
- 0-25mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-25mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	16.8V
空载转速/ No-load speed:	25mm
输出功率/ Output power:	SK5
刀片长度/ Blade length:	4-5h
充电时间/ Charging time:	1.5h



**XD2802-5** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	28mm
输出功率/ Output power:	SK5
刀片长度/ Blade length:	4-5h
充电时间/ Charging time:	1.5h



**XD2802-6** 锂电树枝剪 LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	16.8V
空载转速/ No-load speed:	28mm
输出功率/ Output power:	SK5
刀片长度/ Blade length:	4-5h
充电时间/ Charging time:	1.5h



25mm修枝剪

28mm修枝剪

**XD2801**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-28mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-28mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	28mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3001-1**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-30mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-30mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	30mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3001-2**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-30mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-30mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	30mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3002**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-30mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-30mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	30mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3003**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-30mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-30mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	30mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3201-1**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-32mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-32mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	32mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3201-4**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-32mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-32mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	32mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3501-1**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-35mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-35mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	35mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3201-2**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-32mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	32mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD-3201-5**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 高硬度碳钢SK5刀片,更坚固耐用
- 0-32mm开口, 轻松剪粗枝
- High-hardness carbon steel SK5 blade is stronger.
- 0-32mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	32mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC

**XD3501-2**锂电树枝剪  
LITHIUM PRUNING SHEARS

## 使用范围

适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-35mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-35mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	35mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h



BLDC



**XD4002-1** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD-4001** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4002-2** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4002-4** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4002-5** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4003-1** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4003-4** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4003-2** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4003-5** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h

**XD4004** 锂电树枝剪  
LITHIUM PRUNING SHEARS

**使用范围**  
适用于粗枝修枝 / 水果采收 / 园林修剪 / 竹林修剪等  
Pruning of coarse branches/fruit harvesting/garden pruning/  
bamboo forest pruning, etc.



- 实时电量显示 剩余电量清晰明了
- 0-40mm开口, 轻松剪粗枝
- Real-time power display shows the remaining power clearly.
- 0-40mm opening, easy to cut thick branches.

电池电压/ Battery voltage:	21V
剪切直径/ Shear diameter:	40mm
刀片材质/ Blade material:	SK5
使用时间/ Time of use:	4-5h
充电时间/ Charging time:	1.5h





## XD-606

前置割草机  
LITHIUM LAWN MOWER

## 使用范围

适用于农场除草 / 庭院园林 / 灌木切割 / 公路绿化  
Suitable for farm weeding/garden/shrub cutting / highway greening.



- 一机多用轻松应对不同类型草地
- 大功率电机割草效率高
- Efficiently deal with different types of grassland
- High-power motor mowing with high efficiency

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	8000r/min
空载时间/ No-load time:	2-3h
刀片直径/ Blade diameter:	210mm
充电时间/ Charging time:	1.5h



BLDC

## XD-607

后置割草机  
LITHIUM LAWN MOWER

## 使用范围

适用于农场除草 / 庭院园林 / 灌木切割 / 公路绿化  
Suitable for farm weeding/garden/shrub cutting / highway greening.



电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	6000r/min
空载时间/ No-load time:	2-3h
刀片直径/ Blade diameter:	250mm
充电时间/ Charging time:	1.5h



BLDC

## XD-501

锂电高枝杆  
LITHIUM HIGH BRANCH

## 收缩长度:

最短收缩长度1.35米, 最长展开长度2.2米, 可随意调节长度

The shortest contraction length is 1.35 m, and the longest expansion length is 2.2 m, and the length can be adjusted at will.

- 加长杆可伸缩 高枝修剪 轻松高效
- Extensible extension pole and high branch pruning are easy and efficient.

净重毛重/ N.W / G.W:	1.25kg / 1.7kg
包装材料/ Packaging materials:	纸箱
外箱尺寸/ Packing size:	138.5*9.5*9.5cm



适配于锂电绿篱机 锂电剪刀 锂电锯

Lithium electric scissor lithium electric saw suitable for lithium electric hedge machine



## XD601-1

锂电绿篱机  
LITHIUM HEDGE MACHINE

## 使用范围

适用于园林造型 | 茶园采收 | 平面修剪 | 环形修剪等  
Garden modeling | Tea garden harvesting | Plane pruning | Ring pruning and so on.



- 大容量锂电池 续航能力强
- 安全触控开关 降低被误伤
- High-capacity lithium battery has strong endurance.
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	1500r/min
输出功率/ Output power:	480w
刀片长度/ Blade length:	580mm
充电时间/ Charging time:	1.5h



BLDC

## XD602-1

锂电绿篱机  
LITHIUM HEDGE MACHINE

## 使用范围

适用于园林造型 | 茶园采收 | 平面修剪 | 环形修剪等  
Garden modeling | Tea garden harvesting | Plane pruning | Ring pruning and so on.



- 大容量锂电池 续航能力强
- 安全触控开关 降低被误伤
- High-capacity lithium battery has strong endurance.
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	1500r/min
输出功率/ Output power:	480w
刀片长度/ Blade length:	580mm
充电时间/ Charging time:	1.5h



BLDC

## XD603

锂电绿篱机(有刷)  
LITHIUM HEDGE MACHINE

## 使用范围

适用于园林造型 | 茶园采收 | 平面修剪 | 环形修剪等  
Garden modeling | Tea garden harvesting | Plane pruning | Ring pruning and so on.



- 大容量锂电池 续航能力强
- 安全触控开关 降低被误伤
- High-capacity lithium battery has strong endurance.
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage:	12V
空载转速/ No-load speed:	1350r/min
输出功率/ Output power:	320w
刀片长度/ Blade length:	170mm
充电时间/ Charging time:	1.5h



## XD601-2

锂电绿篱机  
LITHIUM HEDGE MACHINE


## 使用范围

适用于园林造型 | 茶园采收 | 平面修剪 | 环形修剪等  
Garden modeling | Tea garden harvesting | Plane pruning | Ring pruning and so on.



- 大容量锂电池 续航能力强
- 安全触控开关 降低被误伤
- High-capacity lithium battery has strong endurance.
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	1500r/min
输出功率/ Output power:	480w
刀片长度/ Blade length:	580mm
充电时间/ Charging time:	1.5h



BLDC

## XD602-2

数显锂电绿篱机  
LITHIUM HEDGE MACHINE

## 使用范围

适用于园林造型 | 茶园采收 | 平面修剪 | 环形修剪等  
Garden modeling | Tea garden harvesting | Plane pruning | Ring pruning and so on.




- 大容量锂电池 续航能力强
- 安全触控开关 降低被误伤
- High-capacity lithium battery has strong endurance.
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage:	21V
空载转速/ No-load speed:	1500r/min
输出功率/ Output power:	480w
刀片长度/ Blade length:	580mm
充电时间/ Charging time:	1.5h



BLDC



**XD701-1** 锂电马刀锯(有刷)  
LITHIUM HORSE KNIFE SAW**使用范围**木材切割 | 塑料管道切割 | 钢管铝材切割 | 户外修枝  
Wood cutting | plastic pipe cutting | aluminum pipe cutting  
outdoor pruning

- 体型小巧 握感舒适 单手可操作
- 大容量锂电池 续航能力强
- Small size, comfortable grip and one-handed operation.
- High-capacity lithium battery has strong endurance.

电池电压/ Battery voltage: **21V**  
 往复行程/ Reciprocating stroke: **15mm**  
 切割厚度/ Cutting thickness: **木材0-80mm**  
**塑料0-60mm 钢管0-8mm**

**XD701-2** 锂电马刀锯  
LITHIUM HORSE KNIFE SAW**BLDC****使用范围**木材切割 | 塑料管道切割 | 钢管铝材切割 | 户外修枝  
Wood cutting | plastic pipe cutting | aluminum pipe cutting  
outdoor pruning

- 自紧夹头 更稳定不易脱落
- 精钢锯条 坚硬无比
- The self-tightening chuck is more stable and not easy to fall off.
- The hacksaw bar is extremely hard.

电池电压/ Battery voltage: **21V**  
 往复行程/ Reciprocating stroke: **15mm**  
 切割厚度/ Cutting thickness: **木材0-80mm**  
**塑料0-60mm 钢管0-8mm**

**XD-704** 4寸锂电单手锯(有刷)  
LITHIUM SINGLE HAND SAW**使用范围**适用于伐木锯材 | 树枝修剪 | 装修锯木 | 竹木收割  
Logging sawn timber | branch pruning | decoration sawn timber |  
bamboo harvesting

- 大容量锂电池 续航能力强
- 安全触控开关 降低被误伤
- High-capacity lithium battery has strong endurance.
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **3800r/min**  
 输出功率/ Output power: **550W**  
 导板长度/ Guide length: **102mm**  
 纸箱尺寸/ Carton size: **61\*37\*24.5mm**

**XD-706** 6寸锂电单手锯(有刷)  
LITHIUM SINGLE HAND SAW**使用范围**适用于伐木锯材 | 树枝修剪 | 装修锯木 | 竹木收割  
Logging sawn timber | branch pruning | decoration sawn timber |  
bamboo harvesting

- 大容量锂电池 续航能力强
- 淬火链条, 优质一体导板不易断裂
- High-capacity lithium battery has strong endurance.
- Quenching chain with high quality integrated plate

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **3800r/min**  
 输出功率/ Output power: **650W**  
 导板长度/ Guide length: **153mm**  
 纸箱尺寸/ Carton size: **61\*37\*24.5mm**

**XD-712A** 12寸锂电单手锯  
LITHIUM CHAIN SAW**BLDC****使用范围**伐木锯材 | 树枝修剪 | 装修锯木等工作  
Cutting wood | Branch trimming | Decoration  
cutting | Bamboo cutting and so on

- 大容量锂电池 续航能力强
- 淬火链条, 优质一体导板不易断裂
- High-capacity lithium battery has strong endurance.
- Quenching chain with high quality integrated plate

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **0-500r/min**  
 输出功率/ Output power: **2000w**  
 导板尺寸/ Guide plate size: **12"**  
 切割直径/ Cutting diameter: **300mm**

**XD-712B** 12寸锂电单手锯  
LITHIUM CHAIN SAW**BLDC****使用范围**伐木锯材 | 树枝修剪 | 装修锯木等工作  
Cutting wood | Branch trimming | Decoration  
cutting | Bamboo cutting and so on

- 链条松紧一键旋转, 无需工具轻松调节
- 淬火链条, 优质一体导板不易断裂
- Chain adjust by one button no need any other tools
- Quenching chain with high quality integrated plate

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **0-500r/min**  
 输出功率/ Output power: **2000w**  
 导板尺寸/ Guide plate size: **12"**  
 切割直径/ Cutting diameter: **300mm**

**XD708-1** 8寸锂电单手锯  
LITHIUM SINGLE HAND SAW**BLDC****使用范围**适用于伐木锯材 | 树枝修剪 | 装修锯木 | 竹木收割  
Logging sawn timber | branch pruning | decoration sawn timber |  
bamboo harvesting

- 大容量锂电池 续航能力强
- 淬火链条, 优质一体导板不易断裂
- High-capacity lithium battery has strong endurance.
- Quenching chain with high quality integrated plate

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **4200r/min**  
 输出功率/ Output power: **900W**  
 导板长度/ Guide length: **204mm**  
 切割直径/ Cutting diameter: **25CM**

**XD708-2** 8寸锂电单手锯  
LITHIUM SINGLE HAND SAW**BLDC****使用范围**适用于伐木锯材 | 树枝修剪 | 装修锯木 | 竹木收割  
Logging sawn timber | branch pruning | decoration sawn timber |  
bamboo harvesting

- 链条松紧一键旋转, 无需工具轻松调节
- 安全触控开关 降低被误伤
- Chain adjust by one button no need any other tools
- Safety touch switch reduces accidental injury

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **4200r/min**  
 输出功率/ Output power: **900W**  
 导板长度/ Guide length: **204mm**  
 切割直径/ Cutting diameter: **25CM**

**XD-712C** 12寸锂电单手锯  
LITHIUM CHAIN SAW**BLDC****使用范围**伐木锯材 | 树枝修剪 | 装修锯木等工作  
Cutting wood | Branch trimming | Decoration  
cutting | Bamboo cutting and so on

- 大容量锂电池 续航能力强
- 淬火链条, 优质一体导板不易断裂
- High-capacity lithium battery has strong endurance.
- Quenching chain with high quality integrated plate

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **0-500r/min**  
 输出功率/ Output power: **2000w**  
 导板尺寸/ Guide plate size: **12"**  
 切割直径/ Cutting diameter: **300mm**

**XD-716** 16寸锂电锯  
LITHIUM CHAIN SAW**BLDC****使用范围**伐木锯材 | 树枝修剪 | 装修锯木等工作  
Cutting wood | Branch trimming | Decoration  
cutting | Bamboo cutting and so on

- 链条松紧一键旋转, 无需工具轻松调节
- 淬火链条, 优质一体导板不易断裂
- Chain adjust by one button no need any other tools
- Quenching chain with high quality integrated plate

电池电压/ Battery voltage: **21V**  
 空载转速/ No-load speed: **0-500r/min**  
 输出功率/ Output power: **2000w**  
 导板尺寸/ Guide plate size: **14-18"**  
 切割直径/ Cutting diameter: **300mm**



## XD-609

::: 锂电吹风机(有刷)  
LITHIUM BLOWER

## 使用范围

适用于电脑清灰 / 汽车除尘 / 强风吹水 / 落叶清理  
Computer dust removal/car dust removal/strong wind blowing water/defoliation cleaning



- 多孔散热, 保护电机, 增长寿命
- 涡轮设计, 吹吸两用, 鼓风力大
- Porous heat dissipation, motor protection and long service life.
- Turbine design, blowing and sucking, strong blowing force.

电池电压/ Battery voltage:	21V
风量/ Wind volume:	2.8m <sup>3</sup>
空载转速/ No load speed:	18000r/min
输出功率/ Output power:	600W
充电时间/ Charging time:	1.5h



## XD-610

::: 锂电风炮机  
LITHIUM STORM BLOWER

## 使用范围

适用于积雪清理 / 家居除尘 / 工业除尘 / 落叶清理  
Snow cleaning / household dusting / industrial dusting / defoliation cleaning



- 大口径空气喷嘴 出风大,大流量
- 外壳采用ABS轻巧坚固工程塑料,安全更可靠
- Large-caliber air nozzle has large air outlet and large flow.
- The shell is made of ABS light and strong plastic.

电池电压/ Battery voltage:	21V
风量/ Wind volume:	0-9.0m <sup>3</sup>
空载转速/ No load speed:	0-16000r/min
输出功率/ Output power:	1000W
充电时间/ Charging time:	1.5h



BLDC

## XD-611A

::: 锂电风炮机(无刷)  
LITHIUM STORM BLOWER

## 使用范围

适用于积雪清理 / 家居除尘 / 工业除尘 / 落叶清理  
Snow cleaning / household dusting / industrial dusting / defoliation cleaning



- 大口径空气喷嘴 出风大,大流量
- 外壳采用ABS轻巧坚固工程塑料,安全更可靠
- Large-caliber air nozzle has large air outlet and large flow.
- The shell is made of ABS light and strong plastic.

电池电压/ Battery voltage:	21V
风量/ Wind volume:	0-9.0m <sup>3</sup>
空载转速/ No load speed:	23000r/min
输出功率/ Output power:	450W
充电时间/ Charging time:	1.5h



BLDC

## XD-611AB

::: 锂电风炮机(有刷)  
LITHIUM STORM BLOWER

## 使用范围

适用于积雪清理 / 家居除尘 / 工业除尘 / 落叶清理  
Snow cleaning / household dusting / industrial dusting / defoliation cleaning



- 大口径空气喷嘴 出风大,大流量
- 外壳采用ABS轻巧坚固工程塑料,安全更可靠
- Large-caliber air nozzle has large air outlet and large flow.
- The shell is made of ABS light and strong plastic.

电池电压/ Battery voltage:	21V
风量/ Wind volume:	0-9.0m <sup>3</sup>
空载转速/ No load speed:	23000r/min
输出功率/ Output power:	360W
充电时间/ Charging time:	1.5h



## XD-612

::: 锂电风炮机(无刷)  
LITHIUM STORM BLOWER

## 使用范围

适用于电脑清灰 / 汽车除尘 / 强风吹水 / 落叶清理  
Computer dust removal/car dust removal/strong wind blowing water/defoliation cleaning



- 多孔散热, 保护电机, 增长寿命
- 涡轮设计, 吹吸两用, 鼓风力大
- Porous heat dissipation, motor protection and long service life.
- Turbine design, blowing and sucking, strong blowing force.

电池电压/ Battery voltage:	21V
风量/ Wind volume:	0-9m <sup>3</sup>
空载转速/ No load speed:	30000r/min
输出功率/ Output power:	650W
充电时间/ Charging time:	1.5h



BLDC

## XD-613

::: 锂电风炮机  
LITHIUM STORM BLOWER


## 使用范围

适用于电脑清灰 / 汽车除尘 / 强风吹水 / 落叶清理  
Computer dust removal/car dust removal/strong wind blowing water/defoliation cleaning



- 多孔散热, 保护电机, 增长寿命
- 涡轮设计, 吹吸两用, 鼓风力大
- Porous heat dissipation, motor protection and long service life.
- Turbine design, blowing and sucking, strong blowing force.

电池电压/ Battery voltage:	21V
风量/ Wind volume:	0-9.0m <sup>3</sup>
空载转速/ No load speed:	0-16000r/min
输出功率/ Output power:	1000W
充电时间/ Charging time:	1.5h



BLDC

## XD614

::: 锂电风扇(有刷)  
LITHIUM BATTERY FAN

## 使用范围

适用于户外露营 | 钓鱼 | 聚餐 | 烧烤等  
Suitable for outdoor camping, fishing, dinner, barbecue and so on.



- LED大灯珠, 不仅能吹风还能照明
- 多档调节, 风速随心调整
- LED headlight beads can not only blow but also illuminate.
- Multi-gear adjustment, wind speed can be adjusted at will.

电池电压/ Battery voltage:	21V
最大风速/ max wind speed:	180m/min
最大气流/ Maximum airflow:	5.6m <sup>3</sup>
调节角度/ Adjusting angle:	-20~100°
叶片直径/ Blade diameter:	20cm



## XD-502

::: 锂电洗车机  
LITHIUM-ION CAR WASHER

## 使用范围

适用于庭院冲洗/  
冲洗汽车/清洗农作物/空调清洗  
Courtyard washing/car washing/crop cleaning/  
air conditioning cleaning

- 大容量锂电池 持久续航 便携式
- 出水稳定 压力大 水量大
- 6-8米超远射程 带来更好的体验感
- 取水自由 不受限 免接电源 小巧便携
- 不限水源 洗车/浇花/清洁
- Large-capacity lithium battery lasts for a long time and is convenient
- The stable pressure of outlet water is large, and the water quantity is large.
- 6-8 meters ultra-long range brings a better experience.
- Free access to water, unlimited access, compact and portable power supply.
- Unlimited water source car wash/watering/cleaning

电池电压/ Battery voltage:	21V
额定功率/ Rated power:	600w
额定频率/ Rated frequency:	50-60Hz
额定流量/ Rated flow:	2L/h

