

Add: No.11, North Qi Road, Yuqi Town, Wuxi City
Tel:(+86)0510-83880396
Mob:(+86)18051502183
Web:www.sanyou-auto.com
Email: bruce@sanyou-wx.com

WECHAT

WHATSAPP



锡运 xiyun ®

科技创新 引领未来





WUXI SANYOU AUTOMOBILE ELECTRIC FACTORY

无锡市三友汽车电器厂

CONTENTS

一、COMPANY PROFILE……01

二、PRODUCT LINE

ALTERNATOR BOSCH……04

ALTERNATOR ISKRA / LETRIKA……22

ALTERNATOR DELCO REMY……32

ALTERNATOR MITSUBISHI……39

ALTERNATOR DENSO……45

ALTERNATOR VALEO……50

ALTERNATOR PRESTOLITE……54

ALTERNATOR NIKKO……57

ALTERNATOR SAWAFUJI……60

ALTERNATOR HITACHI……62

ALTERNATOR HYUNDAI……66

ALTERNATOR LUCAS……67

ALTERNATOR MAGNETI MARELLI……68

ALTERNATOR DELCO……69

COMPANY PROFILE

WUXI SANYOU AUTOMOBILE ELECTRIC FACTORY

Established in 1995, Wuxi Sanyou Automobile Electric Factory specializes in the R&D and manufacturing of automotive starters and alternators. With nearly three decades of expertise, we focus on providing power solutions for passenger vehicles, commercial vehicles, agricultural machinery, and construction machinery.

◈ Three Decades of Specialization

Dedicated to starter and alternator technology since 1995, with deep industry expertise.

◈ IATF 16949:2016 Certified

Compliant with international automotive quality standards.

◈ 20,000㎡ Production Base

Annual capacity of 150,000 starters and 200,000 alternators.

◈ Globally Recognized Quality

Suppliers to major engine manufacturers including Shanghai Diesel Engine and Nantong Diesel Engine, with exports to the U.S., Russia, Brazil and other markets.

Quality First, Customer Foremost – delivering reliable products and professional service worldwide.







Precision Engineering, Peak Performance

In-House Stator & Rotor Manufacturing

◈ **Winding**

Fully Automated High-Precision Process

Delivers Unmatched Efficiency and Consistency

◈ **Insulation**

Dual Independent Dip-Line Systems

Deliver Customized Insulation for Stator & Rotor Respectively

Automated Standard Processes • Specialized Custom Solutions

Engineered for Ultimate Reliability and Optimal Power











Advanced Alternator & Starter DV Testing Capabilities

Our facility is equipped with state-of-the-art, internationally sourced Design Validation test benches, enabling full validation of alternators and starters.

Precision Performance Testing:

High Accuracy: Precise measurement of critical parameters (current, voltage, RPM).

Wide Range: Tests alternators from 12V to 48V and up to 300A, covering a broad spectrum of vehicle applications.

Comprehensive Parameters: Evaluates output characteristics, load response, speed regulation, voltage stability, efficiency, and more.

Rigorous Endurance Testing:

Integrated System Testing: Complete, unified durability assessment for both alternators and starters.

Harsh Environment Simulation: Validates performance under extreme conditions, including high/low temperatures, humidity, and vibration.

Extended Duration Operation: Accelerated life testing to simulate aging and ensure long-term product stability and reliability.







AT01001 Specifications





MFR	Bosch
OEM	0120400696
Voltage [V]	24
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	

Applications

VOLVO	Series B/F/FL/FS/ N

AT01001A Specifications





MFR	Bosch
OEM	12191
Voltage [V]	12V
Amp. [A]	85A
Grooves [qty.]	8PK
Pulley[mm]	60

Applications

VOLVO	TRUCK FM, TRUCK FMX, TRUCK FH, B9, FH 16

AT01002 Specifications





MFR	Bosch
OEM	0120468053
Voltage [V]	2480
Amp. [A]	
Grooves [qty.]	
Pulley[mm]	

Applications

DAF	75 CF.250, 75 CF.290, 75 CF.320, 75.240
MAN	L2000, M2000L, M2000M, M90, F2000, F90

AT01003 Specifications





MFR	Bosch
OEM	0120188290
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1A
Pulley[mm]	80

Applications

CASE	100 C, 110, 1150 E
CATERPILLAR	416, 426B, 428, 436
JOHN DEERE	1144, 210LE, 250

AT01003A Specifications





MFR	Bosch
OEM	12161N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

ATLASCOPCO	XAS175
BELL	310SG,315SG

AT01003B Specifications





MFR	Bosch
OEM	12161N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

ATLASCOPCO	XAS175
BELL	310SG,315SG

AT01003C Specifications





MFR	Bosch
OEM	12161N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	2
Pulley[mm]	80

Applications

ATLASCOPCO	XAS175
BELL	310SG,315SG

AT01003D Specifications





MFR	Bosch
OEM	12168N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8
Pulley[mm]	64

Applications

JOHNDEERE	065,1068,1075, 1085,2054,2056,2058,

AT01004 Specifications





MFR	Bosch
OEM	012402A2LB
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	6PK
Pulley[mm]	56

Applications

AUDI	A2 1.4, A3 1.6, A3 1.8, A3 1.8 T
VW	Beetle 1.8 T, Bora 1.4, Bora 1.6, Bora 1.8,

AT01005 Specifications





MFR	Bosch
OEM	0124555009
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	61.5

Applications

RENAULT V.I.	440.18, 440.24, 440.26, 480.18
RENAULT V.I.	FH 12/340, FH 12/380, FH

AT01005A Specifications





MFR	Bosch
OEM	0124555009
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	61.5

Applications

RENAULT V.I.	440.18, 440.24, 440.26, 480.18
RENAULT V.I.	FH 12/340, FH 12/380, FH

AT01006 Specifications





MFR	Bosch
OEM	0124625030
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	
Pulley[mm]	

Applications

JOHN DEERE	Various Models
DEUTZ-FAHR	5110 TTV, 5120 TTV, 5130 TTV

AT01007 Specifications





MFR	Bosch
OEM	0120468037
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	2A
Pulley[mm]	76

Applications

VOLVO	B12
VOLVOF	F12/320, F12/330

AT01008 Specifications



MFR	Bosch
OEM	0120468093
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	62

Applications

VOLVO	B12, FH 12/340, FH 12/380
DAF	45 FA 45.120-035

AT01009 Specifications

MFR	Bosch
OEM	0120689530
Voltage [V]	24
Amp. [A]	140
Grooves [qty.]	
Pulley[mm]	

Applications

DAF	95.310 Ati, 95.330 ATi,
KASSBOHRER	Setra S200, S208H S211H,

AT01010 Specifications

MFR	Bosch
OEM	0124526032
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6
Pulley[mm]	

Applications

CITROEN	Berlingo 1.6 HDi
FIAT	Ducato 2.0 JTD
LANCIA	Pedra 2.0 JTD
PEUGEOT	1007 1.6 HDi,

AT01011 Specifications



MFR	Bosch
OEM	0124555063
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	7
Pulley[mm]	



Applications

IVECO

MITSUBISHI

AT01012 Specifications



MFR	Bosch
OEM	23301N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	56



Applications

AUDI	A3 1.6, A3 1.8, A3
FORD	Galaxy 1.9 TDi,
SEAT	Alhambra 1.8 Turb0 20V,
SKODA	Fabia 1.0, Fabia 1.4,
VW	Bora 1.6, Bora 1.8,

AT01012A Specifications



MFR	Bosch
OEM	12445N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	6
Pulley[mm]	56



Applications

JOHNDEERE 244J,304J,313,315

AT01013 Specifications



MFR	Bosch
OEM	1-3231-25W
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	



Applications

MAN	M90
MERCEDES BENZ	NG, LP, T2/L

AT01013A Specifications



MFR	Bosch
OEM	14391N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	82



Applications

KOMATSU	D30E
MASSEYFERGUSON	Mf2665, Mf2670, Mf2680

AT01013C Specifications



MFR	Bosch
OEM	21823N
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	
Pulley[mm]	



Applications

HC-PARTS	CA187IR
BOSCH	0120488256,0120488277
DAF	1516525R,1516637R
FAUN	1702118

AT01013D Specifications



MFR	BOSCH
OEM	12169N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1
Pulley[mm]	68



Applications

DEUTZ-FAHR	Dx160, M2385
FAHR	1320, 1322H, 1620H
IVECO	80-16A, 80-9A

AT01014 Specifications



MFR	Bosch
OEM	12795N
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	8PK
Pulley[mm]	64.5



Applications

JOHN DEERE 6130M, 6130R, 6140M 6140R, 6150R, 6190R, 6210R, 7430, 7530

AT01015 Specifications



MFR	Bosch
OEM	1-3450-25W
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	8PK
Pulley[mm]	68



Applications

RENAULT TRUCK	Mascott
CLAAS	Nectis
CUMMINS	QSD 2.8, QSD 2.8
	MERCRUISER

AT01016 Specifications



MFR	Bosch
OEM	0124325098
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	2B
Pulley[mm]	98



Applications

BENZ

AT01017 Specifications



MFR	Bosch
OEM	0124325109
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	8PK
Pulley[mm]	58



Applications

FORD CARGO

AT01018 Specifications



MFR	Bosch
OEM	1-3547-25W
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	8PK
Pulley[mm]	63



Applications

VOLVO TRUCK FM, TRUCK FMX, TRUCK FH, B9, FH 16

AT01019 Specifications



MFR	Bosch
OEM	8717N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	



Applications

CATERPILLAR D6R, D7T, C15, C7, C9, 120K, 140K, 160K, 950H, 958H, 962H, 980H, 986H

AT01019A Specifications



MFR	Bosch
OEM	8717N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	



Applications

CATERPILLAR D6R, D7T, C15, C7, C9, 120K, 140K, 160K, 950H, 958H, 962H, 980H, 986H

AT01020 Specifications



MFR	Bosch
OEM	0124325067
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	8PK
Pulley[mm]	64



Applications

VW Volksbus

AT01021 Specifications



MFR	Bosch
OEM	12110N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2A
Pulley[mm]	75



Applications

VOLVO	BUS B7F, PENTA
SCANIA	series 112 H/280
RENAULT TRUCKS	GG 230.17

AT01022 Specifications





MFR	Bosch
OEM	1-1388-00BO
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	1V
Pulley[mm]	76

Applications

AUDI	100, 200, 80, 90
SEAT	Toledo
VW	Caddy, Caravelle, Golf I

AT01023 Specifications





MFR	Bosch
OEM	12167N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

SCANIA	112 H/280, 112 H/305

AT01023A Specifications





MFR	Bosch
OEM	12167N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2
Pulley[mm]	

Applications

SCANIA	112, 113, 143

AT01024 Specifications





MFR	Bosch
OEM	13852N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	6PK
Pulley[mm]	56

Applications

UDI	A2, A3, S3, TT
VW	Beetle, Bora, Caddy

AT01025 Specifications





MFR	Bosch
OEM	0120400728
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	2A
Pulley[mm]	80

Applications

IVECO	65-12, 79-14, 80-17, 95-14
MAN	BUS, TRUCK

AT01026 Specifications





MFR	Bosch
OEM	1-2856-01BO
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	72

Applications

SCANIA	K114, P230, P270, P310

AT01027 Specifications





MFR	Bosch
OEM	F 000 BL0 118
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	
Pulley[mm]	

Applications

CASE	CX57C, CX60C
EAGLE TUGS	TT-4, TT-5, TT-6, TT-8

AT01028 Specifications





MFR	Bosch
OEM	1-3238-25W
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8PK
Pulley[mm]	62

Applications

RENAULT V.I.	330.18, 370.18
VOLVO	8700, 9700, B 12

AT01029 Specifications





MFR	Bosch
OEM	F002G10422
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	7PK
Pulley[mm]	

Applications

AT01030 Specifications





MFR	Bosch
OEM	1-3200-25W
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	68

Applications

IVECO	Daily III

AT01030A Specifications





MFR	Bosch
OEM	1-3200-25W
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	68

Applications

IVECO	Daily III

AT01031 Specifications





MFR	Bosch
OEM	13613N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	6PK
Pulley[mm]	48

Applications

MERCEDES BENZ	200 E, 220 CE

AT01031A Specifications





MFR	Bosch
OEM	13613N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	6PK
Pulley[mm]	48

Applications

MERCEDES BENZ	200 E, 220 CE

AT01032 Specifications



MFR	Bosch
OEM	1-2109-43BO
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6PK
Pulley[mm]	44

Applications

MERCEDES BENZ	CLK, E, ML

AT01033 Specifications

MFR	Bosch
OEM	23513N
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

MAN	10.145, 10.185, 10.225

AT01034 Specifications

MFR	Bosch
OEM	12110N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

VOLVO	BUS B7F, PENTA
RENAULT	C,G,MIDLINER S
SCANIA	series 112H,80H,80M

AT01035 Specifications





MFR	Bosch
OEM	0124655076
Voltage [V]	24
Amp. [A]	115
Grooves [qty.]	12PK
Pulley[mm]	59.5

Applications

CATERPILLAR 320B2, 320D2
MERCEDES-BENZ ANTOS

AT01035B Specifications





MFR	Bosch
OEM	0124625071
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR C9.3, C7.1, C13

AT01035C Specifications





MFR	Bosch
OEM	24402N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

Caterpillar Ag. & Ind. 140, 324D
Caterpillar 120AWD, 120L

AT01035D Specifications





MFR	Bosch
OEM	0124655099
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR 320 GC, 320G C

AT01036A Specifications





MFR	Bosch
OEM	12387N
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	9PK
Pulley[mm]	77

Applications

MERCEDES-BENZ ACTROS, AXOR

AT01036C Specifications





MFR	Bosch
OEM	12161N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

VOLVO TRUCK FM, TRUCK FMX, TRUCK FH, B9, FH 16

AT01037 Specifications





MFR	Bosch
OEM	9120080212
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	7 PK
Pulley[mm]	66

Applications

CHEVROLET S10

AT01038 Specifications





MFR	Bosch
OEM	12585N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2A
Pulley[mm]	78

Applications

DAF 45,55
KÄSSBOHRER S210H,S211H
MAN M90,F90,F2000
MERCEDES-BENZ UNIMOG,SK

AT01039 Specifications





MFR	Bosch
OEM	12725N
Voltage [V]	24
Amp. [A]	130
Grooves [qty.]	8PK
Pulley[mm]	55

Applications

JOHN DEERE 2154G,2156G

AT01040 Specifications





MFR	Bosch
OEM	23779N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

VECO EUROTECH
MAN F90
SCANIA series93/113/143

AT01040A Specifications





MFR	Bosch
OEM	12708
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	
Pulley[mm]	

Applications

IVECO 100 E 15
RENAULT V.I. 385.26
SCANIA 113 E/320, 113 E/360

AT01041 Specifications





MFR	Bosch
OEM	14949N
Voltage [V]	12
Amp. [A]	33
Grooves [qty.]	1 V
Pulley[mm]	46

Applications

CASE IH 321;421
DEUTZ-FAHR DX;D06;D07
FENDT Farmer 200;203;204
GOLDONI 1055;3050

AT01042 Specifications





MFR	Bosch
OEM	23535N
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	9PK
Pulley[mm]	84

Applications

BOVA Futura FHD
DAF XF 95
SOLARIS VACANZA Vacanza 12
TEMSA TOURMALIN,AVENUE

AT01042B Specifications



MFR	Bosch
OEM	0124655003
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	11
Pulley[mm]	

Applications

DAF 75CF.290, 75CF.320, 85CF.340, 85CF.380, 85CF.430

AT01043 Specifications

MFR	Bosch
OEM	23868N
Voltage [V]	24
Amp. [A]	120A
Grooves [qty.]	8PK
Pulley[mm]	73

Applications

RENAULT TRUCKS PREMIUM 2
VOLVO FH;FM;FMX

AT01044 Specifications

MFR	Bosch
OEM	F000BL0131
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	7PK
Pulley[mm]	58.5

Applications

TOYOTA HILUX VIII Pickup

AT01045 Specifications





MFR	Bosch
OEM	12135R
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2A
Pulley[mm]	78

Applications

IVECO	EUROCARGO;P/PA;ZETA
SCANIA	3-series

AT01046 Specifications





MFR	Bosch
OEM	21574N
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	64

Applications

DAF	CF FA, CF FAC

AT01047 Specifications





MFR	Bosch
OEM	1-2344-00BO
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	60

Applications

CASE IH	450;455;
INTERNATIONAL HARV.	Maxxum 5120
JOHN DEERE	Engine 4.5
SCANIA	G 460

AT01048 Specifications





MFR	Bosch
OEM	12148N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8PK
Pulley[mm]	

Applications

CASE	688P, 788P, 988P
JOHN DEERE	MARINE
KOMATSU	Pc450

AT01049 Specifications





MFR	Bosch
OEM	1-3237-25W
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8PK
Pulley[mm]	72

Applications

SCANIA	4-series, R-series

AT01050 Specifications





MFR	Bosch
OEM	12162N
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	
Pulley[mm]	

Applications

CASE IH	7000;8000

AT01051 Specifications





MFR	Bosch
OEM	14390N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1V
Pulley[mm]	72

Applications

ASE	956 XL
CLAAS	105, 48, 76, 86, 96
EICHER	3026, 3028, 3030
IVECO	MK 110-13,

AT01052 Specifications





MFR	Bosch
OEM	11909N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8PK
Pulley[mm]	62

Applications

OHN DEERE	470G LC;670G

AT01053 Specifications





MFR	Bosch
OEM	1-463-25W
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	68

Applications

RENAULT	MASCOTT;
RENAULT TRUCKS	MASCOTT

AT01054 Specifications





MFR	Bosch
OEM	1-3218-25W
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	8PK
Pulley[mm]	55

Applications

VOLVO	EUROCARGO I-V;
	EUROFIRE I-IV;TECTOR II

AT01055 Specifications





MFR	Bosch
OEM	1-3218-25W
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	6PK
Pulley[mm]	56

Applications

VOLVO	EUROCARGO I-V;
	EUROFIRE I-IV;

AT01056 Specifications





MFR	Bosch
OEM	20399N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	6PK
Pulley[mm]	56

Applications

DACIA	LOGAN;SANDERO;
RENAULT	LOGAN;STEPWAY II

AT01057 Specifications





MFR	Bosch
OEM	20499N
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	7PK
Pulley[mm]	59

Applications

FORD USA	Ranger 2.2 TDCI 4X4

AT01058 Specifications



MFR	Bosch
OEM	23321N
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	18PK
Pulley[mm]	61

Applications

VW	PASSAT B5;TOUAREG;

AT01059 Specifications

MFR	Bosch
OEM	1-3213-01MM
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	61

Applications

ALFA ROMEO	Alfa 159
FIAT	Bravo II, Croma II
OPEL	Astra H, Signum

AT01060 Specifications

MFR	Bosch
OEM	1-3128-25W
Voltage [V]	24
Amp. [A]	140
Grooves [qty.]	
Pulley[mm]	

Applications

DAF	95.310 ATi
KASSBOHRER	Setra S200
MERCEDES BENZ	TRUCKS & BUSES 1013
SCANIA	BUS BK112
MAN	BUS RH352

AT01061 Specifications





MFR	Bosch
OEM	12811N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8PK
Pulley[mm]	53

Applications

DAF	LF 45;LF 55;CF 65

AT01062 Specifications





MFR	Bosch
OEM	1-498-25W
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	7PK
Pulley[mm]	86

Applications

BOVA	Magiq;Synergy
DAF	XF 105;CF 85;XF 95

AT01063 Specifications





MFR	Bosch
OEM	1-2521-01BO
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	55

Applications

MERCEDES-BENZ	C-CLASS

AT01064 Specifications





MFR	Bosch
OEM	14970N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1O
Pulley[mm]	45

Applications

AUDI	100, 90, Coupe
VW	LT, Passat, Santana

AT01065 Specifications





MFR	Bosch
OEM	1-3462-25W
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	6PK
Pulley[mm]	49

Applications

MERCEDES-BENZ	Sprinter 209

AT01065A Specifications





MFR	Bosch
OEM	23248N
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	6
Pulley[mm]	50

Applications

MERCEDES -BENZ	V-CLASS (W639), VIANO (W639), VITO / MIXTO Van (W639), VITO / MIXTO Box (W639)

AT01066 Specifications





MFR	Bosch
OEM	20977N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2O
Pulley[mm]	47

Applications

DAF	F-series;95-series
FORD	FIESTA;ORION
MAN	F90;G90;M90

AT01067 Specifications





MFR	Bosch
OEM	14012N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6 PK
Pulley[mm]	44

Applications

DAEWOO	KORANDO
MERCEDES-BENZ	E-CLASS
SSANGYONG	KORANDO

AT01068 Specifications





MFR	Bosch
OEM	21528N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	10PK
Pulley[mm]	54

Applications

VOLVO	8900;9500;B8;B5

AT01069 Specifications





MFR	Bosch
OEM	20289N
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	12PK
Pulley[mm]	61

Applications

VOLVO	180 E 24, 180 T 27, 190 E 24

AT01070 Specifications





MFR	Bosch
OEM	20617N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	9PK
Pulley[mm]	

Applications

MAN	TGA, TGS, TGX

AT01071 Specifications





MFR	Bosch
OEM	20617N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	8PK
Pulley[mm]	73

Applications

VOLVO	FH, FM, FMX

AT01072 Specifications





MFR	Bosch
OEM	12223N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

THERMO KING	SB-III, SB-III SR
YANMAR	486

AT01073 Specifications



MFR	Bosch
OEM	12169N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

IVECO	MK 110-13
DEUTZ-FAHR	DX 6.31, DX 6.50

AT01074 Specifications

MFR	Bosch
OEM	23369N
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6PK
Pulley[mm]	50

Applications

NISSAN	PRIMASTAR
OPEL	MOVANO;VIVARO
RENAULT	TRAFIC;MASTER

AT01075 Specifications

MFR	Bosch
OEM	20908N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	8PK
Pulley[mm]	93

Applications

MERCEDES-BENZ	Actros 1833 L

AT01075A

Specifications







MFR	Bosch
OEM	0124655327
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8
Pulley[mm]	94

Applications

MERCEDES-BENZ	ACTROS MP4

AT01075B

Specifications







MFR	Bosch
OEM	0124655111
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	8
Pulley[mm]	73

Applications

DAF	CF FTT, CF FAS

AT01076

Specifications







MFR	Bosch
OEM	1-3190-01VA
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	7PK
Pulley[mm]	56

Applications

MERCEDES-BENZ	200, C 160

AT01077

Specifications







MFR	Bosch
OEM	23295N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	5PK
Pulley[mm]	54

Applications

OPEL	Astra F, Astra G

AT01078

Specifications







MFR	Bosch
OEM	1-3126-01MM
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	6PK
Pulley[mm]	49.5

Applications

AUDI	A1, A3
SEAT	Altea,
SKODA	Fabia II
VOLKSWAGEN	Beetle, Eos

AT01079

Specifications







MFR	Bosch
OEM	11212N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	5PK
Pulley[mm]	56

Applications

AUDI	A4 B5, A4 B6, A6 C5
SKODA	Superb I
VOLKSWAGEN	Passat 3B

AT01079A

Specifications







MFR	Bosch
OEM	13922N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	64

Applications

AUDI	A4 2.4, 2.4 30V Quattro
SKODA	Superb 2.5 TDi, 2.8 V6
VW	Passat 2.5 TDi

AT01080

Specifications







MFR	Bosch
OEM	1-3449-25W
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	50

Applications

OPEL	Astra G, Zafira A

AT01081

Specifications







MFR	Bosch
OEM	11070N
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	6PK
Pulley[mm]	56

Applications

AUDI	A3, A4, A6, TT
SEAT	Alhambra, Altea
SKODA	Octavia, Superb
VW	CC, Eos, Golf Plus

AT01082

Specifications







MFR	Bosch
OEM	1-3542-25W
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	6PK
Pulley[mm]	49

Applications

AUDI	A1, A3
SEAT	Altea, Ibiza IV
SKODA	Fabia II
VW)	Beetle, Caddy III

AT01083

Specifications







MFR	Bosch
OEM	1-3389-25W
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	7PK
Pulley[mm]	55

Applications

FIAT	Ducato
IVECO	29 L 10

AT01084

Specifications







MFR	Bosch
OEM	20914N
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	

Applications

DEUTZ-FAHR	Engine

AT01085

Specifications







MFR	Bosch
OEM	1-1388-00BO
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	4PK
Pulley[mm]	56

Applications

AUDI	100 C3/C4
SEAT	TOLEDO I
VW	GOLF I/II;

AT01086

Specifications



MFR	Bosch
OEM	1-3044-25W
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	9PK
Pulley[mm]	77

Applications

MERCEDES-BENZ	1023, 1024

AT01087

Specifications

MFR	Bosch
OEM	12706N
Voltage [V]	24
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

SCANIA	113, 114

AT01088

Specifications

MFR	Bosch
OEM	F000BL071B
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8PK
Pulley[mm]	

Applications

WEICHAI	Various
HOWO	Various
FAW	Various
BEIBEN	Various

AT01089 Specifications





MFR	Bosch
OEM	12164N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR	TH63;IT14B

AT01090 Specifications





MFR	Bosch
OEM	13056N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1O
Pulley[mm]	46.5

Applications

MERCEDES-BENZ	S-CLASS(W116)
LAMBORGHINI	JALPA
SEAT	IBIZA I
VOLVO	FH16
SKODA	110

AT01091 Specifications





MFR	Bosch
OEM	9120690408
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

AT01092 Specifications





MFR	Bosch
OEM	1-1352-01BO
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	6PK
Pulley[mm]	55

Applications

MERCEDES-BENZ	190, 200

AT01093 Specifications





MFR	Bosch
OEM	13033D
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	
Pulley[mm]	

Applications

AT01094 Specifications





MFR	Bosch
OEM	12029N
Voltage [V]	12
Amp. [A]	33
Grooves [qty.]	1A
Pulley[mm]	82

Applications

ALFA ROMEO	33;75;6;AR 8
DAF	66;66 Estate
FIAT	128;
FORD	SCORPIO II Turnier
LAMBORGHINI	C 554;R 513

AT01095 Specifications





MFR	Bosch
OEM	12715N
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	8PK
Pulley[mm]	71

Applications

JOHN DEERE	540E, 544E
CASE	9210, 9230
CATERPILLAR	35 Challenger

AT01096 Specifications





MFR	Bosch
OEM	12334N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

THERMO KING	SB-III SR, Super II

AT01097 Specifications





MFR	Bosch
OEM	1272003
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	7 PK
Pulley[mm]	55

Applications

FIAT	DUCATO 110
IVECO FIAT	DAILY IV 29L
IVECO FIAT	DAILY V 29L

AT01098 Specifications





MFR	Bosch
OEM	12389N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8PK
Pulley[mm]	72

Applications

MERCEDESHEAVYDUTY-EUROPE	ATEGOIISERIES
MERCEDES-BENZ	ACTROS,

AT01099 Specifications





MFR	Bosch
OEM	12219N
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	1
Pulley[mm]	73

Applications

KHD	VariousEquipment
LIEBHERR	A903,R961
POCLAIN	60CL,60P
WIRTGEN	SP500/500Vario

AT01100 Specifications





MFR	Bosch
OEM	23020N
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6
Pulley[mm]	50

Applications

Mercedes-Europe	C200,C220
MercedesLCV-Europe	Sprinter208

AT01100A Specifications





MFR	Bosch
OEM	23020N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

Mercedes-Europe	C200,C220
MercedesLCV-Europe	Sprinter208

AT01101 Specifications



MFR	Bosch
OEM	11070N
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6
Pulley[mm]	56

Applications

Audi - China	A4
Audi - Europe	A3 (8P1),
Audi - Europe	A4 (8E2, B6)

AT01102 Specifications

MFR	Bosch
OEM	CA1141IR
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	1
Pulley[mm]	67

Applications

AUDI	100, 100 S4
VOLKSWAGEN	Passat syncro

AT01103 Specifications

MFR	Bosch
OEM	11065N
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6
Pulley[mm]	65

Applications

AUDI	A4, A6
SKODA	SUPERB
VOLKSWAGEN	PASSAT

AT01104 Specifications





MFR	Bosch
OEM	1-3468-25W
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8
Pulley[mm]	72

Applications

MERCEDES BENZ TRUCKS & BUSES	1017, 1023 1024, 1117

AT01105 Specifications





MFR	Bosch
OEM	0124315043
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	8
Pulley[mm]	55

Applications

JOHN DEERE	210K EP, 210LE

AT01107 Specifications





MFR	Bosch
OEM	12294N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

MERCEDES BENZ TRUC KS & BUSES	U 1300, U 1450 U 1550, U 1600 U 1650, U 1750

AT01107A Specifications





MFR	Bosch
OEM	12294N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	6PK
Pulley[mm]	

Applications

MERCEDES BENZ TRUC KS & BUSES	U 1300, U 1450, U 1550 U 1600, U 1650, U 1750

AT01108 Specifications





MFR	Bosch
OEM	13953N
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6
Pulley[mm]	50

Applications

MERCEDES-BENZ	Cl500, CLK430

AT01109 Specifications





MFR	Bosch
OEM	473599078
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	1
Pulley[mm]	72

Applications

CASE	570SV,570ST

AT01110 Specifications





MFR	Bosch
OEM	21587N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	8
Pulley[mm]	93

Applications

MERCEDES-BENZ	ACTROSMP4/MP5

AT01111 Specifications





MFR	Bosch
OEM	11042
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	6PK
Pulley[mm]	50

Applications

MERCEDES-BENZ	C240,C32AMG

AT01112 Specifications





MFR	Bosch
OEM	21444
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6PK
Pulley[mm]	55

Applications

CITROEN	BERLINGO(MF)

AT01113 Specifications





MFR	Bosch
OEM	F000BV0802
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	3A
Pulley[mm]	82

Applications

ISUZU	NQR90

AT01114 Specifications





MFR	BOSCH
OEM	12385
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	6PK
Pulley[mm]	50

Applications

DODGE	Sprinter2500 Sprinter3500
FREIGHTLINER	Sprinter2500 Sprinter3500

AT01115 Specifications





MFR	BOSCH
OEM	CA749IR
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

BARREIROS	64/34,82/35
CATERPILLAR	VariousModels
DODGE	C14,C16
PEGASO	1135,1180
PRINOTH	VariousModels

AT02001

Specifications



MFR	ISKRA / LETRIKA
OEM	12301N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	
Pulley[mm]	





Applications

AHLMANN	AL 100T, 70/T/E
DEUTZ-FAHR	F-Serie, Engine
DYNAPAC	CC102, CC142C
GEHL	6635 DXT/SXT
KHD	Engine

AT02001A

Specifications



MFR	LETRIKA (ISKRA)
OEM	11.201.484
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	
Pulley[mm]	





Applications

AHLMANN	AI100, AS70, AS85T
DYNAPAC	CC102, CC122, CC142
VOLVO	L20B, L20F, L25B, L25F

AT02002

Specifications



MFR	ISKRA / LETRIKA
OEM	40121000
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	
Pulley[mm]	





Applications

HATZ	2L41C, 3L41C
PORSCHE	911 Targa

AT02003

Specifications



MFR	ISKRA / LETRIKA
OEM	1120366
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	6PK
Pulley[mm]	60





Applications

HOWO	A7

AT02004

Specifications



MFR	ISKRA / LETRIKA
OEM	11.204.260
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	6 PK
Pulley[mm]	75





Applications

AUTODIZEL	Engine

AT02005

Specifications



MFR	ISKRA / LETRIKA
OEM	32008611
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	8 PK
Pulley[mm]	56





Applications

JCB	DIESELMAX, ECOMAX

AT02006

Specifications



MFR	ISKRA / LETRIKA
OEM	11839N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	





Applications

BOBCAT	TI470 HF
BOMAG	BW 211 HD-5
DEUTZ-FAHR	Series 5 5100
GIANT	V761T
KHD	Engine

AT02007

Specifications



MFR	ISKRA / LETRIKA
OEM	72735574
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	
Pulley[mm]	





Applications

CASE IH	2144, 2166
JOHN DEERE	740G, 2155
NEW HOLLAND	14.9, TG210

AT02008

Specifications



MFR	ISKRA / LETRIKA
OEM	MG791
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8PK
Pulley[mm]	62





Applications

BOBCAT	T870 3.4
BOBCAT	T770 3.4
BOBCAT	A770 3.4

AT02008A

Specifications



MFR	ISKRA / LETRIKA
OEM	MG791
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	62





Applications

BOBCAT	T870 3.4
BOBCAT	T770 3.4
BOBCAT	A770 3.4

AT02008B

Specifications



MFR	ISKRA / LETRIKA
OEM	MG791
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	1
Pulley[mm]	





Applications

BOBCAT	T870 3.4
BOBCAT	T770 3.4
BOBCAT	A770 3.4

AT02009

Specifications



MFR	ISKRA / LETRIKA
OEM	AAK4332
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2 PK
Pulley[mm]	73





Applications

CATERPILLAR	Engine
PERKINS	Engine

AT02010

Specifications



MFR	ISKRA / LETRIKA
OEM	72735002
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	
Pulley[mm]	





Applications

ARONA	AD 185 M
CATERPILLAR	CS64B
CLAAS	Jaguar 850
DEUTZ-FAHR	Series 5 5100
FENDT	Vario 312, 309

AT02011

Specifications



MFR	ISKRA / LETRIKA
OEM	12
Voltage [V]	120
Amp. [A]	8 PK
Grooves [qty.]	55
Pulley[mm]	

Applications

AGCO	Various Models, Engine
CASE IH	FARMALL 115A, 115U
CLAAS	220, 230
ERKUNT	904E, 1004
LANDINI	Series 5 5-100H

AT02012

Specifications

MFR	ISKRA / LETRIKA
OEM	194165
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	1 PK
Pulley[mm]	36

Applications

GEHL	4640 E, 5240E
MANITOU	MT5519XT
MUSTANG	1750RT, 2056

AT02013

Specifications

MFR	ISKRA / LETRIKA
OEM	11.205.323
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	

Applications

DEUTZ-FAHR	TCD
GEHL	ALT 750
KRAMER	KL 30.8 T
MANITOU	MT 1335 HA
MST	ST 13.35h

AT02013A — Specifications





MFR	LETRIKA (ISKRA)
OEM	11.205.010
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

BOMAG	BW 211 DH
CATERPILLAR	TH255C
FARESIN	11.35 Classic 55

AT02014 — Specifications





MFR	ISKRA / LETRIKA
OEM	72735037
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	8PK
Pulley[mm]	56

Applications

JCB	4CX, 2CX

AT02015 — Specifications



MFR	ISKRA / LETRIKA
OEM	01181747
Voltage [V]	12
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	

Applications

KHD	Engine
LINDE	H50D, H60D

AT02016 — Specifications



MFR	ISKRA / LETRIKA
OEM	MG118
Voltage [V]	12
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	

Applications

MASSEY FERGUSON	Mf400
MASSEY FERGUSON	MF 86
MASSEY FERGUSON	MF 400X
MASSEY FERGUSON	MF 4200
MASSEY FERGUSON	MF 200

AT02017 — Specifications

MFR	ISKRA / LETRIKA
OEM	11.201.913
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1 PK
Pulley[mm]	65

Applications

AUSTIN	MAESTRO Fastback (XC)
FORD	GRANADA Turnier (GNU)
LANDINI	REX 60 F
ROVER	2000-3500 Hatchback (Sd1)

AT02018 — Specifications

MFR	ISKRA / LETRIKA
OEM	MG595
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

AT02019 — Specifications

MFR	ISKRA / LETRIKA
OEM	11.201.792
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

AHLMANN	AS 150 E, AS 210
ATLAS	140 W, 150 W
KHD	Engine,
LIEBHERR	A309 Litronic
MECALAC	714 MWR, 71M CE

AT02019A — Specifications

MFR	ISKRA / LETRIKA
OEM	11.201.792
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

AHLMANN	AS 150 E, AS 210
ATLAS	140 W, 150 W
KHD	Engine,
LIEBHERR	A309 Litronic
MECALAC	714 MWR, 71M CE

AT02019B — Specifications





MFR	LETRIKA (ISKRA)
OEM	11.201.791
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	2
Pulley[mm]	

Applications

ATLAS-WEYCOR	AW 1110
BOMAG	BW 161 AD-50 AM
DEUTZ-FAHR	Agrotron
HAMM	3410 P, 3410

AT02020 — Specifications





MFR	ISKRA / LETRIKA
OEM	1181735
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	10PK
Pulley[mm]	50

Applications

ATLAS COPCO	Bommer D1D
HITTNER	120
KHD	Engine
KHD	Engine
LIEBHERR	A314

AT02021 — Specifications



MFR	ISKRA / LETRIKA
OEM	11.203.043
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	
Pulley[mm]	

Applications

ABG	7820
ATLAS	1604 ZW, 180 MH
DEUTZ-FAHR	Various Models
DYNAPAC	PL 1000T
KHD	Engine

AT02021A — Specifications



MFR	ISKRA / LETRIKA
OEM	11.203.043
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	
Pulley[mm]	

Applications

ABG	7820
ATLAS	1604 ZW, 180 MH
DEUTZ-FAHR	Various Models
DYNAPAC	PL 1000T
KHD	Engine

AT02022 — Specifications

MFR	ISKRA / LETRIKA
OEM	11.204.136
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	

Applications

ATLAS	AR 105, AR65, AR75
AUSA	D600 AP, D600 APG
GEHL	AL750, RS6-34
HITACHI	ZW120-6
HUSQVARNA	Fs7000

AT02023 — Specifications

MFR	ISKRA / LETRIKA
OEM	32008611
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	8 PK
Pulley[mm]	56

Applications

JCB	Engine, Various Models

AT02024 — Specifications

MFR	ISKRA / LETRIKA
OEM	11.203.336
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8 PK
Pulley[mm]	60

Applications

KAVZ	4238
PAZ	3204

AT02025 — Specifications

MFR	ISKRA / LETRIKA
OEM	84254290
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8 PK
Pulley[mm]	55

Applications

CASE	580ST, 590ST/SN

AT02026

Specifications



MFR	ISKRA / LETRIKA
OEM	MG233
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	2
Pulley[mm]	





Applications

CASE I.H.	5130 Maxxum
MCCORMICK	MC100, Mc115

AT02027

Specifications



MFR	ISKRA / LETRIKA
OEM	82036223
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	10 PK
Pulley[mm]	61





Applications

CASE	PUMA 215 CVX
CASE	T 7030, T 7070
NEW HOLLAND	T7.230 AUTO COMMAND
NEW HOLLAND	T7060, T7050

AT02027A

Specifications



MFR	ISKRA
OEM	11203623
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	10
Pulley[mm]	





Applications

CASE	PUMA 225 CVX
NEW HOLLAND	T7070

AT02027B

Specifications



MFR	ISKRA / LETRIKA
OEM	11.203.621
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	10 PK
Pulley[mm]	62





Applications

LANDINI	LANDPOWER 125
LANDINI	LANDPOWER 135, 145
LANDINI	LANDPOWER 165

AT02028

Specifications



MFR	ISKRA / LETRIKA
OEM	46231657
Voltage [V]	12
Amp. [A]	45
Grooves [qty.]	1 PK
Pulley[mm]	65





Applications

AGCO	Various Models
AGROMEHANIKA	AGT 835,
AUTOBIANCHI	Y10
FIAT	PANDA, TIPO
GOLDONI	45 SN

AT02029

Specifications



MFR	ISKRA / LETRIKA
OEM	CA1629IR
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	





Applications

AGCO	GT 45
DEUTZ	AGROPLUS 60
HUERLIMANN	XT 909
LANDINI	MYTHOS, GLOBUS

AT02029A

Specifications



MFR	ISKRA / LETRIKA
OEM	12678N
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	





Applications

AGCO	GT 45
SAME DEUTZ-FAHR	AGROPLUS 60
HUERLIMANN	XT 909, XT 909 DT
LANDINI	GLOBUS

AT02030

Specifications



MFR	ISKRA / LETRIKA
OEM	11.203.494
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8 PK
Pulley[mm]	61





Applications

CASE IH	PUMA 145
FORD	TRANSIT Van
NEW HOLLAND	TD 5 5.85
STEYR	PROFI 6125

AT02031

Specifications



MFR	ISKRA / LETRIKA
OEM	11.203.181
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8 PK
Pulley[mm]	60





Applications

CLAAS	ARION 430
DEUTZ-FAHR	Engine
JOHN DEERE	6600 Serie
KHD	Engine
RENAULT TRUCKS	ARES Ares

AT02032

Specifications



MFR	ISKRA / LETRIKA
OEM	0124625031
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	
Pulley[mm]	





Applications

JOHN DEERE	Series 6 6110MC
JOHN DEERE	Series 7 7230R
JOHN DEERE	Series 6030 6930
JOHN DEERE	Series 7030 7430

AT02033

Specifications



MFR	ISKRA / LETRIKA
OEM	MG340
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	





Applications

JOHN DEERE	

AT02034

Specifications



MFR	ISKRA / LETRIKA
OEM	11.201.970
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	





Applications

CASE IH	PUMA 130, 145
FORD	TRANSIT Bus,
MASSEY FERGUSON	MF 6110, 6120

AT02035

Specifications



MFR	ISKRA / LETRIKA
OEM	1.203.042
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	6 PK
Pulley[mm]	67





Applications

CATERPILLAR	CS68B
FORD	MONDEO I
NEW HOLLAND	TM Tm115

AT02036

Specifications



MFR	ISKRA / LETRIKA
OEM	11.203.175
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

ARMATRAC	Serie-11
ASV	RT-110, RT-110F
CATERPILLAR	914K, 920K, CB44B
ERKUNT	802, 804
HATTAT	A100, A110, A90

AT02037

Specifications

MFR	ISKRA / LETRIKA
OEM	11.201.908
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	8 PK
Pulley[mm]	56

Applications

JCB	260, 260T, 280
MOSA	125 JSX / JMSX EAS

AT02038

Specifications

MFR	ISKRA / LETRIKA
OEM	11.203.351
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8 PK
Pulley[mm]	60

Applications

JOHN DEERE	Engine

AT02038A

Specifications







MFR	ISKRA / LETRIKA
OEM	11201869
Voltage [V]	12
Amp. [A]	75
Grooves [qty.]	
Pulley[mm]	

Applications

JOHN DEERE	4045 series engines
DOOSAN PORTABLE POWER	G60, G80, G100
CATERPILLAR	BACKHOE LOADERS 416

AT02039

Specifications







MFR	ISKRA / LETRIKA
OEM	11.203.405
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

KRAMER	500, 516
LINDE	H 20, H 25
MARSHALL	D 742, D 744
PUTZMEISTER	M740D
STEYR	8055, 8060

AT02040

Specifications







MFR	ISKRA / LETRIKA
OEM	11.203.840
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	8 PK
Pulley[mm]	55

Applications

CARRARO	AGRICUBE 70, 80, 90
CLAAS	ELIOS 210, 220

AT02041

Specifications







MFR	ISKRA / LETRIKA
OEM	11.203.565
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

MASSEY FERGUSON	MF 3600
VALTRA	A SERIES A72, A82, A92

AT02042

Specifications







MFR	ISKRA / LETRIKA
OEM	11.201.055
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	1 PK
Pulley[mm]	56

Applications

IVECO	EUROCARGO I-III
LAVERDA	3900, MX 300
MASSEY FERGUSON	Various Models
PALMIERI	1500 GN, 1800 GN
RENAULT	MEGANE I

AT02043

Specifications







MFR	ISKRA / LETRIKA
OEM	12038N
Voltage [V]	12
Amp. [A]	34
Grooves [qty.]	1 PK
Pulley[mm]	

Applications

MASSEY FERGUSON	TRACTOR 135

AT02044

Specifications







MFR	ISKRA / LETRIKA
OEM	11.203.256
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	1 PK
Pulley[mm]	46.5

Applications

FIORI	DB 260
JCB	100 C-1, 150 T
KOHLER	Engine
MERLO	P 27.6 TCR

AT02045

Specifications







MFR	ISKRA / LETRIKA
OEM	11.201.358
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1 PK
Pulley[mm]	43.5

Applications

AUTOBIANCHI	Y10
FIAT	PANDA, UNO
LANCIA	Y10

AT02046

Specifications







MFR	ISKRA / LETRIKA
OEM	MG148
Voltage [V]	12
Amp. [A]	275
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR
FORD
MACK
VOLVO

AT02047

Specifications







MFR	ISKRA / LETRIKA
OEM	11.204.198
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	8 PK
Pulley[mm]	55

Applications

LANDINI	Series 7 145, 165, 190
MCCORMICK	X7 X7.680, X7.650

AT02048

Specifications







MFR	ISKRA / LETRIKA
OEM	11205447
Voltage [V]	12
Amp. [A]	330
Grooves [qty.]	
Pulley[mm]	

Applications

JOHN DEERE

AT02049

Specifications







MFR	ISKRA / LETRIKA
OEM	11.204.198
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	8 PK
Pulley[mm]	55

Applications

LANDINI	Series 7 145
MCCORMICK	X7 X7.680, X7.650

AT02050

Specifications







MFR	ISKRA / LETRIKA
OEM	11.204.198
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	8 PK
Pulley[mm]	55

Applications

LANDINI	Series 7 145, 165
MCCORMICK	X7 X7.680, X7.650

AT02051

Specifications



MFR	ISKRA / LETRIKA
OEM	11201869
Voltage [V]	12
Amp. [A]	75
Grooves [qty.]	8PK
Pulley[mm]	60

Applications

CATERPILLAR	BACKHOE LOADERS
DOOSAN	G200-IIIA
JOHN DEERE	344J , 550 G

AT02052

Specifications

MFR	ISKRA / LETRIKA
OEM	11.203.102
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	
Pulley[mm]	

Applications

PERKINS	Engine

AT02053

Specifications

MFR	ISKRA / LETRIKA
OEM	IA1625
Voltage [V]	12
Amp. [A]	220
Grooves [qty.]	
Pulley[mm]	

Applications

AGCO

AT02054 Specifications





MFR	ISKRA / LETRIKA
OEM	11205239
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	
Pulley[mm]	

Applications

AGCO

AT02056 Specifications





MFR	ISKRA / LETRIKA
OEM	21581N
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	

Applications

DEUTZ

AT02057 Specifications





MFR	ISKRA / LETRIKA
OEM	12169N
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	

Applications

ATLAS COPCO	XAS 66, 67 DdG
BOMAG	BW 151 AD-4
CLAAS	Dominator 100
DEUTZ-ALLIS	6265, 6275, 7085
DEUTZ-FAHR	Agrofarm 100

AT02058 Specifications





MFR	ISKRA / LETRIKA
OEM	12791N
Voltage [V]	12
Amp. [A]	175
Grooves [qty.]	8
Pulley[mm]	62

Applications

CASE	3330PATRIOT
MASSEYFERGUSON	MF-480STX
NEWHOLLANDINDUSTRIAL	H8040,H8060
STEIGER	330,335,380,385

AT02059 Specifications





MFR	ISKRA / LETRIKA
OEM	22212N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	
Pulley[mm]	

Applications

Challenger	MT445B, MT455B
Massey Ferguson	MF 4707

AT02060 Specifications





MFR	ISKRA / LETRIKA
OEM	0120489293
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	
Pulley[mm]	

Applications

Agco Allis	8745, 8765
Agco White	6410, 6510
Agco White	6710, 6810
Austin - Europe	MONTEGO (XE)
Case	1294, 1394, 1490

AT02061 Specifications





MFR	ISKRA / LETRIKA
OEM	11675N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8
Pulley[mm]	55

Applications

New Holland Industrial	CSX7040

AT02062 Specifications





MFR	ISKRA / LETRIKA
OEM	12427N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8
Pulley[mm]	67

Applications

CASE	Cs660, MXM120
FORD	Transit
New Holland	TM115, Tm120

AT02063 Specifications





MFR	ISKRA / LETRIKA
OEM	22222N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

CHALLENGER	WT460B, WT470B
MASSEY FERGUSON	MF 4292, MF 4297
VALTRA VALMET	1180s, 1280

AT02065 Specifications





MFR	ISKRA / LETRIKA
OEM	0120400369
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	72

Applications

CASE	956 XL
CLAAS	105, 48, 76
EICHER	3026, 3028
IVECO	MK 110-13

AT02066 Specifications





MFR	ISKRA / LETRIKA
OEM	0124515205
Voltage [V]	12
Amp. [A]	145
Grooves [qty.]	8PK
Pulley[mm]	47

Applications

JOHNDEERE	BACKHOES310L
	BACKHOES310SLHL
	BACKHOES315SL
	BACKHOES325SL
	BACKHOES410L

AT02067 Specifications





MFR	ISKRA / LETRIKA
OEM	21934N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	1
Pulley[mm]	70

Applications

FARMTRAC	Heritage 6060
GOLDONI	ENERGY 80
JCB	135

AT02068 Specifications





MFR	ISKRA / LETRIKA
OEM	22271N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	8
Pulley[mm]	67

Applications

CASE IH	Farmall 110A
CASE	Maxxum 135
MASSEY FERGUSON	MF-6350, MF-6360
NEW HOLLAND INDUSTRIAL	TC5070, Tc5090

AT02069 Specifications



MFR	ISKRA / LETRIKA
OEM	5802861846
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	8
Pulley[mm]	55

Applications

FPT (IVECO)	ENGINES
	GEN SET

AT02070 Specifications

MFR	ISKRA / LETRIKA
OEM	0120484049
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

THERMO KING	RD-II
	SB-III
	SB-III
	SB/SB
	SENTRY II

AT03001 Specifications





MFR	Delco Remy
OEM	0120468053
Voltage [V]	2480
Amp. [A]	
Grooves [qty.]	
Pulley[mm]	

Applications

DOOSAN	ENGINES
Cummins	MKS-M800
DAEWOO	D15 S-2, G15 S-2

AT03001A Specifications





MFR	Delco Remy
OEM	12161N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

Mercury	Various Models

AT03002 Specifications





MFR	Delco Remy
OEM	1-2699-01DR
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	2 PK
Pulley[mm]	

Applications

HYSTER
CATERPILLAR
VERMEER

AT03002A Specifications





MFR	Delco Remy
OEM	19020611
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	6 PK
Pulley[mm]	49.5

Applications

MERCRUISER	Black Scorpion Ski (Gen+)

AT03003 Specifications





MFR	Delco Remy
OEM	12161N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	2
Pulley[mm]	80

Applications

JOHNDEERE	065,1068,1075, 1085,2054,2056,2058,

AT03004 Specifications





MFR	Delco Remy
OEM	3276712
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8 PK
Pulley[mm]	55

Applications

CATERPILLARE	NGINES

AT03005 Specifications





MFR	Delco Remy
OEM	20R3600
Voltage [V]	24
Amp. [A]	85
Grooves [qty.]	8 PK
Pulley[mm]	

Applications

CATERPILLAR	XCAVATOR 312E

AT03006 Specifications





MFR	Delco Remy
OEM	5310736
Voltage [V]	24
Amp. [A]	70
Grooves [qty.]	8 PK
Pulley[mm]	70.5

Applications

CUMMINS	QSL 9.3

At03007 Specifications





MFR	Delco Remy
OEM	0R2698
Voltage [V]	24
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR	3208, 3304
ALLIS CHALMERS	Loader 945
CUMMINS	Engines C Series,
FIAT-ALLIS	Crawlers 10C

AT03008 Specifications





MFR	Delco Remy
OEM	0986081030
Voltage [V]	24
Amp. [A]	70
Grooves [qty.]	
Pulley[mm]	

Applications

JOHN DEERE	853G
KOMATSU	PC300HD, WA180
NEW HOLLAND	EC130, EC160
TIMBERJACK	2618, 2628, 608

AT03008B Specifications





MFR	Delco Remy
OEM	8076N
Voltage [V]	12
Amp. [A]	145
Grooves [qty.]	
Pulley[mm]	

Applications

FORD	B-600, B-700
INTERNATIONAL	1652/1654
MILLER APPLICATIONS TECHNOLOGY	Nitro 200

AT03009 Specifications





MFR	Delco Remy
OEM	10459318
Voltage [V]	12
Amp. [A]	160
Grooves [qty.]	
Pulley[mm]	

Applications

FORD	F650 Super-Duty
FREIGHTLINER	Argosy
INTERNATIONAL	4000, 4900

AT03010 Specifications





MFR	Delco Remy
OEM	1298500DR
Voltage [V]	12
Amp. [A]	160
Grooves [qty.]	
Pulley[mm]	

Applications

International	
Kenworth	
Mack	Various
Peterbilt	
Sterling	

AT03011A Specifications



MFR	Delco Remy
OEM	1-3122-00DR
Voltage [V]	24
Amp. [A]	70
Grooves [qty.]	
Pulley[mm]	

Applications

HYDREMA	906E
JCB	426, 434S, 436E
JOHN DEERE	8800i
ERF	Ec11

AT03012 Specifications

MFR	Delco Remy
OEM	201781
Voltage [V]	24
Amp. [A]	75
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR	Engines
CUMMINS	Engines

AT03013 Specifications

MFR	Delco Remy
OEM	7197N
Voltage [V]	24
Amp. [A]	65
Grooves [qty.]	
Pulley[mm]	

Applications

CASE	W14 Loader
CASE	Various
CLARK	Various
CONSOLIDATED DIESEL	Various
CUMMINS	Engines

AT03014 Specifications





MFR	Delco Remy
OEM	8717N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR	D7T; ENGINE C15

AT03015 Specifications





MFR	Delco Remy
OEM	0141546202
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8 PK
Pulley[mm]	93

Applications

FENDT	Kantana 65
MERCEDES TRUCK	New Actros 1833

AT03015A Specifications





MFR	Delco Remy
OEM	8749N
Voltage [V]	12
Amp. [A]	200
Grooves [qty.]	
Pulley[mm]	

Applications

FREIGHTLINER	108SD, 114SD
HINO	198, 258, 268
WESTERN STAR	4700SB, 4700SF

AT03015B Specifications





MFR	Delco Remy
OEM	8762N
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	
Pulley[mm]	

Applications

FREIGHTLINER	Heavy Duty
INTERNATIONAL	Heavy Duty
KENWORTH	Heavy Duty
MACK	Heavy Duty
PETERBILT	Heavy Duty

AT03016 Specifications





MFR	DELCO REMY
OEM	7975
Voltage [V]	24
Amp. [A]	75
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR	517, 527, AP650C
CHAMPION	710, 710A, 716A
CUMMINS	K Series
CUMMINS	Marine Engines V Series

AT03017 Specifications





MFR	DELCO REMY
OEM	7256
Voltage [V]	12-24
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

CASE	9190
CUMMINS	Engines 855 Series
FORD	C8000, CI9000,

AT03018 Specifications





MFR	DELCO REMY
OEM	8085
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	
Pulley[mm]	

Applications

CASE	1021F
CATERPILLAR	330BLN
NEW HOLLAND	W270C, W300C
VOLVO	G740, G740B

AT03019 Specifications





MFR	DELCO REMY
OEM	8096
Voltage [V]	12
Amp. [A]	135
Grooves [qty.]	
Pulley[mm]	

Applications

AMERICAN LAFrance	ALF Eagle
AUTOCAR LLC.	Xpeditor WX
CHEVROLET	C8500
CRANE CARRIER	Low Entry
EMERGENCY ONE	Emergency One

AT03019B Specifications





MFR	DELCO REMY
OEM	8562
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR AG. & IND.	140H, 143H
CATERPILLAR	143H, 14H
KENWORTH	W900 Series

AT03020 Specifications





MFR	DELCO REMY
OEM	8609N
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	
Pulley[mm]	

Applications

AMERICAN LAFRANCE	Condor
AUTOCAR LLC.	Xpeditor WX
CRANE CARRIER	Centurion

AT03021 Specifications





MFR	DELCO REMY
OEM	8608N
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	
Pulley[mm]	

Applications

FORD	L6000, L7000
FREIGHTLINER	Argosy, Century Class
INTERNATIONAL	3000-3900 Series Bus

AT03022 Specifications





MFR	DELCO REMY
OEM	8607N
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	
Pulley[mm]	

Applications

AUTOCAR	All Models
AUTOCAR LLC.	All Models
BLUE BIRD	All Models
FORD	L6000, L7000

AT03023 Specifications





MFR	DELCO REMY
OEM	8612N
Voltage [V]	12
Amp. [A]	170
Grooves [qty.]	
Pulley[mm]	

Applications

ADVANCE MIXER	All Models
AMERICAN LAFRANCE	All Models
AUTOCAR	All Models
FREIGHTLINER	Argosy
INTERNATIONAL	4000-4900 Series

AT03024 Specifications



MFR	DELCO REMY
OEM	8613N,
Voltage [V]	12
Amp. [A]	170
Grooves [qty.]	
Pulley[mm]	

Applications

KENWORTH	C500 Series
PETERBILT	357 Series

AT03025 Specifications

MFR	DELCO REMY
OEM	8614N
Voltage [V]	12
Amp. [A]	170
Grooves [qty.]	
Pulley[mm]	

Applications

ADVANCE MIXER	All Models
AMERICAN LAFRANCE	All Models
AUTOCAR LLC.	All Models
FREIGHTLINER	Argosy

AT03026 Specifications

MFR	DELCO REMY
OEM	8912N
Voltage [V]	12
Amp. [A]	320
Grooves [qty.]	
Pulley[mm]	

Applications

AUTOCAR LLC.	All Models
BLUE BIRD	All Models
EMERGENCY ONE	All Models
FREIGHTLINER	Coronado
IC CORPORATION	1000SC, 1300FBC

AT03027 Specifications



MFR	Bosch
OEM	DELCO REMY
Voltage [V]	8754N
Amp. [A]	12
Grooves [qty.]	320
Pulley[mm]	





Applications

HINO	155, 195
SPARTAN MOTORS	Bus Chassis
SUTPHEN CORP.	Aerial, Pumper
THOMAS	Saf-T-Liner

AT03027A Specifications



MFR	DELCO REMY
OEM	8758N
Voltage [V]	12
Amp. [A]	320
Grooves [qty.]	
Pulley[mm]	





Applications

FREIGHTLINER	Argosy
GILLIG	Motorhome
GMC	B7
HINO	145/155/165

AT03028 Specifications



MFR	DELCO REMY
OEM	7326N
Voltage [V]	24
Amp. [A]	275
Grooves [qty.]	
Pulley[mm]	





Applications

MOTOR COACH INDUSTRIES	D4000, D4500
MOTOR COACH INDUSTRIES	J3500
MOTOR COACH INDUSTRIES	J4500
PREVOST	X3 Coach

AT03029 Specifications



MFR	DELCO REMY
OEM	7382N
Voltage [V]	24
Amp. [A]	275
Grooves [qty.]	
Pulley[mm]	





Applications

MOTOR COACH INDUSTRIES	J3500
MOTOR COACH INDUSTRIES	J4500
PREVOST	X3 Coach

AT03030 Specifications



MFR	DELCO REMY
OEM	8600564
Voltage [V]	24
Amp. [A]	275
Grooves [qty.]	
Pulley[mm]	





Applications

Cummins	Industrial engines
Caterpillar	Industrial engines
Detroit Diesel	Industrial engines
MTU	Industrial Motors

AT03031 Specifications



MFR	DELCO REMY
OEM	21513N
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	6
Pulley[mm]	





Applications

CHEVROLET - EUROPE	Cruze (J300/J305/J308)
CHEVROLET	Sonic
OPEL - EUROPE	Astra GTC J
VAUXHALL - EUROPE	Astra J

AT03032 Specifications



MFR	DELCO REMY
OEM	ALD7711BS
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6 PK
Pulley[mm]	56





Applications

SSANGYONG	Actyon II 2.0 Xdi

AT03033 Specifications



MFR	DELCO REMY
OEM	7005002
Voltage [V]	12
Amp. [A]	96
Grooves [qty.]	1 PK
Pulley[mm]	85





Applications

DOOSAN	DX55

AT03034 Specifications



MFR	DELCO REMY
OEM	7294-12N
Voltage [V]	12
Amp. [A]	94
Grooves [qty.]	1 PK
Pulley[mm]	





Applications

AMERICAN MOTORS	Concord, Eagle
BUICK	Century, Electra
CADILLAC	DeVille

AT03035 Specifications



MFR	DELCO REMY
OEM	5302290
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	8 PK
Pulley[mm]	





Applications

CUMMINS	ISF 2.8

AT03036 Specifications



MFR	DELCO REMY
OEM	4080791
Voltage [V]	24
Amp. [A]	75
Grooves [qty.]	8 PK
Pulley[mm]	60





Applications

CUMMINS	4BT, 4BT3.9
HYUNDAI	Excavator R215LC-7

AT03037 Specifications



MFR	DELCO REMY
OEM	8464N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	6 PK
Pulley[mm]	55





Applications

MERCURY	135CXL/135L/135XL Verado 4-Stroke
MERCURY	150CXL/150L/150XL Verado 4-Stroke
MERCURY	175L/175XL Verado 4-Stroke
MERCURY	200CXL/200L/200XL Verado 4-Stroke
MERCURY	200CXL/200L/200XL Verado 4-Stroke

AT03038 Specifications



MFR	DELCO REMY
OEM	8470N
Voltage [V]	12
Amp. [A]	50
Grooves [qty.]	4 PK
Pulley[mm]	





Applications

MERCURY	115CXL/115L/115XL Optimax Saltwater

AT03039 Specifications



MFR	DELCO REMY
OEM	114496
Voltage [V]	12
Amp. [A]	75
Grooves [qty.]	6 PK
Pulley[mm]	55

Applications

DELCO REMY	114496
KRAUF	ALD2154KR
MOTORHERZ	ALD2154RB
SSANGYONG	6621545002
ZAUFER	301N21466Z

AT03040 Specifications

MFR	DELCO REMY
OEM	ALD4060
Voltage [V]	12
Amp. [A]	85
Grooves [qty.]	5 PK
Pulley[mm]	75

Applications

MERCURY-MERCRUISER	Verado

AT03041 Specifications

MFR	REMY KOREA
OEM	20930N
Voltage [V]	24
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	

Applications

Nformation Not Available

AT03042

Specifications



MFR	DELCO REMY
OEM	18SI 8600399
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	





Applications

IVECO

AT03043

Specifications



MFR	DELCO REMY
OEM	7129N
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	1 PK
Pulley[mm]	





Applications

CASE	600 Skid King,
FIAT-ALLIS	100C, 150C, 200C
JOHN DEERE	190E, 290D, 490

AT03043A

Specifications



MFR	DELCO REMY
OEM	7127-12N
Voltage [V]	12
Amp. [A]	63
Grooves [qty.]	1 PK
Pulley[mm]	





Applications

AMERICAN MOTORS	AMX, Concord
BUICK	Apollo, Centurion
CADILLAC	Calais
CASE	1500 Cruz Crane

AT03043B

Specifications



MFR	DELCO REMY
OEM	71273N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1
Pulley[mm]	66





Applications

CHEVROLET	GMC Pickups P Series Trucks
BUICK	SKYLARK (N)

AT03044

Specifications



MFR	NIEHOFF
OEM	C653-3
Voltage [V]	24
Amp. [A]	260
Grooves [qty.]	9 PK
Pulley[mm]	





Applications

LIEBHERR	Mining Excavator Litronic R994
MTU	Industrial Applications

AT03045

Specifications



MFR	DELCO REMY
OEM	7176N
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	1
Pulley[mm]	56.7





Applications

CASE	1085B, 1085C
CUMMINS	B Series
FIAT-ALLIS	100C, 150C, 200C
JOHN DEERE	4276D/T, 490E

AT03046

Specifications



MFR	DELCO
OEM	21127N 13SI
Voltage [V]	24
Amp. [A]	75
Grooves [qty.]	8 PK
Pulley[mm]	





Applications

BARBER GREENE	BG500E
CATERPILLAR AG. & IND.	420E, 914G
CATERPILLAR	420E, 527

AT03048

Specifications



MFR	BOSCH
OEM	12389N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	9
Pulley[mm]	77





Applications

MERCEDES BENZ	1016, 1017, 1018
TRUCKS & BUSES	1022, 1023

AT04001

Specifications



MFR	MITSUBISHI
OEM	A3TN5586
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	





Applications

MITSUBISHI	4D34 4D34T 4D35

AT04002

Specifications



MFR	MITSUBISHI
OEM	11685N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	4 PK
Pulley[mm]	59





Applications

TAKEUCHI	TL12 R2

AT04003A

Specifications



MFR	MITSUBISHI
OEM	12667N
Voltage [V]	12
Amp. [A]	105
Grooves [qty.]	2
Pulley[mm]	82





Applications

MITSUBISHI-EUROPE	Delica
MITSUBISHI LCV-EUROPE	L200, L300

AT04004

Specifications



MFR	MITSUBISHI
OEM	12667N
Voltage [V]	12
Amp. [A]	105
Grooves [qty.]	2
Pulley[mm]	82





Applications

MITSUBISHI-EUROPE	Delica
MITSUBISHI LCV-EUROPE	L200

AT04005

Specifications



MFR	MITSUBISHI
OEM	22370N
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	6 PK
Pulley[mm]	65





Applications

MITSUBISHI FUSO	Canter

AT04005B

Specifications



MFR	MITSUBISHI
OEM	22370N
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	2
Pulley[mm]	

Applications

MITSUBISHI FUSO	Canter

AT04006

Specifications

MFR	MITSUBISHI
OEM	12602N
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	
Pulley[mm]	2

Applications

Kobelco	Ed190, ED190LC
New Holland	E160, E215

AT04007A

Specifications

MFR	MITSUBISHI
OEM	20111N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	12 PK
Pulley[mm]	80

Applications

CATERPILLAR	317B, 318B, 318C,
AG. & IND.	320B Loader

AT04008 Specifications



MFR	MITSUBISHI
OEM	20909N
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8 PK
Pulley[mm]	72





Applications

Volvo	D11A, D11B, D11C D11D

AT04009 Specifications



MFR	MITSUBISHI
OEM	12744N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	77





Applications

HITACHI	Ex120
JOHN DEERE	225C RTS

AT04010 Specifications



MFR	MITSUBISHI
OEM	1-3334-25W
Voltage [V]	12
Amp. [A]	75
Grooves [qty.]	2 PK
Pulley[mm]	





Applications

MITSUBISHI	L200 II 2.5 D K6/K7

AT04011 Specifications



MFR	MITSUBISHI
OEM	12432N
Voltage [V]	12
Amp. [A]	40
Grooves [qty.]	1
Pulley[mm]	69





Applications

Case	CX17B
Caterpillar Ag. & Ind.	301.6C Mini Excavator
Caterpillar	301.6C, 301.8C
Cub Cadet	7300, 7305
Doosan	DX15, DX18

AT04012 Specifications



MFR	MITSUBISHI
OEM	21381N
Voltage [V]	12
Amp. [A]	95
Grooves [qty.]	4
Pulley[mm]	60





Applications

FORD-EUROPE	TRANSIT Box
FORD LCV-EUROPE	Transit
LEYLAND DAF VANS-EUROPE	Convoy

AT04013 Specifications



MFR	MITSUBISHI
OEM	21044N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	10 PK
Pulley[mm]	





Applications

SCANIA	Engine DC13

AT04014 Specifications



MFR	MITSUBISHI
OEM	11231R
Voltage [V]	12
Amp. [A]	115
Grooves [qty.]	6
Pulley[mm]	53





Applications

CHRYSLER-EUROPE	SEBRING (JS)
CHRYSLER	200, Sebring
DODGE-EUROPE	AVENGER
DODGE	Avenger
JEEP	Compass

AT04015 Specifications



MFR	MITSUBISHI
OEM	12874N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	10
Pulley[mm]	106





Applications

DUTY-EUROPE	K410, K440

AT04016 Specifications



MFR	MITSUBISHI
OEM	23311N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	54





Applications

CITROEN-EUROPE	BERLINGO (B9/MF)
CITROEN LCV-EUROPE	Berlingo
PEUGEOT-EUROPE	407, 500SL

AT04017 Specifications



MFR	MANDO
OEM	23203N
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	5 PK
Pulley[mm]	





Applications

HYUNDAI-EUROPE	Terracan
KIA-EUROPE	Sedona

AT04018 Specifications



MFR	MITSUBISHI
OEM	21562N
Voltage [V]	24
Amp. [A]	130
Grooves [qty.]	
Pulley[mm]	





Applications

RENAULT	Magnum II, Premium II

AT04019 Specifications



MFR	MITSUBISHI
OEM	20366N
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	12
Pulley[mm]	69





Applications

CASE	327B, 330B
IVECO FIAT LCV / HEAVY DUTY-EUROPE	Stralis

AT04020 Specifications



MFR	MITSUBISHI
OEM	20257N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	8
Pulley[mm]	86





Applications

SCANIA HEAVY DUTY -EUROPE	K400, K410

AT04021 Specifications



MFR	MITSUBISHI
OEM	13445N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	4
Pulley[mm]	55

Applications

FORD	Probe
MAZDA	626, MX-6

AT04022 Specifications

MFR	MITSUBISHI
OEM	0986JR0253
Voltage [V]	12
Amp. [A]	40
Grooves [qty.]	1
Pulley[mm]	65

Applications

SUZUKI	CARRY V-DD51T

AT04023 Specifications

MFR	MITSUBISHI
OEM	13257N
Voltage [V]	12
Amp. [A]	75
Grooves [qty.]	5
Pulley[mm]	

Applications

MITSUBISHI	Pajero I 3.0 V6 L04/L14

AT04024 Specifications





MFR	MITSUBISHI
OEM	A9TU5482
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	3A
Pulley[mm]	82

Applications

ISUZU	6WG1

AT04025 Specifications





MFR	MITSUBISHI
OEM	20224N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	10
Pulley[mm]	64

Applications

KHD	Engine 4.8, Engine 7.2
VOLVO	FE 240-18, 240-26

AT04026 Specifications



MFR	MITSUBISHI
OEM	20290N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	10
Pulley[mm]	72

Applications

SCANIA HEAVY DUTY -EUROPE	G480, P480

AT04027 Specifications



MFR	MITSUBISHI
OEM	12551N
Voltage [V]	24
Amp. [A]	30
Grooves [qty.]	1O
Pulley[mm]	82

Applications

MITSUBISHI FUSO	Canter FB, FE
MITSUBISHI	FD-30, FD-30B-D

AT04028 Specifications





MFR	MITSUBISHI
OEM	12642N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1
Pulley[mm]	84

Applications

MITSUBISHI-EUROPE	Colt Mk3
MITSUBISHI LCV-EUROPE	L200, L300

AT04029 Specifications





MFR	MITSUBISHI
OEM	20365N
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8
Pulley[mm]	72

Applications

Scania Heavy Duty - Europe	114 Series

AT04030 Specifications



MFR	MITSUBISHI
OEM	12138N
Voltage [V]	12
Amp. [A]	40
Grooves [qty.]	1A
Pulley[mm]	73

Applications

HYSTER	Various Models
SUMITOMO YALE	DB
YALE	Various Models

AT04031 Specifications



MFR	MITSUBISHI
OEM	1812005420
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	2
Pulley[mm]	

Applications

ISUZU	6WG1 Engines

AT04032 Specifications





MFR	MITSUBISHI
OEM	ALA0236
Voltage [V]	24
Amp. [A]	70
Grooves [qty.]	2A
Pulley[mm]	56

Applications

HYUNDAI	COUNTY NB, COUNTY E NQ

AT04033 Specifications





MFR	MITSUBISHI
OEM	12363N
Voltage [V]	12
Amp. [A]	45
Grooves [qty.]	1
Pulley[mm]	74

Applications

KUBOTA	M108SDS, M108SDS2

AT04034 Specifications



MFR	MITSUBISHI
OEM	22862N
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	2
Pulley[mm]	84

Applications

HYUNDAI-EUROPE	Porter, Satellite
HYUNDAI LCV-EUROPE	H-1, Starex

AT04035 Specifications



MFR	MITSUBISHI
OEM	21036N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	
Pulley[mm]	

Applications

NISSAN	NP300

AT04036 Specifications





MFR	MITSUBISHI
OEM	ALM5082
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	2
Pulley[mm]	

Applications

NISSAN	Atlas, Condor (Japan)

AT04037 Specifications



MFR	MITSUBISHI
OEM	12748N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	82

Applications

CATERPILLAR AG. & IND.	311, 311B
KOBELCO	320DRRFM

AT04037A Specifications

MFR	Replacement for
OEM	20111N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	12
Pulley[mm]	80.5

Applications

Caterpillar Ag. & Ind.	317B, 318B, 318C

AT04038 Specifications

MFR	MITSUBISHI
OEM	0986080910
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1
Pulley[mm]	

Applications

HYUNDAI	H100 2.5 Diesel

AT04039 Specifications







MFR	MITSUBISHI
OEM	21666N
Voltage [V]	24
Amp. [A]	130
Grooves [qty.]	10
Pulley[mm]	70

Applications

SCANIA	P450, R450, R500, R580

AT04040 Specifications







MFR	MITSUBISHI
OEM	1800A111
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	4
Pulley[mm]	60.5

Applications

HYUNDAI	SONATA
KIA	MAGENTIS
MITSUBISHI	CARISMA
VOLVO	S40, V40

AT05001 Specifications







MFR	DENSO
OEM	12775N
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	8
Pulley[mm]	77

Applications

KOMATSU	PC200, Pc220

AT05002 Specifications





MFR	DENSO
OEM	12776N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	8
Pulley[mm]	55

Applications

CASE	570MXT Series III
NEW HOLLAND	B110, B110B
INDUSTRIAL	

AT05003A Specifications







MFR	DENSO
OEM	13492N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	1
Pulley[mm]	67

Applications

TOYOTA	4Runner, Pickup

AT05004 Specifications







MFR	DENSO
OEM	ALN9290
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	76

Applications

HINO	300 4.0 D
TOYOTA	Dyna (WU700)

AT05005 Specifications







MFR	DENSO
OEM	12658N
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	8
Pulley[mm]	

Applications

AG-CHEM	6103 TERRAGATOR
JOHN DEERE	6081AFM75

AT05006 Specifications







MFR	DENSO
OEM	12470N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	69.5

Applications

CATERPILLAR	228, 236, 246
AG. & IND.	

AT05007 Specifications







MFR	DENSO
OEM	12179N
Voltage [V]	12
Amp. [A]	40
Grooves [qty.]	1
Pulley[mm]	63

Applications

ALLMAND	Nite-Light Pro, TLB 425
AMIDA	AL4000, LT5000
CASE	1825B, 1838, 460, 6010

AT05008 Specifications







MFR	DENSO
OEM	13499N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	5
Pulley[mm]	55

Applications

TOYOTA-EUROPE	Camry, Carina E
TOYOTA	Camry

AT05009 Specifications





MFR	DENSO
OEM	12179N
Voltage [V]	12
Amp. [A]	40
Grooves [qty.]	1
Pulley[mm]	63

Applications

ALLMAND	Nite-Light Pro
AMIDA	AL4000, LT5000
CASE	1825B, 1838, 460

AT05010 Specifications





MFR	DENSO
OEM	12656N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	1
Pulley[mm]	69

Applications

HUSQVARNA	HUV 4421 DXL
ISEKI	TG5390
MASSEY FERGUSON	MF-1547
THOMAS EQUIPMENT	T95

AT05011 Specifications





MFR	DENSO
OEM	23934N
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	82

Applications

TOYOTA LCV-EUROPE	Coaster

AT05012 Specifications





MFR	DENSO
OEM	DA1458
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	6
Pulley[mm]	

Applications

DAIHATSU	Extol 1.3, Sirion I 1.3 16V M1

AT05013 Specifications





MFR	DENSO
OEM	1022114150
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	82

Applications

HINO	300 4.0 D
TOYOTA	Dyna (WU700)

AT05014 Specifications





MFR	DENSO
OEM	23710N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	2
Pulley[mm]	74

Applications

FIAT-EUROPE	Kt11372
TOYOTA LCV-EUROPE	Hi-Ace, Hi-Lux

AT05015 Specifications





MFR	DENSO
OEM	12355N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	2
Pulley[mm]	79

Applications

YANMAR	6LP-DT, 6LP-DTE

AT05016 Specifications





MFR	DENSO
OEM	DRA3505N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	2
Pulley[mm]	

Applications

TOYOTA	Hi-Ace II 2.4 D
VOLKSWAGEN	Taro 2.4 D

AT05017 Specifications





MFR	DENSO
OEM	DRA3505N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	

Applications

TOYOTA	Hi-Ace II 2.4 D
VOLKSWAGEN	Taro 2.4 D

AT05018 Specifications





MFR	DENSO
OEM	CA2115IR
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	7
Pulley[mm]	

Applications

KIA	Sorento I 2.5 CRDi JC

AT05019 Specifications





MFR	DENSO
OEM	ALN0105
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	8
Pulley[mm]	57

Applications

JEEP	Cherokee I 2.5 TD XJ

AT05020 Specifications





MFR	DENSO
OEM	20779N
Voltage [V]	12
Amp. [A]	130
Grooves [qty.]	7
Pulley[mm]	58

Applications

TOYOTA-EUROPE	Land Cruiser Prado
TOYOTA	Hiace

AT05021 Specifications





MFR	DENSO
OEM	ALN1534
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	2
Pulley[mm]	

Applications

TOYOTA	Land Cruiser (J7)

AT05022 Specifications



MFR	DENSO
OEM	12346N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	2
Pulley[mm]	76

Applications

CATERPILLAR AG. & IND.	416C

AT05023 Specifications

MFR	DENSO
OEM	11903N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	1
Pulley[mm]	69

Applications

KUBOTA	L5740, L5740HST

AT05024 Specifications

MFR	DENSO
OEM	12770N
Voltage [V]	24
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR AG. & IND.	140H, 143H 14H, 160H

AT05025

Specifications







MFR	DENSO
OEM	12670N
Voltage [V]	24
Amp. [A]	95
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR AG. & IND.	1090, 1090T 1190T, 1290T

AT05025A

Specifications







MFR	DENSO
OEM	ALN8140
Voltage [V]	24
Amp. [A]	65
Grooves [qty.]	8
Pulley[mm]	

Applications

CATERPILLAR	Engines 3116, 3126

AT05025B

Specifications







MFR	DENSO
OEM	12349N
Voltage [V]	12
Amp. [A]	130
Grooves [qty.]	
Pulley[mm]	

Applications

DODGE	Sprinter 2500
FREIGHTLINER	Argosy

AT05026

Specifications







MFR	DENSO
OEM	14793N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR AG. & IND.	120M, 12M, 140
CATERPILLAR	120M 2, 120M AWD

AT05027

Specifications







MFR	DENSO
OEM	12859N
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR AG. & IND.	120M, 12M, 14
CATERPILLAR	14L, 24M, 583T

AT05028

Specifications







MFR	DENSO
OEM	21571N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	

Applications

ALFA ROMEO	Ypsilon II 1.3 D Multijet 846
CITROEN	3 II 2.0 MZR BL
FIAT	Bipper 1.3 HDi AA

AT05029

Specifications







MFR	DENSO
OEM	1-3469-25W
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	6
Pulley[mm]	

Applications

OPEL	Agila A 1.3 CDTI H00

AT05030

Specifications







MFR	BOSCH
OEM	0986080550
Voltage [V]	12
Amp. [A]	85
Grooves [qty.]	4 Pk54mm
Pulley[mm]	

Applications

FIAT	Brava, Bravo I

AT05031

Specifications







MFR	DENSO
OEM	12778N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	2 PK
Pulley[mm]	

Applications

ISUZU	4BG1, 4BG1T

AT05032

Specifications







MFR	DENSO
OEM	12210N
Voltage [V]	24
Amp. [A]	20
Grooves [qty.]	1 PK (V1)
Pulley[mm]	77

Applications

TOYOTA	5FD-20, 5FD-23

AT05033

Specifications







MFR	DENSO
OEM	23934N
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	76

Applications

TOYOTA	Coaster

AT06001 Specifications



MFR	VALEO
OEM	3730048000
Voltage [V]	24
Amp. [A]	70
Grooves [qty.]	8
Pulley[mm]	





Applications

VALEO	E-COUNTY [NB] GEN

AT06002 Specifications



MFR	VALEO
OEM	13208N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	
Pulley[mm]	





Applications

CASE	252
PORSCHE	911
PORSCHE	911
PORSCHE	911
PORSCHE	911

AT06002A Specifications



MFR	VALEO
OEM	11.201.852
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	
Pulley[mm]	





Applications

HATZ	2L40, 2L41, 2M40, 2M41

AT06003 Specifications



MFR	VALEO
OEM	CA1192IR
Voltage [V]	12
Amp. [A]	45
Grooves [qty.]	1
Pulley[mm]	79





Applications

NANNI DIESEL	NK2.45ECO
VOLVO PENTA	KAD32P

AT06004 Specifications



MFR	VALEO
OEM	0986081270
Voltage [V]	12
Amp. [A]	125
Grooves [qty.]	6
Pulley[mm]	





Applications

RENAULT	Laguna II 1.8 BG KG
RENAULT	Laguna II 2.0 IDE BG KG

AT06005 Specifications



MFR	VALEO
OEM	21Q641000
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	8
Pulley[mm]	62





Applications

HYUNDAI	Excavator R140LC9S

AT06006 Specifications



MFR	VALEO
OEM	11716N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	48





Applications

MERCEDES-BENZ	C250, SLK250

AT06007 Specifications



MFR	VALEO
OEM	20091N
Voltage [V]	12
Amp. [A]	220
Grooves [qty.]	6
Pulley[mm]	51





Applications

MERCEDES LCV-EUROPE	Sprinter 209, 211

AT06008 Specifications



MFR	VALEO
OEM	22955N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	5
Pulley[mm]	54





Applications

BMW-EUROPE	3 (E46) 320d
MG-EUROPE	MG ZT, MG ZT-T
ROVER GROUP-EUROPE	GV, MGZT-T, MGZT

AT06009 Specifications



MFR	VALEO
OEM	CA1085IR
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	6
Pulley[mm]	65





Applications

FORD	GRANADA I (GAE, GGE) 2.9i 24V

AT06010 Specifications



MFR	VALEO
OEM	12459N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	1
Pulley[mm]	88





Applications

ARRIER TRANSICOLD	Genesis R70

AT06011 Specifications



MFR	VALEO
OEM	93076
Voltage [V]	12
Amp. [A]	50
Grooves [qty.]	1
Pulley[mm]	88





Applications

CARRIER TRANSICOLD	Genesis R70

AT06012 Specifications



MFR	VALEO
OEM	20796N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	5
Pulley[mm]	56





Applications

HYUNDAI-EUROPE	Accent II, i30
KIA-EUROPE	Ceed, Cerato

AT06013 Specifications



MFR	VALEO
OEM	23290N
Voltage [V]	12
Amp. [A]	180
Grooves [qty.]	6
Pulley[mm]	

Applications

MERCEDES-EUROPE	Viano CDI
MERCEDES LCV-EUROPE	Sprinter 209/211/213

AT06014 Specifications

MFR	VALEO
OEM	12302N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	
Pulley[mm]	

Applications

DEUTZ	All Models

AT06015 Specifications

MFR	VALEO
OEM	20572N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	5
Pulley[mm]	58

Applications

KIA-EUROPE	Picanto

AT06016 Specifications







MFR	VALEO
OEM	20447N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	1
Pulley[mm]	88

Applications

CARRIER TRANSICOLD	Genesis R70 Genesis R90

AT06017 Specifications





MFR	MITSUBISHI
OEM	12642N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1
Pulley[mm]	84

Applications

MITSUBISHI -EUROPE	Colt Mk3
MITSUBISHI LCV-EUROPE	L200, L300

AT06018 Specifications







MFR	Value
OEM	12
Voltage [V]	2542321
Amp. [A]	70
Grooves [qty.]	6 PK
Pulley[mm]	60

Applications

Carrier Transicold Kubota+	Supra 450, 550 V1505, V2203

AT06019 Specifications







MFR	VALEO
OEM	ALV5543
Voltage [V]	12
Amp. [A]	115
Grooves [qty.]	6
Pulley[mm]	49

Applications

SSANGYONG	Chairman, Korando

AT06020 Specifications







MFR	VALEO
OEM	3730045500
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	79

Applications

HYUNDAI	HD65, HD72, Hd78

AT06021 Specifications







MFR	Value
OEM	12
Voltage [V]	30-01114-02
Amp. [A]	105
Grooves [qty.]	
Pulley[mm]	

Applications

Carrier Transicold Kubota	Supra 450, 550 V1505, V2203

AT06022 Specifications







MFR	VALEO
OEM	ALV7100
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	8 PK
Pulley[mm]	80

Applications

HYUNDAI	E-MIGHTY UE Hd35

AT06023 Specifications







MFR	VALEO
OEM	20354N
Voltage [V]	12
Amp. [A]	140
Grooves [qty.]	6 PK (Clutch)
Pulley[mm]	

Applications

AUDI - EUROPE	A1, A1 QUATTRO
AUDI	A3, A3 QUATTRO
SEAT - EUROPE	LEON CUPRA
SKODA - EUROPE	OCTAVIA

AT06024 Specifications







MFR	Valeo
OEM	TK45-2590
Voltage [V]	12
Amp. [A]	37
Grooves [qty.]	
Pulley[mm]	

Applications

THERMO KING	SB 100, SB 110

AT07001

Specifications







MFR	Prestolite
OEM	1-3060-25W
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	2
Pulley[mm]	

Applications

CHINESE BUS	6126N
GOLDEN DRAGON	XML6121E1A/G
YUTONG	ZK6118HG
ZHONGTONG	LCK6112G
YUCHAI	YC6A

AT07002

Specifications







MFR	prestolite
OEM	8392N
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	
Pulley[mm]	

Applications

CATERPILLAR AG. & IND.	Various Models

AT07003

Specifications







MFR	Prestolite
OEM	1-3003-25W
Voltage [V]	24
Amp. [A]	155
Grooves [qty.]	
Pulley[mm]	

Applications

HIGER	KLQ 6840, KLQ 6885

AT07004

Specifications







MFR	Prestolite
OEM	5272634
Voltage [V]	12
Amp. [A]	150
Grooves [qty.]	8
Pulley[mm]	

Applications

GAZ	33106 Valday
FOTON	
DONG FENG	

AT07005

Specifications





MFR	prestolite
OEM	AVI144S3001
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	
Pulley[mm]	

Applications

DAF
MAN
BENZ

AT07006

Specifications







MFR	Prestolite
OEM	21651N
Voltage [V]	24
Amp. [A]	180
Grooves [qty.]	10
Pulley[mm]	70

Applications

SCANIAc	6 Series

AT07007

Specifications







MFR	Prestolite
OEM	8941N
Voltage [V]	24
Amp. [A]	140
Grooves [qty.]	10
Pulley[mm]	

Applications

DAIMLER/VAN HOOL

AT07008

Specifications







MFR	Prestolite
OEM	A0014962PA
Voltage [V]	12
Amp. [A]	320
Grooves [qty.]	
Pulley[mm]	

Applications

Blue Bird	All American FE, All American RE, Commercial Bus
Ford	F-650, F-750

AT07008A

Specifications







MFR	Prestolite
OEM	A0014989PGH
Voltage [V]	24
Amp. [A]	190
Grooves [qty.]	
Pulley[mm]	

Applications

Blue Bird	All American FE, All American RE, Commercial Bus
Ford	F-650, F-750

AT07009

Specifications







MFR	Prestolite
OEM	8649N
Voltage [V]	24
Amp. [A]	140
Grooves [qty.]	
Pulley[mm]	

Applications

CUMMINS	Engines B, C
INTERNATIONAL TRUCK/PACCAR	-
DAIMLER/VAN HOOL	Buses
CUMMINS/MTU	Marine Engines

AT07010

Specifications





MFR	MOTOROLA / PRESTOLITE
OEM	8422N
Voltage [V]	24
Amp. [A]	175
Grooves [qty.]	
Pulley[mm]	

Applications

VOLVO PENTA	TAMD120A, TAMD120B
VOLVO PENTA	TAMD162, TAMD162A
VOLVO PENTA	TMD100B, TMD100C
VOLVO PENTA	TMD120A, TMD120B

AT07011

Specifications







MFR	Prestolite
OEM	21941N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	0, 8
Pulley[mm]	

Applications

NEW HOLLAND	W130C, W170C

AT07012

Specifications







MFR	Prestolite
OEM	2155568
Voltage [V]	24
Amp. [A]	150
Grooves [qty.]	0, 2
Pulley[mm]	

Applications

LIAZ	6212
KING LONG	
SHANGHAI SONGZ	
AIRCO	

AT07013

Specifications







MFR	Prestolite
OEM	21941N
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	0, 8
Pulley[mm]	

Applications

New Holland	W130C, W170C

AT07014

Specifications

MFR	Prestolite
OEM	5287123
Voltage [V]	24
Amp. [A]	110
Grooves [qty.]	8
Pulley[mm]	

Applications

Kamaz

AT07015

Specifications

MFR	Prestolite
OEM	5294335
Voltage [V]	24
Amp. [A]	120
Grooves [qty.]	8
Pulley[mm]	

Applications

YUTONG	ZK6899HA

AT07016 Specifications





MFR	Prestolite
OEM	ALP4308
Voltage [V]	24
Amp. [A]	190
Grooves [qty.]	8
Pulley[mm]	

Applications

ALEXANDER DENNIS
IRIZAR
TEMSA
WRIGHTBUS

AT07017 Specifications





MFR	Prestolite
OEM	11060855
Voltage [V]	24
Amp. [A]	180
Grooves [qty.]	8 PK
Pulley[mm]	

Applications

ALEXANDER DENNIS
IRIZAR
TEMSA
WRIGHTBUS

AT07018 Specifications





MFR	Prestolite
OEM	8410N
Voltage [V]	12
Amp. [A]	160
Grooves [qty.]	
Pulley[mm]	

Applications

Ford	F-650, F-750
Freightliner	Argosy
International	4000-4900 Series
Kenworth	C500, T2000, T600
Mack	CH, CL, CT/CTP

AT07019 Specifications





MFR	MOTOROLA
OEM	110-555JHO
Voltage [V]	12
Amp. [A]	160
Grooves [qty.]	
Pulley[mm]	

Applications

Agco Gleaner	R65
Champion	760
Massey Ferguson	MF-8350
Vermeer	T655, T655DT

AT07020 Specifications





MFR	PRESTOLITE
OEM	ALP4191
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	8
Pulley[mm]	81

Applications

Perkins	engines 4000-series
Dorman	Diesel
JCB	Diesel
FG Wilson	Diesel
ERF	Diesel

AT08001 Specifications





MFR	NIKKO
OEM	JA790IR
Voltage [V]	24
Amp. [A]	3 5
Grooves [qty.]	2
Pulley[mm]	82

Applications

KOMATSU	D20, D20A
KOMATSU	PC300-5

AT08002 Specifications





MFR	Parameters
OEM	NIKKO
Voltage [V]	24
Amp. [A]	25
Grooves [qty.]	1
Pulley[mm]	95

Applications

KOMATSU	D20, D20A, D20P

AT08003 Specifications





MFR	NIKKO
OEM	1812000800
Voltage [V]	24
Amp. [A]	25
Grooves [qty.]	2
Pulley[mm]	

Applications

TCM	Forklifts
ISUZU	083

AT08004 Specifications

MFR	
OEM	
Voltage [V]	
Amp. [A]	
Grooves [qty.]	
Pulley[mm]	

Applications

AT08005 Specifications





MFR	NIKKO
OEM	8973750171
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	12
Pulley[mm]	80

Applications

ISUZU	-
JCB	JS175W, JS190
KOMATSU	PC300-7
KOBELCO	SK130-8

AT08005A Specifications





MFR	NIKKO
OEM	8973750171
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8
Pulley[mm]	80

Applications

ISUZU	
JCB	JS175W, JS190
KOMATSU	PC300-7
KOBELCO	SK130-8

AT08006 Specifications





MFR	NIKKO
OEM	11833N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	7
Pulley[mm]	70

Applications

CASE	CX130B, CX130C
HITACHI	ZAXIS 120-3
JOHN DEERE	135 G, 135 P

AT08007 Specifications





MFR	NIKKO
OEM	6008259330
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	2
Pulley[mm]	85

Applications

KOMATSU	DOZER D65WX-15E0
KOMATSU	HD785-5/SA12V140-1V

AT08007A Specifications







MFR	NIKKO
OEM	6008259331
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	1
Pulley[mm]	95

Applications

KOMATSU	Hd465

AT08007B Specifications







MFR	NIKKO
OEM	11843N
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	
Pulley[mm]	

Applications

KOMATSU	D155AX, D155AXI

AT08008 Specifications







MFR	Nikko
OEM	02142020410
Voltage [V]	24
Amp. [A]	75
Grooves [qty.]	1
Pulley[mm]	95

Applications

KOMATSU	PC650
KOMATSU	D575A-2, D575A-3

AT08009 Specifications







MFR	NIKKO
OEM	12449N
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	2
Pulley[mm]	82

Applications

JOHN DEERE	135C, 225CLC

AT08010 Specifications







MFR	NIKKO
OEM	12769N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8
Pulley[mm]	95

Applications

DOOSAN	DX220A, DX220AF

AT08010A Specifications







MFR	NIKKO
OEM	12769N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8
Pulley[mm]	78

Applications

DOOSAN	DX220A, DX220AF

AT08010B Specifications







MFR	NIKKO
OEM	11960N
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	95

Applications

ORIGINAL REFERENCE	DT026P1A

AT08011 Specifications







MFR	NIKKO
OEM	12259N
Voltage [V]	24
Amp. [A]	34
Grooves [qty.]	2
Pulley[mm]	95

Applications

KOMATSU	D65E
KOMATSU	Pc400

AT08011A Specifications







MFR	NIKKO
OEM	12259N
Voltage [V]	24
Amp. [A]	34
Grooves [qty.]	8
Pulley[mm]	

Applications

KOMATSU	D65E
KOMATSU	Pc400

AT08012 Specifications







MFR	NIKKO
OEM	21659N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	7
Pulley[mm]	69

Applications

ISUZU	FRD90, FRR90
ISUZU	FRR90

AT08012A Specifications







MFR	NIKKO
OEM	8980134611
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	9
Pulley[mm]	83

Applications

ISUZU	FRR34

AT08013 Specifications







MFR	NIKKO
OEM	8974817050
Voltage [V]	24
Amp. [A]	90
Grooves [qty.]	7
Pulley[mm]	80

Applications

ISUZU	FSR90, Forward

AT09001 Specifications



MFR	SAWAFUJI
OEM	270501110B
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	1
Pulley[mm]	





Applications

HINO	EK100

AT09002 Specifications



MFR	SAWAFUJI
OEM	2310097105
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	3
Pulley[mm]	82





Applications

HITACHI	CRANE
NISSAN	CW40, CW41

AT09003 Specifications



MFR	SAWAFUJI
OEM	2309996566
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	9
Pulley[mm]	





Applications

NISSAN	

AT09004 Specifications



MFR	SAWAFUJI
OEM	EL100 14274
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	82





Applications

Hino	HO7D

AT09005 Specifications



MFR	SAWAFUJI
OEM	27060EW010
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	80





Applications

HINO	Dutro, Mega

AT09006 Specifications



MFR	HINO
OEM	270501321
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	82





Applications

NISSAN	

AT09007 Specifications



MFR	SAWAFUJI
OEM	1-3562-25W
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	82





Applications

HINO Trucks	FS, FN, FR, P-FS

AT09007A Specifications



MFR	NIKKO
OEM	11840N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8
Pulley[mm]	80





Applications

HINO	

AT09007C Specifications



MFR	NIKKO
OEM	11840N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	8
Pulley[mm]	80





Applications

CASE	CX210B-LR, CX210B-NLC
HITACHI	EG65R-3, SR2000G
JCB	JS175W, JS190LC

AT09007D Specifications



MFR	SAWAFUJI
OEM	270401961
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	82





Applications

KOBELCO	SK200-8, SK250-8
HINO	500, 700

AT09007E Specifications



MFR	SAWAFUJI
OEM	270402380
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	9
Pulley[mm]	80





Applications

HINO	500, 700

AT09008 Specifications



MFR	SAWAFUJI
OEM	270401113
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	





Applications

HINO	Ef750, FE6B

AT09009 Specifications



MFR	NISSAN
OEM	2310095015
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	84





Applications

NISSAN	Trucks

AT09010 Specifications



MFR	SAWAFUJI
OEM	1-3562-25W
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	2
Pulley[mm]	82

Applications

HINO	FS, FN, FR

AT09011 Specifications

MFR	SAWAFUJI
OEM	270201380
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	2
Pulley[mm]	82

Applications

HINO	DK100, Eb100

AT09012 Specifications

MFR	SAWAFUJI
OEM	27060-E0110
Voltage [V]	24
Amp. [A]	100
Grooves [qty.]	8
Pulley[mm]	78

Applications

HINO	Fire Truck

AT10001 Specifications





MFR	HITACHI
OEM	14863N
Voltage [V]	12
Amp. [A]	50
Grooves [qty.]	1
Pulley[mm]	74

Applications

CASE	Cx75, CX75SR
LBX	75MSR, 80SB
LINK-BELT	75MSR, 80SB
TAKEUCHI	Tl140

AT10002 Specifications





MFR	HITACHI
OEM	13728N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	6
Pulley[mm]	60

Applications

NISSAN	ALMERA I, ALMERA II

AT10003 Specifications





MFR	HITACHI
OEM	0986043101
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	6
Pulley[mm]	

Applications

OPEL	Astra G 1.7 DTI
OPEL	Combo C 1.7 DI 16V
OPEL	Combo C 1.7 DTI 16V
OPEL	Corsa C 1.7 DI 16V
OPEL	Corsa C 1.7 DTI 16V

AT10004 Specifications





MFR	HITACHI
OEM	14303N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	1
Pulley[mm]	

Applications

VALEO	436506, 436518

AT10005 Specifications





MFR	HITACHI
OEM	LR1110-733
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	7
Pulley[mm]	

Applications

CHEVROLET/GMC	W3500 Tiltmaster
CHEVROLET/GMC	W4500 Tiltmaster
CHEVROLET/GMC	W5500 Tiltmaster
CHEVROLET/GMC	W5500HD Tiltmaster

AT10007 Specifications





MFR	HITACHI
OEM	23215N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	7
Pulley[mm]	

Applications

NISSAN	Patrol
NISSAN	TERRANO II (R20)
NISSAN	TERRANO II Van (R20)
NISSAN	Terrano II

AT10008 Specifications





MFR	Bosch
OEM	0120400696
Voltage [V]	24
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	

Applications

VOLVO

AT10008A Specifications





MFR	HITACHI
OEM	12718N
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	3
Pulley[mm]	82

Applications

ISUZU

AT10009 Specifications





MFR	HITACHI
OEM	12272N
Voltage [V]	12
Amp. [A]	80
Grooves [qty.]	1
Pulley[mm]	

Applications

YANMAR
YANMAR
YANMAR

AT10009B Specifications





MFR	HITACHI
OEM	12324N
Voltage [V]	24
Amp. [A]	25
Grooves [qty.]	2
Pulley[mm]	82

Applications

NISSAN	F03

AT10010 Specifications





MFR	HITACHI
OEM	21446N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	7
Pulley[mm]	

Applications

ISUZU	NLR 85
ISUZU	NPR 85
ISUZU	Forward

AT10011 Specifications





MFR	HITACHI
OEM	27040-1102
Voltage [V]	24
Amp. [A]	45
Grooves [qty.]	2
Pulley[mm]	

Applications

HINO	Various Models

AT10012 Specifications





MFR	HITACHI
OEM	23802N
Voltage [V]	12
Amp. [A]	100
Grooves [qty.]	6
Pulley[mm]	60

Applications

OPEL	Astra H, Combo C
OPEL LCV	Astra Van H
VAUXHALL	Astra H, Astravan H

AT10013 Specifications



MFR	HITACHI
OEM	LR235502
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	1
Pulley[mm]	

Applications

NISSAN	FD35, H40

AT10014 Specifications

MFR	HITACHI
OEM	LR250503
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	3
Pulley[mm]	82

Applications

BOGDAN	A-091 4.6D
ISUZU	ELF

AT10015 Specifications

MFR	HITACHI
OEM	20217N
Voltage [V]	24
Amp. [A]	50
Grooves [qty.]	3
Pulley[mm]	82

Applications

AT10016 Specifications



MFR	HITACHI
OEM	ALH1172
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	1
Pulley[mm]	





Applications

OPEL	Astra F, Combo
VAUXHALL	Astra F, Combo

AT10017 Specifications



MFR	HITACHI
OEM	23155N
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	6
Pulley[mm]	49





Applications

NISSAN	Micra II 1.0 K11

AT10018 Specifications



MFR	HITACHI
OEM	22295N
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	2
Pulley[mm]	84





Applications

NISSAN	Cabstar 2.3 Diesel (F22)
NISSAN	Cabstar 2.7 Diesel (F22)
NISSAN	Pick Up 2.5 Diesel (D21)
NISSAN	Pick Up 2.5 Diesel 4WD (D21)
NISSAN	Pick Up 2.7 Diesel 4WD (D21)

AT10019 Specifications



MFR	HITACHI
OEM	12109N
Voltage [V]	12
Amp. [A]	35
Grooves [qty.]	1
Pulley[mm]	





Applications

FORD	TRACTOR 1920 Compact Tractor
MAZDA	323 I 1.4 FA
MAZDA	323 II 1.5 BD
MAZDA	B1600 1.6 UD

AT10020 Specifications



MFR	HITACHI
OEM	22246N
Voltage [V]	12
Amp. [A]	50
Grooves [qty.]	1
Pulley[mm]	82





Applications

ISUZU	Campo 2.5 Diesel 4WD
ISUZU	Trooper 2.8 TD
OPEL	Campo 2.5 Diesel
OPEL	Campo 3.1 TD, 3.1 TD 4x4
OPEL	Monterey A 3.1 TD

AT10020A Specifications



MFR	HITACHI
OEM	LR225-80B
Voltage [V]	24
Amp. [A]	35
Grooves [qty.]	2
Pulley[mm]	82





Applications

ISUZU	Campo 2.5 Diesel 4WD
ISUZU	Trooper 2.8 TD
OPEL	Campo 2.5 Diesel, 2.5 TD
OPEL	Campo 3.1 TD, 3.1 TD 4x4
OPEL	Monterey A 3.1 TD

AT11001 Specifications



MFR	HYUNDA
OEM	23236R
Voltage [V]	12
Amp. [A]	60
Grooves [qty.]	1
Pulley[mm]	





Applications

KIA	Sportage I 2.0 TD K00
KIA	Retona 2.0 TD
KIA	Sportage 2.2 4WD

AT11002 Specifications



MFR	HYUNDAI
OEM	3730093000
Voltage [V]	24
Amp. [A]	70
Grooves [qty.]	2
Pulley[mm]	





Applications

MITSUBISHI	FUSO 8.5T
MITSUBISHI	

AT11003 Specifications



MFR	HYUNDAI/KIA
OEM	0986080640
Voltage [V]	12
Amp. [A]	110
Grooves [qty.]	7
Pulley[mm]	





Applications

HYUNDAI	Porter 2.5 CRDi
HYUNDAI	H100 2.5 td
HYUNDAI	H100 [HR] (TRUCK)

AT11004A Specifications



MFR	DAEWOO
OEM	25026006
Voltage [V]	24
Amp. [A]	60
Grooves [qty.]	2, 8
Pulley[mm]	





Applications

HYUNDAI	Excavator R220-5
KOMATSU	Excavator PC300-6
SOLAR	

AT11005 Specifications



MFR	HYUNDAI
OEM	DRA0243N
Voltage [V]	12
Amp. [A]	120
Grooves [qty.]	6
Pulley[mm]	60





Applications

HYUNDAI	i30 I 2.0 CRDi FD
HYUNDAI	Sonata V 2.0 CRDi NF
KIA	Carens III 2.0 CRDi UN
KIA	Cee'd I 2.0 CRDi ED
KIA	Magentis II 2.0 CRDi MG

AT11006 Specifications



MFR	HYUNDAI
OEM	373004151
Voltage [V]	24
Amp. [A]	40
Grooves [qty.]	2
Pulley[mm]	82





Applications

KIA	K3600
HYUNDAI	HD65, HD72, HD78
MITSUBISHI	Canter 2.4
MITSUBISHI	Canter 2.5 Diesel DT
MITSUBISHI	Canter 2.8 Diesel

AT11007 Specifications



MFR	Hyundai
OEM	4TNV98
Voltage [V]	24
Amp. [A]	45
Grooves [qty.]	
Pulley[mm]	





Applications

DAEWOO	DX75/80/88

AT11008 Specifications



MFR	HYUNDAI/KIA
OEM	13209N
Voltage [V]	12
Amp. [A]	90
Grooves [qty.]	6
Pulley[mm]	

Applications

HYUNDAI	Solaris 1.6L
HYUNDAI	Accent 1.4L, 1.6L
HYUNDAI	i20 1.4, 1.6
HYUNDAI	i30 1.4, 1.6
HYUNDAI	ix20 1.4, 1.6

AT11009 Specifications







MFR	Hyundai
OEM	219088
Voltage [V]	24
Amp. [A]	80
Grooves [qty.]	8
Pulley[mm]	

Applications

DOOSAN	500LC-V
DAEWOO	Industrial

AT12001 Specifications







MFR	LUCAS
OEM	13107N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	V1 (78mm OD)

Applications

FORD - EUROPE	CAPRI III, Cargo
FORD LCV - EUROPE	Escort
FORD	Fiesta
MERCURY	Capri

AT12002 Specifications







MFR	LUCAS
OEM	0120400808
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	

Applications

FORD	Escort V 1.8 D
FORD	Escort VI 1.8 D
FORD	Escort VI 1.8 TD
FORD	Fiesta II 1.3
FORD	Fiesta II 1.4

AT12003 Specifications







MFR	Bosch
OEM	0120188290
Voltage [V]	12
Amp. [A]	65
Grooves [qty.]	1A
Pulley[mm]	80

Applications

DAF

AT12004 Specifications







MFR	LUCAS
OEM	L21205
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	

Applications

ATLASCOPCO

AT12005 Specifications







MFR	LUCAS
OEM	23682N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	4
Pulley[mm]	67

Applications

FORD	100-230, DI

AT13001 Specifications





MFR	MAGNETI MARELLI
OEM	2253146
Voltage [V]	24
Amp. [A]	55
Grooves [qty.]	2
Pulley[mm]	

Applications

CATERPILLAR	M322C
TEREX	SKL 873
TEREX	TI160

AT13002 Specifications





MFR	LUCAS
OEM	12737N
Voltage [V]	12
Amp. [A]	85
Grooves [qty.]	1
Pulley[mm]	

Applications

JCB	526S Loadall
MANITOU	MLT 735 120LSU Telescopic Handler
TEREX	4017 Telescopic Handler

AT13003 Specifications





MFR	FIAT
OEM	22885N
Voltage [V]	12
Amp. [A]	85
Grooves [qty.]	4
Pulley[mm]	

Applications

FIAT	Brava 1.2 16V
FIAT	Bravo I 1.2 16V
FIAT	Doblo I 1.2 8V
FIAT	Marea 1.2 16V
FIAT	Punto I 85 1.2 16V

AT13004 Specifications





MFR	MAGNETI MARELLI
OEM	21243N
Voltage [V]	12
Amp. [A]	70
Grooves [qty.]	5
Pulley[mm]	

Applications

FORD	Courier 1.8 D
FORD	Escort VI 1.8 D
FORD	Escort VI 1.8 TD
FORD	Fiesta IV 1.8 D
MAZDA	121 III 1.8 D

AT13005 Specifications





MFR	MAGNETI MARELLI
OEM	1-3270-25W
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	68

Applications

ALFA ROMEO	164, 33, 75
IVECO	Daily II, Aifo

AT13006 Specifications





MFR	MARELLI
OEM	20598N
Voltage [V]	12
Amp. [A]	55
Grooves [qty.]	1
Pulley[mm]	68

Applications

FIAT	127
FIAT	Fiorino
FIAT	Panda
FIAT	Uno

ST01001 Specifications





MFR	DELCO
Mfr Series	40MT
Rotation	CCW
Voltage [V]	12
Tooth Quantity [T]	11
Power [KW]	

Applications

Caterpillar Ag. & Ind.	3406; 3408
Cummins Engines	C Series

ST01001A Specifications




MFR	DELCO
Mfr Series	40MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	11
Power [KW]	7.5

Applications

Autocar	HD
Case	1080; 1080B
Caterpillar	112F; 120; 120G
Cummins	V Series
Drott	35C; 40C; 50C; X880

ST01001B Specifications





MFR	DELCO
Mfr Series	40MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	7.5

Applications

Autocar	HD
Case	1080; 1080B
Caterpillar	112F; 120
Cummins	V Series
Drott	35C; 40C; 50C; X880

ST01001C Specifications




MFR	DELCO
Mfr Series	40MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	13
Power [KW]	

Applications

Case	W26
Clark	110 III; 110
Drott Mfg.	50C
Euclid	17UPM
Grove Mfg.	TM-1150

ST01001D Specifications





MFR	DELCO
Mfr Series	40MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	12
Power [KW]	

Applications

Agco Gleaner	N7
Allis Chalmers	210; 220; D21
Austin Western	101; 301; 615
Autocar HD	All Models

St01002 Specifications





MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	8.0

Applications

Atlas Copco	ROC D7-RRC
Barber Greene	BG2455D, BG260D
Caterpillar	2748, 2948

ST01002A Specifications





MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	11
Power [KW]	8.0

Applications

Allis Chalmers	6138; 670
Case	1000 Travelift
Caterpillar Ag. & Ind.	16G; 245
Champion	740A; 750
Clark	125C; 175B

ST01002B Specifications





MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	8.0

Applications

Case	45R; 50LC
Caterpillar Ag. & Ind.	120G; 12G
Cummins Engines	C Series
Kenworth	C500 Series

ST01002G

Specifications



MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	11
Power [KW]	7.3





Applications

Case	9150; 9170
Cummins Engines	855 Series
Ford	1156; 846
Freightliner	Argosy

ST01002K

Specifications



MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	12
Power [KW]	7.3





Applications

Agco Gleaner	R60; R70
Case	2190; 9110
Caterpillar Ag. & Ind.	3304; 3306
Consolidated Diesel	6C
Cummins Engines	C Series

ST01002L

Specifications



MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	11
Power [KW]	7.3





Applications

Advance Mixer	Various Models
Agco Gleaner	R72; R75
American Coach	Various Models
Buhler Versatile	VERSATILE 2270
Case	9150; 9170; 9180

ST01002N

Specifications



MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	13
Power [KW]	8.0





Applications

Case	40LC; 40R

ST01002P

Specifications



MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	11
Power [KW]	8.0





Applications

Allis Chalmers	6138; 670; 685
Case	1000 Travelift
Caterpillar Ag. & Ind.	16G; 245; 245D
Champion	740A; 750; 750A
Clark	125C; 175B; 275B

ST01002R

Specifications



MFR	DELCO
Mfr Series	42MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	8.0





Applications

Case	1080B
Caterpillar Ag. & Ind.	140H; 225
Consolidated Diesel	6C
Cummins Engines	V Series
El Dorado	Axess;

ST01003A

Specifications



MFR	DELCO
Mfr Series	50MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	11
Power [KW]	9.0





Applications

Allis Chalmers	HD-16
Autocar HD	All Models
Case	120C; 120D
Caterpillar Ag. & Ind.	245; 3406
Consolidated Diesel	6C

ST01003C

Specifications



MFR	DELCO
Mfr Series	50MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	11
Power [KW]	





Applications

Caterpillar Ag. & Ind.	3508; 3512
White Industrial	All Models

ST01003D

Specifications



MFR	DELCO
Mfr Series	50MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	13
Power [KW]	7.5



Applications

CATERPILLAR	Wheel Loader 966H
CATERPILLAR/CASE	

ST01003F

Specifications



MFR	DELCO
Mfr Series	50MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	





Applications

Caterpillar Ag. & Ind.	583H, 583K

ST01003M

Specifications



MFR	DELCO
OEM	50MT
Voltage [V]	CW
Amp. [A]	24
Grooves [qty.]	11
Pulley[mm]	9.0





Applications

Caterpillar	1090, 1190

ST01004

Specifications



MFR	DELCO
OEM	37MT
Voltage [V]	CW
Amp. [A]	12
Grooves [qty.]	12
Pulley[mm]	5.5





Applications

Chevrolet	Medium & Heavy Duty Trucks

ST01004A

Specifications



MFR	DELCO
Mfr Series	37MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	12
Power [KW]	7.5





Applications

Adams Division	220
Barber Greene	SA41
Case	350C
Caterpillar Ag. & Ind.	A10, A12
Champion	720, 726A

ST01004B

Specifications



MFR	DELCO
Mfr Series	37MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	10
Power [KW]	4.0c



Applications

Caterpillar Ag. & Ind.	3204
Cummins Engines	B Series
International	1452SC

ST01004C

Specifications

MFR	DELCO
Mfr Series	37MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	10
Power [KW]	4.5

Applications

Bobcat	974
Buhler Genesis	GENESIS 2145
Clark	35C, 974
DMT Corporation	Various Models
Dresser	150, 150Ac

ST01004D

Specifications

MFR	DELCO
Mfr Series	37MT
Rotation	CW
Voltage [V]	12
Tooth Quantity [T]	10
Power [KW]	4.6

Applications

American LaFrance	ALF Eagle
Autocar LLC.	Xpeditor WX
Blue Bird	All American FE
Chevrolet	B7, C4500 Kodiak

ST01004E Specifications



MFR	DELCO
Voltage[V]	12
Power[kW]	4.6
Teeth[qty.]	10
Rotation	CW
Design	DD





Applications

BLUEBIRD	AllAmericanFE
	SHLAllAmerican
	SHLAllAmerican

ST01005 Specifications



MFR	DELCO
Mfr Series	41MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	





Applications

Atlas Copco	XAMS355
Barber Greene	BG2255C
Caterpillar	120H ES

ST01005A Specifications



MFR	DELCO
Mfr Series	41MT
Rotation	CW
Voltage [V]	24
Tooth Quantity [T]	12
Power [KW]	N/A





Applications

Atlas Copco	XAMS355
Barber Greene	BG2255C
Caterpillar	120H Series