Work Secure, Healthy and Smart

Technology Drives Workstyle

Ningbo Ofitech Business Machines Co., Ltd (HQ)

Sales & Manufacture
Add: Kaifat Group, No.599, Qiming Road, Yinzhou Incubation,
Ningbo, China
Tel:+86 574-55665196
Email: sales@SmartOfitech.com

Ofitech Business Machines Inc. (USA)

Sales & Design
Add: #79525 West Hollywood, California, 90069
Tel:(970) 536-5771

Shenzhen Ofitech Business Machines Co.,Ltd

Sales & Technical Development
Add: 2F, Nanyuan Commercial Building, No.4 Minbao Road,
Longhua District, Shenzhen, Guangdong

www.SmartOfitech.com

Follow us on

Ofitech®

www.SmartOfitech.com

Ofitech®

About Ofitech

Worldwide Partners Network
ODM/OEM customers all over the world

Since

2001

We innovate, manufacture and distribute professional paper shredders, laminators, electric standing desks,Table Lamp, and related smart office electronics, with the advantages of vertical precise in-house manufacturing facilities and industry-leading technologies.

Our Vision
Our unlimited passion for technology, services and relentless pursuit of innovation all drive us to provide our customers with creative workspace solutions, greater information security protection, increasing productivity.

We bring you with values of
Higher quality standard
Competitive lower price
and a better workstyle

Why Ofitech?

52,000+(m²)
Production Area

250,000+
Units shipped each month

20+
years in office machines development
and manufacture

100+
Esteemed clients worldwide

50+
Countries within our sales network

5+
Factories/branches/offices
In China and USA

<25
Days lead time from PO to CRD

2022
Smart Ofitech initiated

2020
Electric standing desks developed

2018
Lean Production system accomplished

2014
Ranked Green Supplier to Walmart

2013
Laminators developed

2012
Renamed as Ofitech to fully focus on office
electronics market

2008
Shredder lineup ranges from home, office
use to commercial grade

2003
Industrial Park constructed, covering land
area of 133,400 ㎡

2002
First generation of manual shredders
developed

2001
Established in Ningbo, China

Smart Office Solutions

Personal Use
5-6 sheets, P2

Home Office
6-8 sheets, P3-P4

Small Office
10-12 sheets, P3-P4

Large Office
14-16 sheets, P3-P4

Commercial Office
18-25 sheets, P4-P5

Work Secure

Paper Shredder

MaxShred™
Triangular steel wrapping whole cutter unit

Aircool™
Non-stop long run time up to 60 minutes

Efficiency + +

Non-stop 60 minutes run time, shred all in an hour.
No overheating frustration.

It's that easy.

Simplicity + +

No senseless details. Just the most durable shredders, made of strongest triangular steel.

It's that simple.

Inspired by the structural strength of the sustainable triangular steel, through a complex process ofshaping, cutting, polishing, drilling, An entirely new shredding technology of MaxShred™ is achieved

Paper Shredder

Personal Strip Cut P2 Level

Value 6 Sheet Strip Cut Paper Shredder with Card
function, High Speed, 10L wastebin

Model	OS611S
Sheets	6
Cut Size	6 mm
Throat Width	220mm
Speed	3.0m/min
Run Time	2 min on/40 min off
Noise	70dB
Bin Capacity	10L
Switches	Fwd/Auto/Off/Rev
Indicators	/
Unit Size	292×142×325mm

- Shred Credit Cards with metal chips, Staples
- High speed up to 3.0m/min
- Strengthened construction with metal hook
- Comb stripper for smooth jam release
- Thicker and stronger to deal with credit cards with chips
- Durable, light-duty ideal for home office use

Value Strip Cut

4-Position
Fwd/Auto/Off/Rev

2.6 Gal/10L Bin, compact
and space saving

Matt. finish, top and
bottom

Viewing window

2 Minutes
Non-Stop Running Time

P-2 Security Level

Smash Documents,Photos,
Protect Yourself

Mini Paper Shredder for Home Use

P-2 Security Level

Smash Documents,Photos,
Protect Yourself

Smash Documents,Photos,
Protect Yourself

Paper Shredder

Personal Strip Cut P2 Level

Value 6 Sheet Strip Cut Paper Shredder with Card
function, High Speed, 10L wastebin

Model	OS607S
Sheets	6
Cut Size	6mm
Throat Width	220mm
Speed	3.0m/min
Run Time	2 min on/40min off
Noise	68dB
Bin Capacity	10L
Switches	Fwd/Auto/Off/Rev
Indicators	/
Unit Size	292×142×326mm

- Shred Credit Cards with metal chips, Staples
- Quiet operation, 68dB
- Strengthened construction with metal hook
- Comb stripper for smooth jam release
- Thicker and stronger to deal with credit cards with chips

Value Strip Cut

4-Position
Fwd/Auto/Off/Rev

2.6 Gal/10L Bin, compact
and space saving

Matt. finish, top and
bottom

Viewing window

2 Minutes
Non-Stop Running Time
2

P-2 Security Level

Smash Documents,Photos,
Protect Yourself

Mini Paper Shredder for Home Use

P-2 Security Level

Smsh Documents,Photos,
Protect Yourself

Smsh Documents,Photos,
Protect Yourself

Paper Shredder

## Home Office Cross Cut P4 Level

Value 6 Sheet Cross Cut Paper Shredder with
Card function, 12L wastebin

Model	OS610C
Sheets	6
Cut Size	4×32 mm
Throat Width	220mm
Speed	2.2m/min
Run Time	2 min on/40 min off
Noise	70dB
Bin Capacity	12L
Switches	Fwd/Auto/Off/Rev
Indicators	/
Unit Size	315x160x343mm

- Shreds cards with metal chip, staples, clips, photo
- High speed up to 2.2m/min
- Durable, light-duty ideal for home office use
- US/EU Patented MaxShred cutters reduce 100% damages from paper jams

OFFICE MACHINE For Security

Value Cross Cut

4-Position
Fwd/Auto/Off/Rev

Matt. finish, top and bottom

Transparent viewing window

3.0 Gal/11.5L Bin, compact and space saving

Pull up handler for easy lift

Good Choice For Home Office

Shredder with Doubled Life-Span

Smash Documents,Photos, Protect Yourself

Smash Documents,Photos, Protect Yourself

Paper Shredder

Home Office Cross Cut P4 Level

Value 6/8 Sheet Cross Cut Paper Shredder with
Card or CD function, High Speed, 15L wastebin

Model	OS050C	OS080C
Sheets	6	8
Cut Size	4×36 mm	4×36mm
Throat Width	220mm	
Speed	2.25m/min	
Run Time	2 min on/40min off	
Noise	68dB	
Bin Capacity	13L/15L	
Switches	Auto/Off/Rev	
Indicators	/	
Unit Size	315×195×322mm	

- Shreds cards with metal chip, staples, clips, photo
- High speed up to 2.3m/min
- Durable, light-duty ideal for home office use
- US/EU Patented MaxShred cutters reduce 100% damages from paper jams

OFFICE MACHINE For Security

Value Cross Cut

Slide switch
Auto/Off/Rev

Matt. finish, top and
bottom

Transparent
viewing window

Pull up handler for
easy lift

3.9 Gal/15L Bin,
compact and
space saving

Good Choice For Home Office

Safe & Easy Operation

Shredder with Doubled Life-Span

Auto Overheat Protection

Paper Shredder

Home Office Cross Cut P4 Level

Value 6/8 Sheet Cross Cut Paper Shredder with
Card, High Speed, 12L wastebin

| Model	OS506C	OS401M
Sheets	6	4
Cut Size	4×30mm	2×14mm
Throat Width	220mm	
Speed	2.25m/min	1.5m/min
Run Time	2 min on 40 min off	3 min on 40 min off
Noise	70dB	65dB
Bin Capacity	12L	
Switches	Auto/Off/Rev	
Indicators	/	
Unit Size	325×170×322mm	

- Shreds cards with metal chip, staples, clips, photo
- High speed up to 2.3m/min
- Durable, light-duty ideal for home office use
- US/EU Patented MaxShred cutters reduce 100% damages from paper jams

OFFICE MACHINE For Security

Value Cross Cut

Slide switch
Auto/Off/Rev

Glossy finish, top
and bottom

Silver ring

Transparent viewing
window

Integrated grip
handler for easy
lift

3.1 Gal/12L Bin,
compact and
space saving

Good Choice For Home Office

Safe & Easy Operation

Shredder with Doubled Life-Span

Auto Overheat Protection

Paper Shredder

## Small Office Cross Cut P4 Level

Value 10/12 Sheet Cross Cut Paper Shredder with
Card or CD function, High Speed, 21L wastebin

Model	OS1001C	OS1201C
Sheets	10	14
Cut Size	4×38 mm	4×38 mm
Throat Width	220mm	
Speed	2.25m/min	
Run Time	3 min on 40 min off	5 min on 40 min off
Noise	68dB	
Bin Capacity	21L/ 25L	
Switches	Auto/Off/Rev	
Indicators	Power/Overheat	
Unit Size	315×195×356	

- Shreds cards with metal chip, staples, clips, photo
- High speed up to 2.3m/min
- Durable, light-duty ideal for home office use
- US/EU Patented MaxShred cutters reduce 100% damages from paper jams

OFFICE MACHINE For Security

Value Cross Cut

Ready/Overheat
LED indicator

Pull up handler
for easy lift

Slide switch
Auto/Off/Rev

Matt. finish, top
and bottom

6.6gal/25L Basket,
holding 800 sheets
paper

Transparent viewing
window

5 Minutes Non-Stop Running Time

Safe & Easy Operation

Shredder with Doubled Life-Span

AUTO Thermal Protection Green: Power Red: Overheat

Cross cut Shredder for Home Office Use

Safe & Easy Operation

Shredder with Doubled Life-Span

Auto Overheat Protection

Paper Shredder

Home Office Cross Cut P4 Level

Value 9/10 Sheet Cross Cut Paper Shredder with
Card function, High Speed, 15L wastebin

Model	OS808-9M	OS808-10C
Sheets	9	10
Cut Size	4×12 mm	4×38 mm
Throat Width	220mm	
Speed	2.25m/min	
Run Time	5 min on/60min off	
Noise	70dB	
Bin Capacity	14L	
Switches	Fwd/Auto/Off/Rev	
Indicators	Power/ Overheat/ Overload	
Unit Size	315×195×356mm	

- Shreds cards with metal chip, staples, clips, photo
- High speed up to 2.3m/min
- Durable, light-duty ideal for home office use
- US/EU Patented MaxShred cutters reduce 100% damages from paper jams

OFFICE MACHINE For Security

Value Cross Cut

Slide switch
FWD/Auto/Off/Rev

Pull up handler for
easy lift

Matt. finish, top and
bottom

Please only
install the
shredder head
with this
position

3.9 Gal/15L Bin,
compact and
space saving

Transparent
viewing window

Compact Design Take Up Less
Space

Shred 4x Smaller than Cross-Cut
Shredder

Shredder with Doubled Life-Span

Auto Overheat Protection

Paper Shredder

Small Office Cross Cut: P4 Level

Value 10/12 Sheet Cross Cut Paper Shredder with
Card or CD function, High Speed, 21L wastebin

| Model	OS1004D-1	OS1204D
Sheets	10	12
Cut Size	5×16 mm	4×38 mm
Throat Width	220mm	
Speed	2.25m/min	
Run Time	3 min on/40min off	
Noise	68dB	
Bin Capacity	21L	
Switches	Auto/Off/Rev	
Indicators	Power/Overheat	
Unit Size	360×244×398mm	

- Shreds cards with metal chip, staples, clips, photo
- High speed up to 2.3m/min
- Durable, light-duty ideal for home office use
- US/EU Patented MaxShred cutters reduce 100% damages from paper jams

OFFICE MACHINE For Security

Value Cross Cut

Ready/Overheat
LED indicator

CD intake

Slide switch
Auto/Off/Rev

Matt. finish, top
and bottom

Pull up handler
for easy lift

Transparent viewing
window

6.6gal/25L Basket,
holding 800 sheets
paper

5 Minutes
Non-Stop Running Time

Compact Design Take Up Less Space

Shredder with Doubled Life-Span

AUTO Thermal Protection
Green: Power   Red: Overheat

Crosscut Shredder for Home Office
Use

Safe & Easy Operation

Shredder with Doubled Life-Span

Auto Overheat Protection

Paper Shredder

Auto Feed Micro Cut Shredder P5 Level

Manual/ Auto Feed Micro Cut /Cross cut Shredder
Quiet shredding

Model	OA760M	OA550Di
Sheets	7/60	5/50
Cut Size	3×10 mm	4×32 mm
Throat Width	220mm	
Speed	2,25m/min	
Run Time	5 min on 60 min off	15 min on 60 min off
Noise	63dB	
Bin Capacity	20L	17L
Switches	On/Off/Rev	
Indicators	Power/bin full/over heat indicator	
Unit Size	320×202×434mm	

- 7 sheets Manual feed,60 sheets auto feed micro cut
- 5 sheets Manual feed,50 sheets auto feed cross cut
- Quiet operation, 63dB, Manual Reverse to clear jams
- LED display for Power/Bin full/ Over heat

OFFICE MACHINE For Security

Auto Feed Shredder

Panel Lock Knob

Auto Feed Slot

Manual Feed Slot

Auto/Off/Rev Switch

Transparent viewing window

Pull up handler for easy lift

5.3 Gal/20L Basket

Free your hands and work efficiently

Less Frequent Empty:20L Bin

5.2 Gallons

20L

320mm

Double shredded paper pattern design

7 sheets

60 sheets

A single place 60 sheets of paper, the machine automatically into the paper, no watch, work, shredding both

Easy to Clean with Shredder Bag

Double shredded paper pattern design

Paper Shredder

Large Office Cross Cut P4 Level

Cross Cut Paper Shredder, Auto Rev, Quiet, Long run time

Model	OS1501Ci	OS1501-12C
Sheets	15	12
Cut Size	4×38 mm	4×38 mm
Throat Width	220mm	
Speed	1.8m/min	2.25m/min
Run Time	10 min on 60 min off	5 min on 40 min off
Noise	60dB	70dB
Bin Capacity	20L	
Switches	On/Off; Auto/Fwd/Rev	
Indicators	Power/Shredding/Jam/ Door open/overheat/Binfull	
Unit Size	345×239×523mm	

- Long run time up to 60 minutes
- Quiet operation, 60dB, Auto Reverse to clear jams
- LED display for Power/Shredding/Jam/Door open/overheat/Binful
- Built-in Blue Indicator lighting up view window
- Robust performance, Heavy Duty, ideal for small office use

OFFICE MACHINE For Security

Large Office Cross Cut

Power/Overheat/ Overload/Door open/Binful LED indicator

Press switch Fwd/Auto/Rev

5.3 Gal/20L Basket

Glossy finish, side stream

Transparent viewing window Blue LED inside

Shredding with US Patented Cutter

60 Minutes Non-Stop Running

Easy to Clean with Shredder Bag

Shred 4x Smaller than Cross-Cut Shredder

Paper Shredder

Commercial Grade Cross Cut P4 Level

Commercial Cross Cut

18 Sheet Cross Cut Paper Shredder, Auto Rev, Quiet, Long run time

Model	OS1801CI	OS1605MF
Sheets	20	18
Cut Size	4×38 mm	5×12 mm
Throat Width	228mm	
Speed	1.8m/min	
Run Time	15 min on 60 min off	60 min on 60 min off
Noise	60dB	
Bin Capacity	30L	
Switches	On/Off; Auto/Fwd/Rev	
Indicators	Power/Shredding/Jam/ Door open/overheat/Binfull	
Unit Size	360×286×602mm	

- Long run time up to 60 minutes
- Quiet operation, 60dB, Auto Reverse to clear jams
- LED display for Power/Shredding/Jam/Door open/overheat/Binful
- Built-in Blue Indicator lighting up view window
- Robust performance, Heavy Duty, ideal for small office use

Glossy finish, side stream

Press switch Fwd/Auto/Rev

Power/Overheat/ Overload/Door open/Binful LED indicator

Transparent viewing window Blue LED inside

7.9 Gal/30L Pull out Basket

60dB Ultra-Quiet Shredding with US Patented Cutter

60 Minutes Non-Stop Running

Easy to Clean with Shredder Bag

Shred 4x Smaller than Cross-Cut Shredder

Paper Shredder

Commercial Grade Cross Cut P5 Level

25 Sheet Cross Cut Paper Shredder, Auto
Rev, Quiet, Long run time

Model	OS2502Ci	OS1602Mi
Sheets	25	16
Cut Size	4×38 mm	2×14mm
Throat Width	228mm	
Speed	1.8m/min	
Run Time	30 min on/60 min off	
Noise	58dB	
Bin Capacity	30L	
Switches	On/Off; Auto/Fwd/Rev	
Indicators	Power/Shredding/Jam/Door open/overheat/Binfull	
Unit Size	360×286×602mm	

- Long run time up to 60 minutes
- Quiet operation, 60dB, Auto Reverse to clear jams
- LED display for Power/Shredding/Jam/Door open/overheat/Binful
- Built-in Blue Indicator lighting up view window
- Robust performance, Heavy Duty, ideal for small office use

OFFICE MACHINE For Security

Commercial Cross Cut

Power/Overheat/
Overload/Door
open/Binful
LED indicator

Glossy finish,
side stream

Press switch
Fwd/Auto/Rev

Transparent viewing
window Blue LED
inside

7.9 Gal/30L Pull out
Basket

68dB Ultra-Quiet Shredding with US Patented Cutter

60 Minutes Non-Stop Running

Easy to Clean with Shredder Bag

Shred 4x Smaller than Cross-Cut Shredder

Laminator

Quick Start Hot Laminator

Personal Lamination Machine A4 Size for
Home Use

| Model No.	OL260
Max. width	232mm
Lamintion type	Hot
Warm up time	2 minutes
Hot pouches	70Mic - 125 Mic
Max. thickness	Max. 0.6mm
LED indicators	Power/Ready
speed	280mm per minute
Switch	On/Off
Unit Size	330.5x106x60mm
20"/40"/40HQ	7242/15054/16998

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 80-125 micro

OFFICE MACHINE For Security

QuickStart Hot Laminator

Jam release

Power/Ready

Glossy finish

On/Off

Pouch entry

| Patented Wrinkle Free Lamination | Accept Document Width up to 9 inch | No Jam with Longer Life Span | 5 Steps of Laminating |

Laminator

QuickStart Hot Laminator

Personal Lamination Machine A4 Size for Home Use

Model No.	OL261T	OL361T
Max. width	232mm	322mm
Lamintion type	Hot	Hot
Warm up time	2 minutes	
Hot pouches	70Mic - 125 Mic	
Max. thickness	Max. 0.6mm	
LED indicators	Power/Ready	
speed	280mm per minute	
Switch	On/Off	
Unit Size	442x132x68mm	
20"/40"/40HQ:	7242/15054/16998 4648/9304/10072	

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 80-125 micro

QuickStart Hot Laminator

Tray

Glossy finish

Jam release

Pouch entry

Power/Ready

Hot/Off/Cold

Patented Wrinkle Free Lamination

Accept Document Width up to 9 inch

No Jam with Longer Life Span

5 Steps of Laminating

Laminator

Value QuickStart A4 2 in 1 Combo Laminator

Personal Lamination Machine A4 Size for
Home Use

QuickStart Hot Laminator

Model No.	OL292
Max. width	230mm
Lamintion type	Hot and Cold
Warm up time	2 minutes
Hot pouches	70Mic - 125 Mic
Max. thickness	Max. 0.6mm
LED indicators	Power/Ready
speed	350mm per minute
Switch	COLD/OFF/HOT
Unit Size	363x140x79mm
20"/40"/40HQ	3120/6480/7660

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 80-125 micro
- Integrated trimmer, Max. trimming 3 sheets

Labels: Ruler, corner rounder, Jam release, Trimmer, Glossy finish, Pouch entry, Hot/Off/Cold, Power/Ready

Patented Wrinkle Free Lamination   Accept Document Width up to 9 inch   No Jam with Longer Life Span   5 Steps of Laminating

Laminator

Hot Laminator

Personal Lamination Machine A4 Size for Home Use

| Model No.	OL282	O382
Max. width	240mm	340mm
Lamintion type	Hot and Cold	
Warm up time	3-5 minutes	
Hot pouches	70Mic - 125 Mic	
Max. thickness	Max. 0.6mm	
LED indicators	Power/Ready	
speed	250mm per minute	
Switch	Cold/Off/Hot	
Unit Size	345x140x65mm 440x140x65mm	
20"/40"/40HQ:	5196/11148/12588 4176/8648/9624	

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 80-125 micro

QuickStart Hot Laminator

Glossy finish

Jam release

Pouch entry

Power/Ready

Hot/Off/Cold

Patented Wrinkle Free Lamination

Accept Document Width up to 9 inch

No Jam with Longer Life Span

5 Steps of Laminating

Laminator

QuickStart Hot Laminator

Personal Lamination Machine A4 Size for
Home Use

| Model No.	OL2B5D
Max. width	230mm
Lamintion type	Hot
Warm up time	2 minutes
Hot pouches	70Mic - 125 Mic
Max. thickness	Max. 0.6mm
LED indicators	Power/Ready
speed	280mm per minute
Switch	On/Off
Unit Size	330.5x106x60mm
20"/40"/40HQ	7242/15054/16998

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 80-125 micro

QuickStart Hot Laminator

Jam release

Glossy finish

Power/Ready

ON/OFF

Pouch entry

Patented Wrinkle Free Lamination

Accept Document Width up to 9 inch
Accept Laminating Pouch's Thickness From 3-5 Mil

No Jam with Longer Life Span

5 Steps of Laminating

Patented Wrinkle Free Lamination   Accept Document Width up to 9 inch   No Jam with Longer Life Span   5 Steps of Laminating

Laminator

Ultra thin Hot Laminator

Personal Lamination Machine A4 Size for
Home Use

| Model No.	OL230
Max. width	235mm
Lamintion type	Hot
Warm up time	3-5 minutes
Hot pouches	70Mic - 125 Mic
Max. thickness	Max. 0.6mm
LED indicators	Power/Ready
speed	255mm per minute
Switch	Off/Hot
Unit Size	340x80x51mm
20"/40"/40HQ	/

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 70-125 micro
- Ultra thin body
- Innovation Patent Institution
- Internal heating energy-saving

OFFICE MACHINE For Security

Ultra thin Laminator

Glossy finish

Power line card slot

PUSH

Pouch entry

Power/Ready

OFF/HOT

Patented Wrinkle Free Lamination

Accept Document Width up to 9 inch

No Jam with Longer Life Span

5 Steps of Laminating

Laminator

QuickStart Hot Laminator

Personal Lamination Machine A4 Size for Home Use

Model No.	OL270
Max. width	235mm
Lamintion type	Hot and Cold
Warm up time	1 minutes
Hot pouches	70Mic - 125 Mic
Max. thickness	Max. 0.6mm
LED indicators	Cold/80Mic/125Mic
speed	420mm per minute
Switch	Off/Cold/Hot
Unit Size	320x111x74 mm
20"/40"/40HQ	/

- QuickStart
- Value compact
- Jam release
- Patented Wrinkle free lamination
- One temperature for 70-125 micro
- 1 minute preheating
- Lamination speed 420mm per minute
- solid state switch
- Equipped with power cord storage device

QuickStart Hot Laminator

Glossy finish

Power line card slot

ABS

ABS

Power line card slot

Pouch entry

Power/Ready

80Mic/125Mic

OFF/COLD/HOT

|			
Patented Wrinkle Free Lamination	Accept Document Width up to 9 inch	No Jam with Longer Life Span	5 Steps of Laminating

Qualification & Certifications

Lean System

- Cellular Manufacturing
- Standardization 5S+SOS+SQC
- Kanban+Kazen Kanban
- Continuous Flow

TQC System

- Quality Engineering 5M1E/PDCA/8D
- Functionality Unit FFU & Life test
- Core Mechanism Endurance testing
- In Process Quality PQC criteria: Key workstation
- Core Electronics Endurance testing
- Critical Components Tolerance criteria

AQL Criteria

- Olitech CR=0,MA=0.65, MI=1.5
- KEY Brands: CR=0,MA=1,0, MI=2,5
- Industry: CR=0,MA=1,5, MI=2,5

Factories Certified for

ISO9001:2015
Quality system

ISO14001:2015
Environment system

BSCI
Ethical System

Products Certified by

P S E

KC

CE

EAC

TÜVRheinland ZERTIFIZIERT
www.tuv.com

GS geprüfte Sicherheit

c ETL us LISTED
Intertek