SUNNY GLOVE



Sunny Gloves



SN805 PU SERIES

PRODUCT BRIEF

Mechanical glove ideal for dry conditions,washable and more comfortable for extended wear.

DESCRIPTIONS

Material	Poly/Nylon
Gauge	13/15/18 gauge
Coating	PU Palm
Color	White /Grey/Black/Blue/Customized

STANDARDS-DETAILS

EN 388
3131X

EN 388:2016+A1:2018
3 (0-4) ABRASION RESISTANCE
1 (0-5) CUT RESISTANCE
3 (0-4) TEAR RESISTANCE
1 (0-4) PUNCTURE RESISTANCE
X (A-F) CUT RESISTANCE ISO 13997

DIMENSIONS

Size	Weight (g/pair) (+_5%)	Length(mm) (+_5)	Width(mm) (+_5)
6"	21.5	215	83
7"	22.5	225	86
8"	23.5	235	89
9"	24.5	245	95
10"	25.5	255	102
11"	26.5	265	104
12"	27.5	275	105

FEATURES

Breathable
Abrasion Resistant
Strong Grip

PRODUCT CATALOG



EN 388
3131X

SN805BK

Liner: 13 Gauge Polyester Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
3131X

SN805GY

Liner: 13 Gauge Polyester Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
3131X

SN2301

Liner: 13 Gauge Polyester Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
2121X

SN2302

Liner: 18 Gauge Nylon Liner
Coating: PU Palm Coated
Size: 6-12

PRODUCT CATALOG



EN 388
113XX

SN803

Liner: 13 Gauge Polyester Liner
Coating: PU Fingertips Coated
Size: 6-11



EN 388
113XX

SN803GY

Liner: 13 Gauge Polyester Liner
Coating: PU Fingertips Coated
Size: 6-11



EN 388
113XX

SN2301D

Liner: 13 Gauge Nylon Liner
Coating: PU Fingertips Coated, PVC Dots on palm
Size: 6-11



EN 388
113XX

SN804

Liner: 13 Gauge Polyester Knitted Glove
Size: 6-11

Sunny Gloves

SN802 ANTISTATIC SERIES



PRODUCT BRIEF

Mechanical glove with electrostatic properties for precision work

DESCRIPTIONS

Material	Poly/Nylon/Carbon/Copper
Gauge	13/15/18 gauge
Coating	PU Finger
Color	White /Grey/Black/Blue/Customized

STANDARDS-DETAILS

EN 388
113XX

EN 388:2016+A1:2018
1 (0-4) ABRASION RESISTANCE
1 (0-5) CUT RESISTANCE
3 (0-4) TEAR RESISTANCE
X (0-4) PUNCTURE RESISTANCE
X (A-F) CUT RESISTANCE ISO 13997

EN 16350

EN16350:2014
10^6-10^8 ohm/sq

DIMENSIONS

Size	Weight (g/pair) (+_5%)	Length(mm) (+_5)	Width(mm) (+_5)
6"	17	185	70
7"	18	195	76
8"	20	205	82
9"	21	215	88
10"	22	225	94
11"	23	235	100

FEATURES

Breathable | Abrasion Resistant | Strong Grip | Antistatic

Sunny Gloves



SN815 ANTISTATIC SERIES

PRODUCT BRIEF

Tactile mechanical glove with electrostatic properties

DESCRIPTIONS

Material	Poly/Nylon/Carbon/Copper
Gauge	13/15/18 gauge
Coating	PU Palm
Color	White /Grey/Black/Blue/Customized

STANDARDS-DETAILS

EN 388
3131X

EN 388:2016+A1:2018
3 (0-4) ABRASION RESISTANCE
1 (0-5) CUT RESISTANCE
3 (0-4) TEAR RESISTANCE
1 (0-4) PUNCTURE RESISTANCE
X (A-F) CUT RESISTANCE ISO 13997

EN 16350

EN16350:2014
10^6-10^8 ohm/sq

DIMENSIONS

Size	Weight (g/pair) (+_5%)	Length(mm) (+_5)	Width(mm) (+_5)
6"	21	215	83
7"	23	225	86
8"	24	235	89
9"	26	245	95
10"	27	255	102
11"	28	265	104

FEATURES

Breathable
Abrasion Resistant
Strong Grip
Antistatic

PRODUCT CATALOG



EN 388
3131X

EN 16350:2014

SN805G-ESD

Liner: 13 Gauge Polyester Liner
Coating: PU Palm Coated with ESD impregnation
Size: 6-12



EN 388
3131X

EN 16350:2014

SN805-ESD

Liner: 13 Gauge White Polyester Liner
Coating: PU Palm Coated with ESD impregnation
Size: 6-12



EN 388
3131X

EN 16350:2014

SN805BK-ESD

Liner: 13 Gauge Black Polyester Liner
Coating: PU Palm Coated with ESD impregnation
Size: 6-12



EN 388
3131X

EN 16350:2014

SN805GY-ESD

Liner: 13 Gauge Grey Polyester Liner
Coating: PU Palm Coated with ESD impregnation
Size: 6-12

PRODUCT CATALOG



EN 388
3131X

EN 16350:2014

SN816

Liner: 13 Gauge Polyester Copper Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
113XX

EN 16350:2014

SN803G-ESD

Liner: 13 Gauge Polyester Liner
Coating: PU Fingertips Coated with ESD impregnation
Size: 6-12



EN 388
113XX

EN 16350:2014

SN803-ESD

Liner: 13 Gauge White Polyester Liner
Coating: PU Fingertips Coated with ESD impregnation
Size: 6-12



EN 388
113XX

EN 16350:2014

SN817

Liner: 13 Gauge Polyester Copper Liner
Coating: PU Fingertips Coated
Size: 6-12

PRODUCT CATALOG



EN 388
3131X

EN 16350:2014

SN801

Liner: 13 Gauge Polyester Carbon Knitted Glove
Size: 6-12



EN 388
113XX

EN 16350:2014

SN801HF

Liner: 13 Gauge Polyester Carbon Knitted Glove, Half Finger
Size: 6-12

Sunny Gloves

6003G ANTI-CUT SERIES



PRODUCT BRIEF

Level C cut-resistant glove, ideal in dry conditions

DESCRIPTIONS

Material	HPPE/Nylon/SPANDEX/GLASS FIBER
Gauge	13/15/18 gauge
Coating	PU Finger
Color	White /Grey/Black/Blue/Customized

STANDARDS-DETAILS

EN 388
4X43C

EN 388:2016+A1:2018
4 (0-4) ABRASION RESISTANCE
X (0-5) CUT RESISTANCE
4 (0-4) TEAR RESISTANCE
3 (0-4) PUNCTURE RESISTANCE
C (A-F) CUT RESISTANCE ISO 13997

DIMENSIONS

Size	Weight (g/pair) (+_5%)	Length(mm) (+_5)	Width(mm) (+_5)
6"	49	215	83
7"	53	225	86
8"	56	235	89
9"	65	245	95
10"	68	255	102
11"	73	265	104

FEATURES

Abrasion Resistant
Strong Grip
Anti-cut

Sunny Gloves

6005BS ANTI-CUT SERIES



PRODUCT BRIEF

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments

DESCRIPTIONS

Material	HPPE/Nylon/SPANDEX/GLASS FIBER/STEEL
Gauge	13/15/18 gauge
Coating	Sandy Nitrile Palm
Color	White /Grey/Black/Blue/Customized

STANDARDS-DETAILS

EN 388
4X43D

EN 388:2016+A1:2018
4 (0-4) ABRASION RESISTANCE
X (0-5) CUT RESISTANCE
4 (0-4) TEAR RESISTANCE
3 (0-4) PUNCTURE RESISTANCE
D (A-F) CUT RESISTANCE ISO 13997

DIMENSIONS

Size	Weight (g/pair) (+_5%)	Length(mm) (+_5)	Width(mm) (+_5)
6"	60	215	83
7"	65	225	86
8"	70	235	89
9"	80	245	95
10"	85	255	102
11"	90	265	104

FEATURES

Abrasion Resistant
Strong Grip
Oil Resistance

PRODUCT CATALOG



EN 388
4X42B

6002G

Liner: 13 Gauge HPPE+Nylon+Spandex Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
4X43C

6003G

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
4X43D

6005G

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber+Steel Liner
Coating: PU Palm Coated
Size: 6-12



EN 388
4X43C

6003W

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber Liner
Coating: PU Palm Coated
Size: 6-12

PRODUCT CATALOG



EN 388
4X42B

6002G-ESD

Liner: 13 Gauge HPPE+Polyester+Spandex +Glass Fiber/Carbon+Nylon Liner
Coating: PU Palm Coated
Size: 6-11



EN 388
4X43C

6003F

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber Liner
Coating: PU Palm Coated
Size: 6-11



EN 388
4X42B

6005F-18

Liner: 18 Gauge HPPE+Nylon+Spandex +Glass Fiber+Steel Liner
Coating: PU Palm Coated
Size: 6-11



EN 388
4X43C

6003BS

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber Liner
Coating: Sandy Nitrile Coated
Size: 6-11

PRODUCT CATALOG



EN 388
4X43D

6005BS

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber+Steel Liner
Coating: Sandy Nitrile Coated
Size: 6-11



EN 388
4X43D

6005BN

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber+ Steel Liner
Coating: Nitrile Foam Coated
Size: 6-11



EN 388
3X42E

6006BN-15

Liner: 15 Gauge HPPE+Nylon+Spandex +Glass Fiber+Steel Liner
Coating: Nitrile Foam Coated
Size: 6-11



EN 388
3X42D

6005BN-18

Liner: 18 Gauge HPPE+Nylon+Spandex +Glass Fiber+Steel Liner
Coating: Nitrile Foam Coated
Size: 6-11

PRODUCT CATALOG



EN 388
114XX

SN2301S

Liner: 13 Gauge Nylon Liner
Size: 28cm, 30.5cm



EN 388
4543X

SN01S

Liner: 13 Gauge HPPE+Nylon+Spandex +Glass Fiber Sleeve
Size: 30cm, 35cm, 40cm



EN 388
113XC

EN 407
X1XXXX

SN02S

Liner: 21 Gauge Aramid Sleeve
Size: 30cm, 35cm, 40cm



EN 388
113XC

EN 407
X1XXXX

SN03S

Liner: 7 Gauge Aramid Sleeve
Size: 15cm, 20cm



vicky@sunnyglove.net / judy@sunnyglove.net

www.sunnyglove.net

No.21-8 Xingye Road, Caobu Town, RudongCounty, Jiangsu Province, China

Sunny Glove Search